
py-stellar-base Documentation

Release 7.0.2

Stellar Community

Apr 07, 2022

CONTENTS

1 Quickstart	3
1.1 Installation	3
1.2 Generate Keypair	3
1.3 Create Account	4
1.4 Querying Horizon	6
1.5 Assets	7
1.6 Building Transactions	8
1.7 Creating a payment transaction	10
1.8 Asynchronous	13
1.9 Multi-signature account	16
1.10 XDR	18
2 API Documentation	21
2.1 API Documentation	21
3 stellar-model	261
4 Links	263
5 Thanks	265
6 genindex	267
Python Module Index	269
Index	271

py-stellar-base is a Python library for communicating with a [Stellar Horizon server](#). It is used for building Stellar apps on Python. It supports **Python 3.6+** as well as PyPy 3.6+.

It provides:

- a networking layer API for Horizon endpoints.
- facilities for building and signing transactions, for communicating with a Stellar Horizon instance, and for submitting transactions or querying network history.

QUICKSTART

At the absolute basics, you'll want to read up on [Stellar's Documentation Guides](#), as it contains a lot of information on the concepts used below (Transactions, Payments, Operations, KeyPairs, etc.).

1.1 Installation

1.1.1 Via pip

Use pip to install and update py-stellar-base:

```
pip install -U stellar-sdk
```

The py-stellar-base release follows [Semantic Versioning 2.0.0](#), and I strongly recommend that you specify its major version number in the dependency file to avoid the unknown effects of a corrupt update. More on installing Python and dependencies can be found over in the [Hitchhiker's Guide to Python](#).

1.1.2 Via Source Code

Please use the code on pypi whenever possible. The latest code may be unstable.

You can clone [the repository](#) directly, and install it locally:

```
git clone https://github.com/StellarCN/py-stellar-base.git
cd py-stellar-base
pip install .
```

1.2 Generate Keypair

The [Keypair](#) object represents a key pair used to sign transactions in a Stellar network. The [Keypair](#) object can contain both a public and a private key, or only a public key.

If a [Keypair](#) object does not contain a private key it can't be used to sign transactions. The most convenient method of creating a new keypair is by passing the account's secret seed:

```
1 from stellar_sdk import Keypair
2
3 secret = "SBK2VIYYSVG76E7VC3QHYARNFLY2EAQXDHRC7BMXBBGIFG74ARPRMNQM"
4 keypair = Keypair.from_secret(secret)
```

(continues on next page)

(continued from previous page)

```
5 # GDHMW6QZOL73SHKG2JA3YH邢DHM46SS5ZRWEYF5BCYHX2C5TV06KZBYL
6 public_key = keypair.public_key
7
8 can_sign = keypair.can_sign() # True
```

You can create a keypair from public key, but its function is limited:

```
1 from stellar_sdk import Keypair
2
3 public_key = "GDHMW6QZOL73SHKG2JA3YH邢DHM46SS5ZRWEYF5BCYHX2C5TV06KZBYL"
4 keypair = Keypair.from_public_key(public_key)
5 can_sign = keypair.can_sign() # False
```

You can also create a randomly generated keypair:

```
1 from stellar_sdk import Keypair
2
3 keypair = Keypair.random()
4 print("Public Key: " + keypair.public_key)
5 print("Secret Seed: " + keypair.secret)
```

1.3 Create Account

Now, in order to create an account, you need to run a `CreateAccount` operation with your new account ID. Due to Stellar's minimum account balance, you'll need to transfer the minimum account balance from another account with the create account operation. As of this writing, minimum balance is **1 XLM (2 x 0.5 Base Reserve)**, and is subject to change.

1.3.1 Using The SDF Testnet

If you want to play in the Stellar test network, you can ask our `Friendbot` to create an account for you as shown below:

```
1 """
2 This example shows how to activate an account via friendbot in a test network.
3
4 This feature is only available for test networks.
5
6 See: https://developers.stellar.org/docs/tutorials/create-account/#create-account
7 """
8 import requests
9
10 from stellar_sdk import Keypair
11
12 keypair = Keypair.random()
13
14 print("Public Key: " + keypair.public_key)
15 print("Secret Seed: " + keypair.secret)
```

(continues on next page)

(continued from previous page)

```

17 url = "https://friendbot.stellar.org"
18 response = requests.get(url, params={"addr": keypair.public_key})
19 print(response)

```

1.3.2 Using The Stellar Live Network

On the other hand, if you would like to create an account on the live network, you should buy some Stellar Lumens from an exchange. When you withdraw the Lumens into your new account, the exchange will automatically create the account for you. However, if you want to create an account from another account of your own, here's an example of how to do so:

```

1 """
2 This example shows how to create and fund a new account with the specified starting..
3     ↵balance.
4
5 See: https://developers.stellar.org/docs/tutorials/create-account/#create-account
6 See: https://developers.stellar.org/docs/start/list-of-operations/#create-account
7 """
8
9 from stellar_sdk import Keypair, Network, Server, TransactionBuilder
10
11 server = Server(horizon_url="https://horizon-testnet.stellar.org")
12 source = Keypair.from_secret("SBFZCHU5645DOKRWYBXVOXY2ELGJKFRX6VGGPRYUWHQ7PMXXJNDZFMKD")
13 destination = Keypair.random()
14
15 source_account = server.load_account(account_id=source.public_key)
16 transaction = (
17     TransactionBuilder(
18         source_account=source_account,
19         network_passphrase=Network.TESTNET_NETWORK_PASSPHRASE,
20         base_fee=100,
21     )
22     .append_create_account_op(
23         destination=destination.public_key, starting_balance="12.25"
24     )
25     .set_timeout(30)
26     .build()
27 )
28 transaction.sign(source)
29 response = server.submit_transaction(transaction)
30 print(f"Transaction hash: {response['hash']}")
31 print(
32     f"New Keypair: \n\taccount id: {destination.public_key}\n\tsecret seed: {destination.
33     ↵secret}"
34 )

```

Note: To avoid risks, TESTNET is used in the example above. In order to use the Stellar Live Network you will have to change the network passphrase to Network.PUBLIC_NETWORK_PASSPHRASE and the server URL to point to <https://horizon.stellar.org> too.

1.4 Querying Horizon

py-stellar-base gives you access to all the endpoints exposed by Horizon.

1.4.1 Building requests

py-stellar-base uses the `Builder` pattern to create the requests to send to Horizon. Starting with a `Server` object, you can chain methods together to generate a query. (See the [Horizon reference](#) documentation for what methods are possible.)

```
1  """
2  See: https://stellar-sdk.readthedocs.io/en/latest/querying\_horizon.html#building-requests
3  """
4
5  from stellar_sdk import Server
6
7  server = Server(horizon_url="https://horizon.stellar.org")
8  account = "GB6NVEN5HSUBKMYCE5ZOWSK5K23TBWRUQLZY3KNMXUZ3AQ2ESC4MY4AQ"
9
10 # get a list of transactions that occurred in ledger 1400
11 transactions = server.transactions().for_ledger(1400).call()
12 print(transactions)
13
14 # get a list of transactions submitted by a particular account
15 transactions = server.transactions().for_account(account_id=account).call()
16 print(transactions)
17
18 # The following example will show you how to handle paging
19 print(f"Gets all payment operations associated with {account}.")
20 payments_records = []
21 payments_call_builder = (
22     server.payments().for_account(account).order(desc=False).limit(10)
23 ) # limit can be set to a maximum of 200
24 payments_records += payments_call_builder.call()["_embedded"]["records"]
25 page_count = 0
26 while page_records := payments_call_builder.next()["_embedded"]["records"]:
27     payments_records += page_records
28     print(f"Page {page_count} fetched")
29     print(f"data: {page_records}")
30     page_count += 1
31 print(f"Payments count: {len(payments_records)})")
```

Once the request is built, it can be invoked with `call()` or with `stream()`. `call()` will return the response given by Horizon.

1.4.2 Streaming requests

Many requests can be invoked with `stream()`. Instead of returning a result like `call()` does, `stream()` will return an EventSource. Horizon will start sending responses from either the beginning of time or from the point specified with `cursor()`. (See the [Horizon reference](#) documentation to learn which endpoints support streaming.)

For example, to log instances of transactions from a particular account:

```

1  """
2  See: https://stellar-sdk.readthedocs.io/en/latest/querying\_horizon.html#streaming-
3  ↵requests
4  """
5
6  from stellar_sdk import Server
7
8  server = Server(horizon_url="https://horizon-testnet.stellar.org")
9  account_id = "GASOCNHNNLYFNMDJYQ3XFMI7BYHIOCFW3GJEOWRPEGK2TDPGTG2E5EDW"
10 last_cursor = "now" # or load where you left off
11
12
13 def tx_handler(tx_response):
14     print(tx_response)
15
16 for tx in server.transactions().for_account(account_id).cursor(last_cursor).stream():
17     tx_handler(tx)
```

1.5 Assets

Object of the `Asset` class represents an asset in the Stellar network. Right now there are 3 possible types of assets in the Stellar network:

- native XLM asset (`ASSET_TYPE_NATIVE`),
- issued assets with asset code of maximum 4 characters (`ASSET_TYPE_CREDIT_ALPHANUM4`),
- issued assets with asset code of maximum 12 characters (`ASSET_TYPE_CREDIT_ALPHANUM12`).

To create a new native asset representation use static `native()` method:

```

1 from stellar_sdk import Asset
2 native = Asset.native()
```

To represent an issued asset you need to create a new object of type `Asset` with an asset code and issuer:

```

1 from stellar_sdk import Asset
2 # Creates TEST asset issued by GBBM6BKZPEHWY03E3YKREDPQXMS4VK35YLN7NFBR126RAN7GI5POFBB
3 test_asset = Asset("TEST", "GBBM6BKZPEHWY03E3YKREDPQXMS4VK35YLN7NFBR126RAN7GI5POFBB")
4 is_native = test_asset.is_native() # False
5 # Creates Google stock asset issued by
6 # ↵GBBM6BKZPEHWY03E3YKREDPQXMS4VK35YLN7NFBR126RAN7GI5POFBB
7 google_stock_asset = Asset('US38259P7069',
8 # ↵'GBBM6BKZPEHWY03E3YKREDPQXMS4VK35YLN7NFBR126RAN7GI5POFBB')
9 google_stock_asset_type = google_stock_asset.type # credit_alphanum12
```

1.6 Building Transactions

Transactions are the commands that modify the state of the ledger. They include sending payments, creating offers, making account configuration changes, etc.

Every transaction has a source `account`. This is the account that pays the `fee` and uses up a sequence number for the transaction.

Transactions are made up of one or more `operations`. Each operation also has a source account, which defaults to the transaction's source account.

1.6.1 TransactionBuilder

The `TransactionBuilder` class is used to construct new transactions. `TransactionBuilder` is given an account that is used as transaction's **source account**. The transaction will use the current sequence number of the given `Account` object as its sequence number and increments the given account's sequence number when `build()` is called on the `TransactionBuilder`.

Operations can be added to the transaction calling `append_operation` for each operation you wish to add to the transaction. See `Operation` for a list of possible operations you can add. `append_operation` returns the current `TransactionBuilder` object so you can chain multiple calls. But you don't need to call it directly, we have prepared a lot of easy-to-use functions for you, such as `append_payment_op` can add a payment operation to the `TransactionBuilder`.

After adding the desired operations, call the `build()` method on the `TransactionBuilder`. This will return a fully constructed `TransactionEnvelope`. The transaction object is wrapped in an object called a `TransactionEnvelope`, the returned transaction will contain the sequence number of the source account. This transaction is unsigned. You must sign it before it will be accepted by the Stellar network.

```
1 """
2 This example demonstrates how to use TransactionBuilder
3 to quickly build a transaction. For a beginner,
4 most of the work can be done with TransactionBuilder.
5
6 See: https://stellar-sdk.readthedocs.io/en/latest/building\_transactions.html#building-
7 transactions
8 """
9
from stellar_sdk import Account, Asset, Keypair, Network, TransactionBuilder
10
11 root_keypair = Keypair.from_secret(
12     "SA6XHAAH4GNLRRWWF6TEVEWNS44CBNFAJWHWOPZCVZOUXSQA7BOYN7XHC"
13 )
14 # Create an Account object from an address and sequence number.
15 root_account = Account(account=root_keypair.public_key, sequence=1)
16
transaction = (
17     TransactionBuilder(
18         source_account=root_account,
19         # If you want to submit to pubnet, you need to change `network_passphrase` to
20         # `Network.PUBLIC_NETWORK_PASSPHRASE`
21         network_passphrase=Network.TESTNET_NETWORK_PASSPHRASE,
22         base_fee=100,
23     )
24     .append_payment_op( # add a payment operation to the transaction
```

(continues on next page)

(continued from previous page)

```

24     destination="GASOCNHNNLYFNMDJYQ3XFMI7BYH10CFW3GJE0WRPEGK2TDPGTG2E5EDW",
25     asset=Asset.native(),
26     amount="125.5",
27 )
28     .append_set_options_op( # add a set options operation to the transaction
29       home_domain="overcat.me"
30     )
31     .set_timeout(30)
32     .build()
33 ) # mark this transaction as valid only for the next 30 seconds

```

1.6.2 Sequence Numbers

The sequence number of a transaction has to match the sequence number stored by the source account or else the transaction is invalid. After the transaction is submitted and applied to the ledger, the source account's sequence number increases by 1.

There are two ways to ensure correct sequence numbers:

1. Read the source account's sequence number before submitting a transaction
2. Manage the sequence number locally

During periods of high transaction throughput, fetching a source account's sequence number from the network may not return the correct value. So, if you're submitting many transactions quickly, you will want to keep track of the sequence number locally.

1.6.3 Adding Memos

Transactions can contain a **memo** field you can use to attach additional information to the transaction. You can do this by passing a `Memo` object when you construct the `TransactionBuilder`.

There are 5 types of memos:

- `stellar_sdk.memo.NoneMemo` - empty memo,
- `stellar_sdk.memo.TextMemo`` - 28-byte ascii encoded string memo,
- `stellar_sdk.memo.IdMemo` - 64-bit number memo,
- `stellar_sdk.memo.HashMemo` - 32-byte hash - ex. hash of an item in a content server,
- `stellar_sdk.memo.ReturnHashMemo` - 32-byte hash used for returning payments - contains hash of the transaction being rejected.

```

1 """
2 This example shows how to add memo to a transaction.
3
4 See: https://developers.stellar.org/docs/glossary/transactions/#memo
5 See: https://stellar-sdk.readthedocs.io/en/latest/building\_
6   ↵transactions
7 """
8
9 from stellar\_sdk import Account, Asset, Keypair, Network, TransactionBuilder
10
11 root\_keypair = Keypair.from\_secret\(

```

(continues on next page)

(continued from previous page)

```

10     "SA6XAH4GNLRWWWF6TEVEWNS44CBNFAJWHWOPZCVZOUXSQA7BOYN7XHC"
11 )
12 # Create an Account object from an address and sequence number.
13 root_account = Account(account=root_keypair.public_key, sequence=1)
14
15 transaction = (
16     TransactionBuilder(
17         source_account=root_account,
18         network_passphrase=Network.TESTNET_NETWORK_PASSPHRASE,
19         base_fee=100,
20     )
21     .add_text_memo("Happy birthday!")
22     .append_payment_op(
23         destination="GASOCNHNNLYFNMDJYQ3XFMI7BYHIOCFW3GJEOWRPEGK2TDPGTG2E5EDW",
24         amount="2000",
25         asset=Asset.native(),
26     )
27     .set_timeout(30)
28     .build()
29 )

```

1.6.4 Transaction and TransactionEnvelope

These two concepts may make the novices unclear, but the official has given a good explanation.

Transactions are commands that modify the ledger state. Among other things, Transactions are used to send payments, enter orders into the distributed exchange, change settings on accounts, and authorize another account to hold your currency. If you think of the ledger as a database, then transactions are SQL commands.

Once a transaction is ready to be signed, the transaction object is wrapped in an object called a Transaction Envelope, which contains the transaction as well as a set of signatures. Most transaction envelopes only contain a single signature along with the transaction, but in multi-signature setups it can contain many signatures. Ultimately, transaction envelopes are passed around the network and are included in transaction sets, as opposed to raw Transaction objects.

1.7 Creating a payment transaction

1.7.1 Payment

In this example, the destination account must exist. We use synchronous methods to submit transactions here, if you want, you can also use asynchronous methods.

```

1 """
2 Create, sign, and submit a transaction using Python Stellar SDK.
3
4 Assumes that you have the following items:
5 1. Secret key of a funded account to be the source account
6 2. Public key of an existing account as a recipient
7     These two keys can be created and funded by the friendbot at
8     https://www.stellar.org/laboratory/ under the heading "Quick Start: Test Account"
9 3. Access to Python Stellar SDK (https://github.com/StellarCN/py-stellar-base) through
  Python shell.

```

(continues on next page)

(continued from previous page)

```

10 See: https://developers.stellar.org/docs/start/list-of-operations/#payment
11 """
12 from stellar_sdk import Asset, Keypair, Network, Server, TransactionBuilder
13
14
15
16 def create_account():
17     """To make this script work, create an account on the testnet."""
18     import requests
19
20     from stellar_sdk import Keypair
21
22     keypair = Keypair.random()
23     url = "https://friendbot.stellar.org"
24     _response = requests.get(url, params={"addr": keypair.public_key})
25     # Check _response.json() in case something goes wrong
26     return keypair
27
28
29 # The source account is the account we will be signing and sending from.
30 example_keypair = create_account()
31 source_secret_key = example_keypair.secret
32
33 # Derive Keypair object and public key (that starts with a G) from the secret
34 source_keypair = Keypair.from_secret(source_secret_key)
35 source_public_key = source_keypair.public_key
36
37 # We just send lumen to ourselves in this simple example
38 receiver_public_key = example_keypair.public_key
39
40 # Configure StellarSdk to talk to the horizon instance hosted by Stellar.org
41 # To use the live network, set the hostname to 'horizon.stellar.org'
42 server = Server(horizon_url="https://horizon-testnet.stellar.org")
43
44 # Transactions require a valid sequence number that is specific to this account.
45 # We can fetch the current sequence number for the source account from Horizon.
46 source_account = server.load_account(source_public_key)
47
48 base_fee = 100
49 # we are going to submit the transaction to the test network,
50 # so network_passphrase is `Network.TESTNET_NETWORK_PASSPHRASE`,
51 # if you want to submit to the public network, please use `Network.PUBLIC_NETWORK_
52 # PASSPHRASE`.
53 transaction = (
54     TransactionBuilder(
55         source_account=source_account,
56         network_passphrase=Network.TESTNET_NETWORK_PASSPHRASE,
57         base_fee=base_fee,
58     )
59     .add_text_memo("Hello, Stellar!") # Add a memo
60     # Add a payment operation to the transaction
61     # Send 350.1234567 XLM to receiver

```

(continues on next page)

(continued from previous page)

```

61     # Specify 350.1234567 lumens. Lumens are divisible to seven digits past the decimal.
62     .append_payment_op(receiver_public_key, Asset.native(), "350.1234567")
63     .set_timeout(30) # Make this transaction valid for the next 30 seconds only
64     .build()
65 )
66
67 # Sign this transaction with the secret key
68 # NOTE: signing is transaction is network specific. Test network transactions
69 # won't work in the public network. To switch networks, use the Network object
70 # as explained above (look for stellar_sdk.network.Network).
71 transaction.sign(source_keypair)
72
73 # Let's see the XDR (encoded in base64) of the transaction we just built
74 print(transaction.to_xdr())
75
76 # Submit the transaction to the Horizon server.
77 # The Horizon server will then submit the transaction into the network for us.
78 response = server.submit_transaction(transaction)
79 print(response)

```

1.7.2 Path Payment

In the example below we're sending 1000 XLM (at max) from *GABJL16IVBKJ7HIC5NN7HHDCIEW3CMWQ2DWYHREQQUFWSWZ2C* to *GBBM6BKZPEHWY03E3YKREDPQXMS4VK35YLN7NFBI26RAN7G15POFBB*. Destination Asset will be *GBP* issued by *GASOCNHNNLYFNMDJYQ3XFMI7BYHIOCFW3GJEOWRPEGK2TDPGTG2E5EDW*. Assets will be exchanged using the following path:

- *USD* issued by *GBBM6BKZPEHWY03E3YKREDPQXMS4VK35YLN7NFBI26RAN7G15POFBB*
- *EUR* issued by *GDTNXRLOJD2YEBPK7KCMR7J33AAG5VZXHAJTHIG736D6LVEFLLKPDL*

The **path payment** will cause the destination address to get 5.5 GBP. It will cost the sender no more than 1000 XLM. In this example there will be 3 exchanges, XLM->USD, USD->EUR, EUR->GBP.

```

1 """
2 A path payment sends an amount of a specific asset to a destination account through a
3 ↵path of offers.
4 Since the asset sent (e.g., 450 XLM) can be different from the asset received (e.g., 6
5 ↵BTC),
6 path payments allow for the simultaneous transfer and conversion of currencies.
7
8 A Path Payment Strict Send allows a user to specify the amount of the asset to send.
9 The amount received will vary based on offers in the order books. If you would like to
10 instead specify the amount received, use the Path Payment Strict Receive operation.
11
12 See: https://developers.stellar.org/docs/start/list-of-operations/#path-payment-strict-
13 ↵send
14 See: https://youtu.be/Kz1SgSPStz8
15 """
16
17 from stellar_sdk import Asset, Keypair, Network, Server, TransactionBuilder
18
19 server = Server(horizon_url="https://horizon-testnet.stellar.org")

```

(continues on next page)

(continued from previous page)

```

16 source_keypair = Keypair.from_secret(
17     "SA6XAH4GNLRWWWF6TEVEWNS44CBNFAJWHWOPZCVZOUXSQA7BOYN7XHC"
18 )
19
20 source_account = server.load_account(account_id=source_keypair.public_key)
21
22 path = [
23     Asset("USD", "GBBM6BKZPEHWY03E3YKREDPQXMS4VK35YLN7NFBI26RAN7GI5POFBB"),
24     Asset("EUR", "GDTNXRLOJD2YEBPKK7KCMR7J33AAG5VZXHAJTHIG736D6LVEFLKKPD"),
25 ]
26 transaction = (
27     TransactionBuilder(
28         source_account=source_account,
29         network_passphrase=Network.TESTNET_NETWORK_PASSPHRASE,
30         base_fee=100,
31     )
32     .append_path_payment_strict_receive_op(
33         destination="GBBM6BKZPEHWY03E3YKREDPQXMS4VK35YLN7NFBI26RAN7GI5POFBB",
34         send_asset=Asset.native(),
35         send_max="1000",
36         dest_asset=Asset(
37             "GBP", "GASOCNHNNLYFNMDJYQ3XFMI7BYHIOCFW3GJEOWRPEGK2TDPGTG2E5EDW"
38         ),
39         dest_amount="5.50",
40         path=path,
41     )
42     .set_timeout(30)
43     .build()
44 )
45 transaction.sign(source_keypair)
46 response = server.submit_transaction(transaction)

```

1.8 Asynchronous

Now we have supported the use of asynchronous methods to submit transactions, py-stellar-base gives you the choice, rather than forcing you into always writing `async;` `sync` code is easier to write, generally safer, and has many more libraries to choose from.

The following is an example of send a payment by an asynchronous method, the same example of using the synchronization method can be found [here](#):

```

1 """
2 The effect of this example is the same as `payment.py`, but this example is asynchronous.
3
4 Create, sign, and submit a transaction using Python Stellar SDK.
5
6 Assumes that you have the following items:
7 1. Secret key of a funded account to be the source account
8 2. Public key of an existing account as a recipient
9     These two keys can be created and funded by the friendbot at

```

(continues on next page)

(continued from previous page)

```
10      https://www.stellar.org/laboratory/ under the heading "Quick Start: Test Account"
11 3. Access to Python Stellar SDK (https://github.com/StellarCN/py-stellar-base) through
12      ↵Python shell.
13
14 See: https://developers.stellar.org/docs/start/list-of-operations/#payment
15 """
16 import asyncio
17
18 from stellar_sdk import (
19     AiohttpClient,
20     Asset,
21     Keypair,
22     Network,
23     ServerAsync,
24     TransactionBuilder,
25 )
26
27 def create_account():
28     """To make this script work, create an account on the testnet."""
29     import requests
30
31     from stellar_sdk import Keypair
32
33     keypair = Keypair.random()
34     url = "https://friendbot.stellar.org"
35     _response = requests.get(url, params={"addr": keypair.public_key})
36     # Check _response.json() in case something goes wrong
37     return keypair
38
39
40 # The source account is the account we will be signing and sending from.
41 example_keypair = create_account()
42 source_secret_key = example_keypair.secret
43
44 # Derive Keypair object and public key (that starts with a G) from the secret
45 source_keypair = Keypair.from_secret(source_secret_key)
46 source_public_key = source_keypair.public_key
47
48 # We just send lumen to ourselves in this simple example
49 receiver_public_key = example_keypair.public_key
50
51
52 async def main():
53     # Configure StellarSdk to talk to the horizon instance hosted by Stellar.org
54     # To use the live network, set the hostname to 'horizon.stellar.org'
55     # When we use the `with` syntax, it automatically releases the resources it occupies.
56     async with ServerAsync(
57         horizon_url="https://horizon-testnet.stellar.org", client=AiohttpClient()
58     ) as server:
59         # Transactions require a valid sequence number that is specific to this account.
60         # We can fetch the current sequence number for the source account from Horizon.
```

(continues on next page)

(continued from previous page)

```

61 source_account = await server.load_account(source_public_key)
62
63 base_fee = 100
64 # we are going to submit the transaction to the test network,
65 # so network_passphrase is `Network.TESTNET_NETWORK_PASSPHRASE`,
66 # if you want to submit to the public network, please use `Network.PUBLIC_
67 ↵NETWORK_PASSPHRASE`.
68 transaction = (
69     TransactionBuilder(
70         source_account=source_account,
71         network_passphrase=Network.TESTNET_NETWORK_PASSPHRASE,
72         base_fee=base_fee,
73     )
74     .add_text_memo("Hello, Stellar!") # Add a memo
75     # Add a payment operation to the transaction
76     # Send 350.1234567 XLM to receiver
77     # Specify 350.1234567 lumens. Lumens are divisible to seven digits past the_
78 ↵decimal.
79     .append_payment_op(receiver_public_key, Asset.native(), "350.1234567")
80     .set_timeout(30) # Make this transaction valid for the next 30 seconds only
81     .build()
82 )
83
84 # Sign this transaction with the secret key
85 # NOTE: signing is transaction is network specific. Test network transactions
86 # won't work in the public network. To switch networks, use the Network object
87 # as explained above (look for stellar_sdk.network.Network).
88 transaction.sign(source_keypair)
89
90 # Let's see the XDR (encoded in base64) of the transaction we just built
91 print(transaction.to_xdr())
92
93 # Submit the transaction to the Horizon server.
94 # The Horizon server will then submit the transaction into the network for us.
95 response = await server.submit_transaction(transaction)
96 print(response)
97
98
99
100
101 if __name__ == "__main__":
102     loop = asyncio.get_event_loop()
103     loop.run_until_complete(main())
104     loop.close()
105     # asyncio.run(main()) # Python 3.7+

```

The following example helps you listen to multiple endpoints asynchronously.

```

1 """
2 See: https://stellar-sdk.readthedocs.io/en/latest/asynchronous.html
3 """
4 import asyncio
5
6 from stellar_sdk import AiohttpClient, ServerAsync

```

(continues on next page)

(continued from previous page)

```

7 HORIZON_URL = "https://horizon.stellar.org"
8
9
10
11 async def payments():
12     async with ServerAsync(HORIZON_URL, AiohttpClient()) as server:
13         async for payment in server.payments().cursor(cursor="now").stream():
14             print(f"Payment: {payment}")
15
16
17 async def effects():
18     async with ServerAsync(HORIZON_URL, AiohttpClient()) as server:
19         async for effect in server.effects().cursor(cursor="now").stream():
20             print(f"Effect: {effect}")
21
22
23 async def operations():
24     async with ServerAsync(HORIZON_URL, AiohttpClient()) as server:
25         async for operation in server.operations().cursor(cursor="now").stream():
26             print(f"Operation: {operation}")
27
28
29 async def transactions():
30     async with ServerAsync(HORIZON_URL, AiohttpClient()) as server:
31         async for transaction in server.transactions().cursor(cursor="now").stream():
32             print(f"Transaction: {transaction}")
33
34
35 async def listen():
36     await asyncio.gather(payments(), effects(), operations(), transactions())
37
38
39 if __name__ == "__main__":
40     asyncio.run(listen())

```

1.9 Multi-signature account

Multi-signature accounts can be used to require that transactions require multiple public keys to sign before they are considered valid. This is done by first configuring your account's **threshold** levels. Each operation has a threshold level of either low, medium, or high. You give each threshold level a number between 1-255 in your account. Then, for each key in your account, you assign it a weight (1-255, setting a 0 weight deletes the key). Any transaction must be signed with enough keys to meet the threshold.

For example, let's say you set your threshold levels; low = 1, medium = 2, high = 3. You want to send a payment operation, which is a medium threshold operation. Your master key has weight 1. Additionally, you have a secondary key associated with your account which has a weight of 1. Now, the transaction you submit for this payment must include both signatures of your master key and secondary key since their combined weight is 2 which is enough to authorize the payment operation.

In this example, we will:

- Add a second signer to the account

- Set our account's masterkey weight and threshold levels
 - Create a multi signature transaction that sends a payment

```
1     """
2     Stellar uses signatures as authorization. Transactions always need authorization
3     from at least one public key in order to be considered valid. Generally,
4     transactions only need authorization from the public key of the source account.
5
6     Transaction signatures are created by cryptographically signing the
7     transaction object contents with a secret key. Stellar currently uses the ed25519_
8     ↪signature
9     scheme, but there's also a mechanism for adding additional types of public/private key_
10    ↪schemes.
11    A transaction with an attached signature is considered to have authorization from that_
12    ↪public key.
13
14    In two cases, a transaction may need more than one signature. If the transaction has
15    operations that affect more than one account, it will need authorization from every_
16    ↪account
17    in question. A transaction will also need additional signatures if the account associated
18    with the transaction has multiple public keys.
19
20    See: https://developers.stellar.org/docs/glossary/multisig/
21    """
22
23    from stellar_sdk import Asset, Keypair, Network, Server, Signer, TransactionBuilder
24
25    server = Server(horizon_url="https://horizon-testnet.stellar.org")
26    root_keypair = Keypair.from_secret(
27        "SA6XHAH4GNLRWWWF6TEVEWNS44CBNFAJWHWOPZCVZOUXSQA7BOYN7XHC"
28    )
29    root_account = server.load_account(account_id=root_keypair.public_key)
30    secondary_keypair = Keypair.from_secret(
31        "SAMZUAAPLRUH62HH3XE7NVD6ZSMTWPWMG6DS4X47HLVRHEBKP4U2H5E7"
32    )
33
34    secondary_signer = Signer.ed25519_public_key(
35        account_id=secondary_keypair.public_key, weight=1
36    )
37    transaction = (
38        TransactionBuilder(
39            source_account=root_account,
40            network_passphrase=Network.TESTNET_NETWORK_PASSPHRASE,
41            base_fee=100,
42        )
43        .append_set_options_op(
44            master_weight=1, # set master key weight
45            low_threshold=1,
46            med_threshold=2, # a payment is medium threshold
47            high_threshold=2, # make sure to have enough weight to add up to the high_
48            ↪threshold!
49            signer=secondary_signer,
50        )
51        .set_timeout(30)
```

(continues on next page)

(continued from previous page)

```

46     .build()
47 )
48
49 # only need to sign with the root signer as the 2nd signer won't
50 # be added to the account till after this transaction completes
51 transaction.sign(root_keypair)
52 response = server.submit_transaction(transaction)
53 print(response)
54
55 # now create a payment with the account that has two signers
56 destination = "GBA5SMM50YAO0PL6R773MV703CCLUDVLCWHIVVL3W4XTD3DA5FJ4JSEZ"
57 transaction = (
58     TransactionBuilder(
59         source_account=root_account,
60         network_passphrase=Network.TESTNET_NETWORK_PASSPHRASE,
61         base_fee=100,
62     )
63     .append_payment_op(destination=destination, amount="2000", asset=Asset.native())
64     .set_timeout(30)
65     .build()
66 )
67
68 # now we need to sign the transaction with both the root and the secondary_keypair
69 transaction.sign(root_keypair)
70 transaction.sign(secondary_keypair)
71 response = server.submit_transaction(transaction)
72 print(response)

```

1.10 XDR

XDR, also known as External Data Representation, is used throughout the Stellar network and protocol. The ledger, transactions, results, history, and even the messages passed between computers running stellar-core are encoded using XDR.

`stellar_sdk.xdr` module provides a complete ability to build and parse XDR.

This example shows how to parse XDR string into an XDR object.

```

1 """
2 This example shows how to parse XDR string into an XDR object.
3 But please note that if you need to parse a transaction envelope,
4 please refer to `parse_transaction_envelope.py`
5 """
6 from stellar_sdk.xdr import TransactionResult
7
8 result_xdr = "AAAAAAAAGQAAAAAAAAAAQAAAAAAAADAAAAAAAABAAAAAD/
9     ↵jlpBCTX53ogvts02Ryn5Gj06gx0qW3/3ARB+gOh/nAAAAADGRC/
10    ↵wAAAAAAAAAU5VQwAAAAAR74W04Rz02ryJo940i0FUs0KHIQisRnpe9FWrqvumQAAAAAAEFWjwgcksQkG4uAA
11    ↵"
12 transaction_result = TransactionResult.from_xdr(result_xdr)

```

(continues on next page)

(continued from previous page)

```
10 print(transaction_result.fee_charged)
11 print(transaction_result.result.code)
```


API DOCUMENTATION

Here you'll find detailed documentation on specific functions, classes, and methods.

2.1 API Documentation

2.1.1 Account

```
class stellar_sdk.account.Account(account, sequence, raw_data=None)
```

The `Account` object represents a single account on the Stellar network and its sequence number.

Account tracks the sequence number as it is used by `TransactionBuilder`.

Normally, you can get an `Account` instance through `stellar_sdk.server.Server.load_account()` or `stellar_sdk.server_async.ServerAsync.load_account()`.

An example:

```
from stellar_sdk import Keypair, Server

server = Server(horizon_url="https://horizon-testnet.stellar.org")
source = Keypair.from_secret(
    "SBFZCHU5645DOKRWBXVOXY2ELGJKFRX6VGGPRYUWHQ7PMXXJNDZFMKD")
# `account` can also be a muxed account
source_account = server.load_account(account=source.public_key)
```

See [Accounts](#) for more information.

Parameters

- **account** (`Union[str, MuxedAccount]`) – Account Id of the account (ex. "GB3KJPLFUYN5VL6R3GU3EGCGVCKFDSD7BEDX42HWG5BWFKB3KQGJJRMA") or muxed account (ex. "MBZSQ3YZMZEWL5ZRCEQ5CCSOTXCFCMKDGFFP4IEQN2KN6LCHCLI46AAAAAAAAAAE2L2QE")
- **sequence** (`int`) – Current sequence number of the account.
- **raw_data** (`Optional[Dict[str, Any]]`) – Raw horizon response data.

increment_sequence_number()

Increments sequence number in this object by one.

Return type `None`

load_ed25519_public_key_signers()

Load ed25519 public key signers.

Return type `List[Ed25519PublicKeySigner]`

property universal_account_id: str

Get the universal account id, if `account` is ed25519 public key, it will return ed25519 public key (ex. "GDGQVOKHW4VEJRU2TETD6DBRKE05ERCNF353LW5WBFW3JJWQ2BRQ6KDD"), otherwise it will return muxed account (ex. "MAAAAAAAAABX52XFQP6FBXLGT6LWOOWMEXWHEWBDVRZ7V5WH34Y22MPFBHUHY")

Return type `str`

2.1.2 Asset

class stellar_sdk.asset.Asset(code, issuer=None)

The `Asset` object, which represents an asset and its corresponding issuer on the Stellar network.

The following example shows how to create an Asset object:

```
from stellar_sdk import Asset

native_asset = Asset.native() # You can also create a native asset through Asset(
    ↴ "XLM").
credit_alphanum4_asset = Asset("USD",
    ↴ "GBSKJPM2FM602C6GVNAUAMGXZ6I4QIUPMNWVDN2NZULPWWTV3GI2SOX")
credit_alphanum12_asset = Asset("BANANA",
    ↴ "GA6VT2PDD73TNNRYLPJPJYAAI7EGKBATZ7V562S7XY7TJD4GNOXRG6OS")
print(f"Asset type: {credit_alphanum4_asset.type}\n"
    f"Asset code: {credit_alphanum4_asset.code}\n"
    f"Asset issuer: {credit_alphanum4_asset.issuer}\n"
    f"Is native asset: {credit_alphanum4_asset.is_native()}")
```

For more information about the formats used for asset codes and how issuers work on Stellar's network, see [Stellar's guide on assets](#).

Parameters

- **code (str)** – The asset code, in the formats specified in Stellar's guide on assets.
- **issuer (Optional[str])** – The account ID of the issuer. Note if the currency is the native currency (XLM (Lumens)), no issuer is necessary.

Raises

`AssetCodeInvalidError`: if `code` is invalid.

`AssetIssuerInvalidError`: if `issuer` is not a valid ed25519 public key.

static check_if_asset_code_is_valid(code)

Check whether the `code` passed in by the user is a valid asset code, if not, an exception will be thrown.

Parameters `code (str)` – The asset code.

Raises `AssetCodeInvalidError`: if `code` is invalid.

Return type `None`

classmethod from_xdr_object(cls, xdr_object)

Create a [Asset](#) from an XDR Asset/ChangeTrustAsset/TrustLineAsset object.

Please note that this function only supports processing the following types of assets:

- ASSET_TYPE_NATIVE
- ASSET_TYPE_CREDIT_ALPHANUM4
- ASSET_TYPE_CREDIT_ALPHANUM12

Parameters `xdr_object` (`Union[Asset, ChangeTrustAsset, TrustLineAsset]`) – The XDR Asset/ChangeTrustAsset/TrustLineAsset object.

Return type `Asset`

Returns A new [Asset](#) object from the given XDR object.

guess_asset_type()

Return the type of the asset, Can be one of following types: `native`, `credit_alphanum4` or `credit_alphanum12`.

Return type `str`

Returns The type of the asset.

is_native()

Return True if the [Asset](#) object is the native asset.

Return type `bool`

Returns True if the asset object is native, `False` otherwise.

classmethod native(cls)

Returns an asset object for the native asset.

Return type `Asset`

Returns An asset object for the native asset.

to_change_trust_asset_xdr_object()

Returns the xdr object for this asset.

Return type `ChangeTrustAsset`

Returns XDR ChangeTrustAsset object

to_dict()

Generate a dict for this object's attributes.

Return type `dict`

Returns A dict representing an [Asset](#)

to_trust_line_asset_xdr_object()

Returns the xdr object for this asset.

Return type `TrustLineAsset`

Returns XDR TrustLineAsset object

to_xdr_object()

Returns the xdr object for this asset.

Return type `Asset`

Returns XDR Asset object

property type: str

Return the type of the asset, can be one of following types: *native*, *credit_alphanum4* or *credit_alphanum12*

Return type `str`

Returns The type of the asset.

2.1.3 Call Builder

AccountsCallBuilder

`class stellar_sdk.call_builder.call_builder_sync.AccountsCallBuilder(horizon_url, client)`

Creates a new `AccountsCallBuilder` pointed to server defined by `horizon_url`. Do not create this object directly, use `stellar_sdk.Server.accounts()`.

See [List All Accounts](#) for more information.

Parameters

- `horizon_url` – Horizon server URL.
- `client` (`BaseSyncClient`) – The client instance used to send request.

account_id(account_id)

Returns information and links relating to a single account. The balances section in the returned JSON will also list all the trust lines this account has set up.

See [Retrieve an Account](#) for more information.

Parameters `account_id` (str) – account id, for example:
"GDGQVOKHW4VEJRU2TETD6DBRKE05ERCNF353LW5WBFW3JJWQ2BRQ6KDD"

Returns current AccountCallBuilder instance

call()

Triggers a HTTP request using this builder's current configuration.

Return type `Dict[str, Any]`

Returns If it is called synchronous, the response will be returned. If it is called asynchronously, it will return Coroutine.

Raises

`ConnectionError`: if you have not successfully connected to the server.

`NotFoundError`: if `status_code == 404`

`BadRequestError`: if `400 <= status_code < 500` and `status_code != 404`

`BadResponseError`: if `500 <= status_code < 600`

`UnknownRequestError`: if an unknown error occurs, please submit an issue

cursor(cursor)

Sets `cursor` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `cursor` (`Union[int, str]`) – A cursor is a value that points to a specific location in a collection of resources.

Returns current CallBuilder instance

for_asset(asset)

Filtering accounts who have a trustline to an asset. The result is a list of accounts.

See [List All Accounts](#) for more information.

Parameters `asset` (`Asset`) – an issued asset

Returns current AccountCallBuilder instance

for_liquidity_pool(liquidity_pool_id)

Filtering accounts who have a trustline for the given pool. The result is a list of accounts.

See [List All Accounts](#) for more information.

Parameters `liquidity_pool_id` (`str`) – The ID of the liquidity pool in hex string., for example: "dd7b1ab831c273310ddbec6f97870aa83c2fbe78ce22aded37ecbf4f3380fac7"

Returns current AccountCallBuilder instance

for_signer(signer)

Filtering accounts who have a given signer. The result is a list of accounts.

See [List All Accounts](#) for more information.

Parameters `signer` (`str`) – signer's account id, for example: "GDGQVOKHW4VEJRU2TETD6DBRKE05ERCNF353LW5WBFW3JJWQ2BRQ6KDD"

Returns current AccountCallBuilder instance

for_sponsor(sponsor)

Filtering accounts where the given account is sponsoring the account or any of its sub-entries.

See [List All Accounts](#) for more information.

Parameters `sponsor` (`str`) – the sponsor id, for example: "GDGQVOKHW4VEJRU2TETD6DBRKE05ERCNF353LW5WBFW3JJWQ2BRQ6KDD"

Returns current AccountCallBuilder instance

limit(limit)

Sets `limit` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `limit` (`int`) – Number of records the server should return.

Returns

order(desc=True)

Sets `order` parameter for the current call. Returns the CallBuilder object on which this method has been called.

Parameters `desc (bool)` – Sort direction, True to get desc sort direction, the default setting is True.

Returns current CallBuilder instance

`stream()`

Creates an EventSource that listens for incoming messages from the server.

See [Horizon Response Format](#)

See [MDN EventSource](#)

Return type `Generator[Dict[str, Any], None, None]`

Returns an EventSource.

Raise `StreamClientError` - Failed to fetch stream resource.

AssetsCallBuilder

`class stellar_sdk.call_builder.call_builder_sync.AssetsCallBuilder(horizon_url, client)`

Creates a new `AssetsCallBuilder` pointed to server defined by `horizon_url`. Do not create this object directly, use `stellar_sdk.Server.assets()`.

See [List All Assets](#) for more information.

Parameters

- `horizon_url (str)` – Horizon server URL.
- `client (BaseSyncClient)` – The client instance used to send request.

`call()`

Triggers a HTTP request using this builder's current configuration.

Return type `Dict[str, Any]`

Returns If it is called synchronous, the response will be returned. If it is called asynchronously, it will return Coroutine.

Raises

`ConnectionError`: if you have not successfully connected to the server.

`NotFoundError`: if `status_code == 404`

`BadRequestError`: if `400 <= status_code < 500` and `status_code != 404`

`BadResponseError`: if `500 <= status_code < 600`

`UnknownRequestError`: if an unknown error occurs, please submit an issue

`cursor(cursor)`

Sets `cursor` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `cursor (Union[int, str])` – A cursor is a value that points to a specific location in a collection of resources.

Returns current CallBuilder instance

for_code(asset_code)

This endpoint filters all assets by the asset code.

See [List All Assets](#) for more information.

Parameters `asset_code` (`str`) – asset code, for example: `USD`

Returns current AssetCallBuilder instance

for_issuer(asset_issuer)

This endpoint filters all assets by the asset issuer.

See [List All Assets](#) for more information.

Parameters `asset_issuer` (`str`) – asset issuer, for example:
`"GDGQVOKHW4VEJRU2TETD6DBRKE05ERCNF353LW5WBFW3JJWQ2BRQ6KDD"`

Returns current AssetCallBuilder instance

limit(limit)

Sets `limit` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `limit` (`int`) – Number of records the server should return.

Returns

order(desc=True)

Sets `order` parameter for the current call. Returns the CallBuilder object on which this method has been called.

Parameters `desc` (`bool`) – Sort direction, True to get desc sort direction, the default setting is True.

Returns current CallBuilder instance

stream()

Creates an EventSource that listens for incoming messages from the server.

See [Horizon Response Format](#)

See [MDN EventSource](#)

Return type `Generator[Dict[str, Any], None, None]`

Returns an EventSource.

Raise `StreamClientError` - Failed to fetch stream resource.

ClaimableBalancesCallBuilder

```
class stellar_sdk.call_builder.call_builder_sync.ClaimableBalancesCallBuilder(horizon_url,  
                           client)
```

Creates a new `ClaimableBalancesCallBuilder` pointed to server defined by `horizon_url`. Do not create this object directly, use `stellar_sdk.Server.claimable_balance()`.

See [List Claimable Balances](#) for more information.

Parameters

- `horizon_url` – Horizon server URL.

- **client** (*BaseSyncClient*) – The client instance used to send request.

call()

Triggers a HTTP request using this builder's current configuration.

Return type `Dict[str, Any]`

Returns If it is called synchronous, the response will be returned. If it is called asynchronously, it will return Coroutine.

Raises

ConnectionError: if you have not successfully connected to the server.

NotFoundError: if status_code == 404

BadRequestError: if 400 <= status_code < 500 and status_code != 404

BadResponseError: if 500 <= status_code < 600

UnknownRequestError: if an unknown error occurs, please submit an issue

claimable_balance(*claimable_balance_id*)

Returns information and links relating to a single claimable balance.

See [List Claimable Balances](#) for more information.

Parameters `claimable_balance_id (str)` – claimable balance id

Returns current AccountCallBuilder instance

cursor(*cursor*)

Sets cursor parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `cursor (Union[int, str])` – A cursor is a value that points to a specific location in a collection of resources.

Returns current CallBuilder instance

for_asset(*asset*)

Returns all claimable balances which provide a balance for the given asset.

See [List Claimable Balances](#) for more information.

Parameters `asset (Asset)` – an asset

Returns current ClaimableBalancesCallBuilder instance

for_claimant(*claimant*)

Returns all claimable balances which can be claimed by the given account ID.

See [List Claimable Balances](#) for more information.

Parameters `claimant (str)` – the account id, for example:
"GDGQVOKHW4VEJRU2TETD6DBRKE05ERCNF353LW5WBFW3JJWQ2BRQ6KDD"

Returns current ClaimableBalancesCallBuilder instance

for_sponsor(*sponsor*)

Returns all claimable balances which are sponsored by the given account ID.

See [List Claimable Balances](#) for more information.

Parameters `sponsor (str)` – the sponsor id, for example:
"GDGQVOKHW4VEJRU2TETD6DBRKE05ERCNF353LW5WBFW3JJWQ2BRQ6KDD"

Returns current ClaimableBalancesCallBuilder instance

limit(*limit*)

Sets *limit* parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `limit (int)` – Number of records the server should return.

Returns

order(*desc=True*)

Sets *order* parameter for the current call. Returns the CallBuilder object on which this method has been called.

Parameters `desc (bool)` – Sort direction, True to get desc sort direction, the default setting is True.

Returns current CallBuilder instance

stream()

Creates an EventSource that listens for incoming messages from the server.

See [Horizon Response Format](#)

See [MDN EventSource](#)

Return type `Generator[Dict[str, Any], None, None]`

Returns an EventSource.

Raise `StreamClientError` - Failed to fetch stream resource.

DataCallBuilder

```
class stellar_sdk.call_builder.call_builder_sync.DataCallBuilder(horizon_url, client, account_id, data_name)
```

Creates a new `DataCallBuilder` pointed to server defined by `horizon_url`. Do not create this object directly, use `stellar_sdk.Server.data()`.

See [Retrieve an Account's Data](#) for more information.

Parameters

- `horizon_url (str)` – Horizon server URL.
- `client (BaseSyncClient)` – The client instance used to send request.
- `account_id (str)` – account id, for example: "GDGQVOKHW4VEJRU2TETD6DBRKE05ERCNF353LW5WBFW3JJWQ2BRQ"
- `data_name (str)` – Key name

call()

Triggers a HTTP request using this builder's current configuration.

Return type `Dict[str, Any]`

Returns If it is called synchronous, the response will be returned. If it is called asynchronously, it will return Coroutine.

Raises

`ConnectionError`: if you have not successfully connected to the server.

NotFoundError: if status_code == 404

BadRequestError: if 400 <= status_code < 500 and status_code != 404

BadResponseError: if 500 <= status_code < 600

UnknownRequestError: if an unknown error occurs, please submit an issue

cursor(cursor)

Sets `cursor` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `cursor` (`Union[int, str]`) – A cursor is a value that points to a specific location in a collection of resources.

Returns current CallBuilder instance

limit(limit)

Sets `limit` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `limit` (`int`) – Number of records the server should return.

Returns

order(desc=True)

Sets `order` parameter for the current call. Returns the CallBuilder object on which this method has been called.

Parameters `desc` (`bool`) – Sort direction, True to get desc sort direction, the default setting is True.

Returns current CallBuilder instance

stream()

Creates an EventSource that listens for incoming messages from the server.

See [Horizon Response Format](#)

See [MDN EventSource](#)

Return type `Generator[Dict[str, Any], None, None]`

Returns an EventSource.

Raise `StreamClientError` - Failed to fetch stream resource.

EffectsCallBuilder

class stellar_sdk.call_builder.call_builder_sync.EffectsCallBuilder(horizon_url, client)

Creates a new `EffectsCallBuilder` pointed to server defined by `horizon_url`. Do not create this object directly, use `stellar_sdk.Server.effects()`.

See [List All Effects](#) for more information.

Parameters

- `horizon_url` (`str`) – Horizon server URL.

- `client` (`BaseSyncClient`) – The client instance used to send request.

call()

Triggers a HTTP request using this builder's current configuration.

Return type `Dict[str, Any]`

Returns If it is called synchronous, the response will be returned. If it is called asynchronously, it will return Coroutine.

Raises

ConnectionError: if you have not successfully connected to the server.

NotFoundError: if `status_code == 404`

BadRequestError: if $400 \leq \text{status_code} < 500$ and `status_code != 404`

BadResponseError: if $500 \leq \text{status_code} < 600$

UnknownRequestError: if an unknown error occurs, please submit an issue

cursor(cursor)

Sets `cursor` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `cursor (Union[int, str])` – A cursor is a value that points to a specific location in a collection of resources.

Returns current CallBuilder instance

for_account(account_id)

This endpoint represents all effects that changed a given account. It will return relevant effects from the creation of the account to the current ledger.

See [Retrieve an Account's Effects](#) for more information.

Parameters `account_id (str)` – account id, for example:
"GDGQVOKHW4VEJRU2TETD6DBRKE05ERCNF353LW5WBFW3JJWQ2BRQ6KDD"

Returns this EffectCallBuilder instance

for_ledger(sequence)

Effects are the specific ways that the ledger was changed by any operation. This endpoint represents all effects that occurred in the given ledger.

See [Retrieve a Ledger's Effects](#) for more information.

Parameters `sequence (Union[int, str])` – ledger sequence

Returns this EffectCallBuilder instance

for_liquidity_pool(liquidity_pool_id)

This endpoint represents all effects that occurred as a result of a given liquidity pool.

See [Liquidity Pools - Retrieve related Effects](#) for more information.

Parameters `liquidity_pool_id (str)` – The ID of the liquidity pool in hex string.

Returns this EffectsCallBuilder instance

for_operation(operation_id)

This endpoint represents all effects that occurred as a result of a given operation.

See [Retrieve an Operation's Effects](#) for more information.

Parameters `operation_id (Union[int, str])` – operation ID

Returns this EffectCallBuilder instance

for_transaction(*transaction_hash*)

This endpoint represents all effects that occurred as a result of a given transaction.

See [Retrieve a Transaction's Effects](#) for more information.

Parameters `transaction_hash` (`str`) – transaction hash

Returns this EffectCallBuilder instance

limit(*limit*)

Sets `limit` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `limit` (`int`) – Number of records the server should return.

Returns

order(*desc=True*)

Sets `order` parameter for the current call. Returns the CallBuilder object on which this method has been called.

Parameters `desc` (`bool`) – Sort direction, True to get desc sort direction, the default setting is True.

Returns current CallBuilder instance

stream()

Creates an EventSource that listens for incoming messages from the server.

See [Horizon Response Format](#)

See [MDN EventSource](#)

Return type `Generator[Dict[str, Any], None, None]`

Returns an EventSource.

Raise `StreamClientError` - Failed to fetch stream resource.

FeeStatsCallBuilder

class `stellar_sdk.call_builder.call_builder_sync.FeeStatsCallBuilder`(*horizon_url*, *client*)

Creates a new `FeeStatsCallBuilder` pointed to server defined by `horizon_url`. Do not create this object directly, use `stellar_sdk.Server.fee_stats()`.

See [Fee Stats](#) for more information.

Parameters

- `horizon_url` (`str`) – Horizon server URL.
- `client` (`BaseSyncClient`) – The client instance used to send request.

call()

Triggers a HTTP request using this builder's current configuration.

Return type `Dict[str, Any]`

Returns If it is called synchronous, the response will be returned. If it is called asynchronously, it will return Coroutine.

Raises

ConnectionError: if you have not successfully connected to the server.
NotFoundError: if status_code == 404
BadRequestError: if 400 <= status_code < 500 and status_code != 404
BadResponseError: if 500 <= status_code < 600
UnknownRequestError: if an unknown error occurs, please submit an issue

`cursor(cursor)`

Sets `cursor` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `cursor` (`Union[int, str]`) – A cursor is a value that points to a specific location in a collection of resources.

Returns current CallBuilder instance

`limit(limit)`

Sets `limit` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `limit` (`int`) – Number of records the server should return.

Returns

`order(desc=True)`

Sets `order` parameter for the current call. Returns the CallBuilder object on which this method has been called.

Parameters `desc` (`bool`) – Sort direction, True to get desc sort direction, the default setting is True.

Returns current CallBuilder instance

`stream()`

Creates an EventSource that listens for incoming messages from the server.

See [Horizon Response Format](#)

See [MDN EventSource](#)

Return type `Generator[Dict[str, Any], None, None]`

Returns an EventSource.

Raise `StreamClientError` - Failed to fetch stream resource.

LedgersCallBuilder

`class stellar_sdk.call_builder.call_builder_sync.LedgersCallBuilder(horizon_url, client)`

Creates a new `LedgersCallBuilder` pointed to server defined by `horizon_url`. Do not create this object directly, use `stellar_sdk.Server.ledgers()`.

See [List All Ledgers](#) for more information.

Parameters

- `horizon_url` (`str`) – Horizon server URL.

- **client** (*BaseSyncClient*) – The client instance used to send request.

call()

Triggers a HTTP request using this builder's current configuration.

Return type `Dict[str, Any]`

Returns If it is called synchronous, the response will be returned. If it is called asynchronously, it will return Coroutine.

Raises

ConnectionError: if you have not successfully connected to the server.

NotFoundError: if status_code == 404

BadRequestError: if 400 <= status_code < 500 and status_code != 404

BadResponseError: if 500 <= status_code < 600

UnknownRequestError: if an unknown error occurs, please submit an issue

cursor(cursor)

Sets cursor parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `cursor (Union[int, str])` – A cursor is a value that points to a specific location in a collection of resources.

Returns current CallBuilder instance

ledger(sequence)

Provides information on a single ledger.

See [Retrieve a Ledger](#) for more information.

Parameters `sequence (Union[int, str])` – Ledger sequence

Returns current LedgerCallBuilder instance

limit(limit)

Sets limit parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `limit (int)` – Number of records the server should return.

Returns

order(desc=True)

Sets order parameter for the current call. Returns the CallBuilder object on which this method has been called.

Parameters `desc (bool)` – Sort direction, True to get desc sort direction, the default setting is True.

Returns current CallBuilder instance

stream()

Creates an EventSource that listens for incoming messages from the server.

See [Horizon Response Format](#)

See [MDN EventSource](#)

Return type Generator[Dict[str, Any], None, None]

Returns an EventSource.

Raise StreamClientError - Failed to fetch stream resource.

LiquidityPoolsBuilder

class stellar_sdk.call_builder.call_builder_sync.LiquidityPoolsBuilder(*horizon_url*, *client*)

Creates a new *LiquidityPoolsBuilder* pointed to server defined by *horizon_url*. Do not create this object directly, use `stellar_sdk.Server.liquidity_pools()`.

See [List Liquidity Pools](#) for more information.

Parameters

- **horizon_url** (`str`) – Horizon server URL.
- **client** (`BaseSyncClient`) – The client instance used to send request.

call()

Triggers a HTTP request using this builder's current configuration.

Return type Dict[str, Any]

Returns If it is called synchronous, the response will be returned. If it is called asynchronously, it will return Coroutine.

Raises

ConnectionError: if you have not successfully connected to the server.

NotFoundError: if status_code == 404

BadRequestError: if 400 <= status_code < 500 and status_code != 404

BadResponseError: if 500 <= status_code < 600

UnknownRequestError: if an unknown error occurs, please submit an issue

cursor(cursor)

Sets *cursor* parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters **cursor** (`Union[int, str]`) – A cursor is a value that points to a specific location in a collection of resources.

Returns current CallBuilder instance

for_account(account_id)

Filter pools for a specific account

See [List Liquidity Pools](#) for more information.

Parameters **account_id** (`str`) – account id

Returns current LiquidityPoolsBuilder instance

for_reserves(reserves)

Get pools by reserves.

Horizon will provide an endpoint to find all liquidity pools which contain a given set of reserve assets.

See [List Liquidity Pools](#) for more information.

Returns current LiquidityPoolsBuilder instance

limit(limit)

Sets `limit` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `limit` (`int`) – Number of records the server should return.

Returns

liquidity_pool(liquidity_pool_id)

Provides information on a liquidity pool.

See [Retrieve a Liquidity Pool](#) for more information.

Parameters `liquidity_pool_id` (`str`) – The ID of the liquidity pool in hex string.

Returns current LiquidityPoolsBuilder instance

order(desc=True)

Sets `order` parameter for the current call. Returns the CallBuilder object on which this method has been called.

Parameters `desc` (`bool`) – Sort direction, True to get desc sort direction, the default setting is True.

Returns current CallBuilder instance

stream()

Creates an EventSource that listens for incoming messages from the server.

See [Horizon Response Format](#)

See [MDN EventSource](#)

Return type `Generator[Dict[str, Any], None, None]`

Returns an EventSource.

Raise `StreamClientError` - Failed to fetch stream resource.

OffersCallBuilder

`class stellar_sdk.call_builder.call_builder_sync.OffersCallBuilder(horizon_url, client)`

Creates a new `OffersCallBuilder` pointed to server defined by `horizon_url`. Do not create this object directly, use `stellar_sdk.Server.offers()`.

See [List All Offers](#) for more information.

Parameters

- `horizon_url` (`str`) – Horizon server URL.
- `client` (`BaseSyncClient`) – The client instance used to send request.

call()

Triggers a HTTP request using this builder's current configuration.

Return type `Dict[str, Any]`

Returns If it is called synchronous, the response will be returned. If it is called asynchronously, it will return Coroutine.

Raises

ConnectionError: if you have not successfully connected to the server.

NotFoundError: if status_code == 404

BadRequestError: if 400 <= status_code < 500 and status_code != 404

BadResponseError: if 500 <= status_code < 600

UnknownRequestError: if an unknown error occurs, please submit an issue

`cursor(cursor)`

Sets `cursor` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `cursor` (`Union[int, str]`) – A cursor is a value that points to a specific location in a collection of resources.

Returns current CallBuilder instance

`for_buying(buying)`

Returns all offers buying an asset.

People on the Stellar network can make offers to buy or sell assets. This endpoint represents all the current offers, allowing filtering by `seller`, `selling_asset` or `buying_asset`.

See [List All Offers](#) for more information.

Parameters `buying` (`Asset`) – The asset being bought.

Returns this OffersCallBuilder instance

`for_seller(seller)`

Returns all offers where the given account is the seller.

People on the Stellar network can make offers to buy or sell assets. This endpoint represents all the current offers, allowing filtering by `seller`, `selling_asset` or `buying_asset`.

See [List All Offers](#) for more information.

Parameters `seller` (`str`) – Account ID of the offer creator

Returns this OffersCallBuilder instance

`for_selling(selling)`

Returns all offers selling an asset.

People on the Stellar network can make offers to buy or sell assets. This endpoint represents all the current offers, allowing filtering by `seller`, `selling_asset` or `buying_asset`.

See [List All Offers](#) for more information.

Parameters `selling` (`Asset`) – The asset being sold.

Returns this OffersCallBuilder instance

`for_sponsor(sponsor)`

Filtering offers where the given account is sponsoring the offer entry.

See [List All Offers](#) for more information.

Parameters `sponsor` (`str`) – the sponsor id, for example:
"GDGQVOKHW4VEJRU2TETD6DBRKE05ERCNF353LW5WBFW3JJWQ2BRQ6KDD"

Returns current OffersCallBuilder instance

limit(*limit*)

Sets *limit* parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `limit (int)` – Number of records the server should return.

Returns

offer(*offer_id*)

Returns information and links relating to a single offer.

See [Retrieve an Offer](#) for more information.

Parameters `offer_id (Union[str, int])` – Offer ID.

Returns this OffersCallBuilder instance

order(*desc=True*)

Sets *order* parameter for the current call. Returns the CallBuilder object on which this method has been called.

Parameters `desc (bool)` – Sort direction, True to get desc sort direction, the default setting is True.

Returns current CallBuilder instance

stream()

Creates an EventSource that listens for incoming messages from the server.

See [Horizon Response Format](#)

See [MDN EventSource](#)

Return type `Generator[Dict[str, Any], None, None]`

Returns an EventSource.

Raise `StreamClientError` - Failed to fetch stream resource.

OperationsCallBuilder

class `stellar_sdk.call_builder.call_builder_sync.OperationsCallBuilder(horizon_url, client)`

Creates a new `OperationsCallBuilder` pointed to server defined by `horizon_url`. Do not create this object directly, use `stellar_sdk.Server.operations()`.

See [List All Operations](#) for more information.

Parameters

- `horizon_url` – Horizon server URL.
- `client (BaseSyncClient)` – The client instance used to send request.

call()

Triggers a HTTP request using this builder's current configuration.

Return type `Dict[str, Any]`

Returns If it is called synchronous, the response will be returned. If it is called asynchronously, it will return Coroutine.

Raises

ConnectionError: if you have not successfully connected to the server.

NotFoundError: if status_code == 404

BadRequestError: if 400 <= status_code < 500 and status_code != 404

BadResponseError: if 500 <= status_code < 600

UnknownRequestError: if an unknown error occurs, please submit an issue

`cursor(cursor)`

Sets `cursor` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `cursor` (`Union[int, str]`) – A cursor is a value that points to a specific location in a collection of resources.

Returns current CallBuilder instance

`for_account(account_id)`

This endpoint represents all operations that were included in valid transactions that affected a particular account.

See [Retrieve an Account's Operations](#) for more information.

Parameters `account_id` (`str`) – Account ID

Returns this OperationCallBuilder instance

`for_claimable_balance(claimable_balance_id)`

This endpoint represents successful operations referencing a given claimable balance and can be used in streaming mode.

See [Claimable Balances - Retrieve related Operations](#) for more information.

Parameters `claimable_balance_id` (`str`) – This claimable balance's id encoded in a hex string representation.

Returns this OperationCallBuilder instance

`for_ledger(sequence)`

This endpoint returns all operations that occurred in a given ledger.

See [Retrieve a Ledger's Operations](#) for more information.

Parameters `sequence` (`Union[int, str]`) – Sequence ID

Returns this OperationCallBuilder instance

`for_liquidity_pool(liquidity_pool_id)`

This endpoint represents all operations that are part of a given liquidity pool.

See [Liquidity Pools - Retrieve related Operations](#) for more information.

Parameters `liquidity_pool_id` (`str`) – The ID of the liquidity pool in hex string.

Returns this OperationCallBuilder instance

`for_transaction(transaction_hash)`

This endpoint represents all operations that are part of a given transaction.

See [Retrieve a Transaction's Operations](#) for more information.

Parameters `transaction_hash` (`str`) – Transaction Hash

Returns this OperationCallBuilder instance

include_failed(*include_failed*)

Adds a parameter defining whether to include failed transactions. By default only operations of successful transactions are returned.

Parameters `include_failed` (`bool`) – Set to *True* to include operations of failed transactions.

Returns current OperationsCallBuilder instance

join(*join*)

join represents *join* param in queries, currently only supports *transactions*

Parameters `join` (`str`) – *join* represents *join* param in queries, currently only supports *transactions*

Returns current OperationsCallBuilder instance

limit(*limit*)

Sets *limit* parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `limit` (`int`) – Number of records the server should return.

Returns

operation(*operation_id*)

The operation details endpoint provides information on a single operation. The operation ID provided in the *id* argument specifies which operation to load.

See [Retrieve an Operation](#) for more information.

Parameters `operation_id` (`Union[int, str]`) – Operation ID

Returns this OperationCallBuilder instance

order(*desc=True*)

Sets *order* parameter for the current call. Returns the CallBuilder object on which this method has been called.

Parameters `desc` (`bool`) – Sort direction, *True* to get desc sort direction, the default setting is *True*.

Returns current CallBuilder instance

stream()

Creates an EventSource that listens for incoming messages from the server.

See [Horizon Response Format](#)

See [MDN EventSource](#)

Return type `Generator[Dict[str, Any], None, None]`

Returns an EventSource.

Raise `StreamClientError` - Failed to fetch stream resource.

OrderbookCallBuilder

```
class stellar_sdk.call_builder.call_builder_sync.OrderbookCallBuilder(horizon_url, client,
                                                                    selling, buying)
```

Creates a new `OrderbookCallBuilder` pointed to server defined by `horizon_url`. Do not create this object directly, use `stellar_sdk.Server.orderbook()`.

See [Orderbook](#) for more information.

Parameters

- `horizon_url` (`str`) – Horizon server URL.
- `client` (`BaseSyncClient`) – The client instance used to send request.
- `selling` (`Asset`) – Asset being sold
- `buying` (`Asset`) – Asset being bought

call()

Triggers a HTTP request using this builder's current configuration.

Return type `Dict[str, Any]`

Returns If it is called synchronous, the response will be returned. If it is called asynchronously, it will return Coroutine.

Raises

`ConnectionError`: if you have not successfully connected to the server.

`NotFoundError`: if `status_code == 404`

`BadRequestError`: if `400 <= status_code < 500` and `status_code != 404`

`BadResponseError`: if `500 <= status_code < 600`

`UnknownRequestError`: if an unknown error occurs, please submit an issue

cursor(cursor)

Sets `cursor` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `cursor` (`Union[int, str]`) – A cursor is a value that points to a specific location in a collection of resources.

Returns current CallBuilder instance

limit(limit)

Sets `limit` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `limit` (`int`) – Number of records the server should return.

Returns

order(desc=True)

Sets `order` parameter for the current call. Returns the CallBuilder object on which this method has been called.

Parameters `desc` (`bool`) – Sort direction, `True` to get desc sort direction, the default setting is `True`.

Returns current CallBuilder instance

stream()

Creates an EventSource that listens for incoming messages from the server.

See [Horizon Response Format](#)

See [MDN EventSource](#)

Return type Generator[Dict[str, Any], None, None]

Returns an EventSource.

Raise StreamClientError - Failed to fetch stream resource.

PaymentsCallBuilder

class stellar_sdk.call_builder.call_builder_sync.PaymentsCallBuilder(horizon_url, client)

Creates a new [PaymentsCallBuilder](#) pointed to server defined by horizon_url. Do not create this object directly, use [stellar_sdk.Server.payments\(\)](#).

See [List All Payments](#) for more information.

Parameters

- **horizon_url** (str) – Horizon server URL.
- **client** ([BaseSyncClient](#)) – The client instance used to send request.

call()

Triggers a HTTP request using this builder's current configuration.

Return type Dict[str, Any]

Returns If it is called synchronous, the response will be returned. If it is called asynchronously, it will return Coroutine.

Raises

ConnectionError: if you have not successfully connected to the server.

NotFoundError: if status_code == 404

BadRequestError: if 400 <= status_code < 500 and status_code != 404

BadResponseError: if 500 <= status_code < 600

UnknownRequestError: if an unknown error occurs, please submit an issue

cursor(cursor)

Sets cursor parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters **cursor** ([Union\[int, str\]](#)) – A cursor is a value that points to a specific location in a collection of resources.

Returns current CallBuilder instance

for_account(account_id)

This endpoint responds with a collection of Payment operations where the given account was either the sender or receiver.

See [Retrieve an Account's Payments](#) for more information.

Parameters `account_id` (`str`) – Account ID
Returns current PaymentsCallBuilder instance

for_ledger(*sequence*)
This endpoint represents all payment operations that are part of a valid transactions in a given ledger.
See [Retrieve a Ledger's Payments](#) for more information.

Parameters `sequence` (`Union[int, str]`) – Ledger sequence
Returns current PaymentsCallBuilder instance

for_transaction(*transaction_hash*)
This endpoint represents all payment operations that are part of a given transaction.
P.S. The documentation provided by SDF seems to be missing this API.

Parameters `transaction_hash` (`str`) – Transaction hash
Returns current PaymentsCallBuilder instance

include_failed(*include_failed*)
Adds a parameter defining whether to include failed transactions. By default only payments of successful transactions are returned.

Parameters `include_failed` (`bool`) – Set to True to include payments of failed transactions.
Returns current PaymentsCallBuilder instance

join(*join*)
join represents *join* param in queries, currently only supports *transactions*

Parameters `join` (`str`) – *join* represents *join* param in queries, currently only supports *transactions*
Returns current OperationsCallBuilder instance

limit(*limit*)
Sets *limit* parameter for the current call. Returns the CallBuilder object on which this method has been called.
See [Pagination](#)

Parameters `limit` (`int`) – Number of records the server should return.
Returns

order(*desc=True*)
Sets *order* parameter for the current call. Returns the CallBuilder object on which this method has been called.

Parameters `desc` (`bool`) – Sort direction, True to get desc sort direction, the default setting is True.
Returns current CallBuilder instance

stream()
Creates an EventSource that listens for incoming messages from the server.
See [Horizon Response Format](#)
See [MDN EventSource](#)

Return type `Generator[Dict[str, Any], None, None]`

Returns an EventSource.

Raise StreamClientError - Failed to fetch stream resource.

RootCallBuilder

`class stellar_sdk.call_builder.call_builder_sync.RootCallBuilder(horizon_url, client)`

Creates a new `RootCallBuilder` pointed to server defined by `horizon_url`. Do not create this object directly, use `stellar_sdk.Server.root()`.

Parameters

- `horizon_url (str)` – Horizon server URL.
- `client (BaseSyncClient)` – The client instance used to send request.

call()

Triggers a HTTP request using this builder's current configuration.

Return type `Dict[str, Any]`

Returns If it is called synchronous, the response will be returned. If it is called asynchronously, it will return Coroutine.

Raises

`ConnectionError`: if you have not successfully connected to the server.

`NotFoundError`: if `status_code == 404`

`BadRequestError`: if `400 <= status_code < 500` and `status_code != 404`

`BadResponseError`: if `500 <= status_code < 600`

`UnknownRequestError`: if an unknown error occurs, please submit an issue

cursor(cursor)

Sets `cursor` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `cursor (Union[int, str])` – A cursor is a value that points to a specific location in a collection of resources.

Returns current CallBuilder instance

limit(limit)

Sets `limit` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `limit (int)` – Number of records the server should return.

Returns

order(desc=True)

Sets `order` parameter for the current call. Returns the CallBuilder object on which this method has been called.

Parameters `desc (bool)` – Sort direction, True to get desc sort direction, the default setting is True.

Returns current CallBuilder instance

stream()

Creates an EventSource that listens for incoming messages from the server.

See [Horizon Response Format](#)

See [MDN EventSource](#)

Return type `Generator[Dict[str, Any], None, None]`

Returns an EventSource.

Raise `StreamClientError` - Failed to fetch stream resource.

StrictReceivePathsCallBuilder

```
class stellar_sdk.call_builder.call_builder_sync.StrictReceivePathsCallBuilder(horizon_url,  
                                client,  
                                source, destination_asset,  
                                destination_amount)
```

Creates a new `StrictReceivePathsCallBuilder` pointed to server defined by `horizon_url`. Do not create this object directly, use `stellar_sdk.Server.strict_receive_paths()`.

The Stellar Network allows payments to be made across assets through path payments. A path payment specifies a series of assets to route a payment through, from source asset (the asset debited from the payer) to destination asset (the asset credited to the payee).

A path search is specified using:

- The source address or source assets.
- The asset and amount that the destination account should receive.

As part of the search, horizon will load a list of assets available to the source address and will find any payment paths from those source assets to the desired destination asset. The search's amount parameter will be used to determine if there a given path can satisfy a payment of the desired amount.

If a list of assets is passed as the source, horizon will find any payment paths from those source assets to the desired destination asset.

See [List Strict Receive Payment Paths](#) for more information.

Parameters

- **horizon_url** (`str`) – Horizon server URL.
- **client** (`BaseSyncClient`) – The client instance used to send request.
- **source** (`Union[str, List[Asset]]`) – The sender's account ID or a list of Assets. Any returned path must use a source that the sender can hold.
- **destination_asset** (`Asset`) – The destination asset.
- **destination_amount** (`str`) – The amount, denominated in the destination asset, that any returned path should be able to satisfy.

call()

Triggers a HTTP request using this builder's current configuration.

Return type `Dict[str, Any]`

Returns If it is called synchronous, the response will be returned. If it is called asynchronously, it will return Coroutine.

Raises

ConnectionError: if you have not successfully connected to the server.

NotFoundError: if status_code == 404

BadRequestError: if 400 <= status_code < 500 and status_code != 404

BadResponseError: if 500 <= status_code < 600

UnknownRequestError: if an unknown error occurs, please submit an issue

cursor(cursor)

Sets cursor parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `cursor` (`Union[int, str]`) – A cursor is a value that points to a specific location in a collection of resources.

Returns current CallBuilder instance

limit(limit)

Sets limit parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `limit` (`int`) – Number of records the server should return.

Returns

order(desc=True)

Sets order parameter for the current call. Returns the CallBuilder object on which this method has been called.

Parameters `desc` (`bool`) – Sort direction, True to get desc sort direction, the default setting is True.

Returns current CallBuilder instance

stream()

Creates an EventSource that listens for incoming messages from the server.

See [Horizon Response Format](#)

See [MDN EventSource](#)

Return type `Generator[Dict[str, Any], None, None]`

Returns an EventSource.

Raise `StreamClientError` - Failed to fetch stream resource.

StrictSendPathsCallBuilder

```
class stellar_sdk.call_builder.call_builder_sync.StrictSendPathsCallBuilder(horizon_url,
                                                                           client,
                                                                           source_asset,
                                                                           source_amount,
                                                                           destination)
```

Creates a new *StrictSendPathsCallBuilder* pointed to server defined by horizon_url. Do not create this object directly, use `stellar_sdk.Server.strict_send_paths()`.

The Stellar Network allows payments to be made across assets through path payments. A strict send path payment specifies a series of assets to route a payment through, from source asset (the asset debited from the payer) to destination asset (the asset credited to the payee).

A strict send path search is specified using:

- The source asset
- The source amount
- The destination assets or destination account.

As part of the search, horizon will load a list of assets available to the source address and will find any payment paths from those source assets to the desired destination asset. The search's source_amount parameter will be used to determine if there a given path can satisfy a payment of the desired amount.

See [List Strict Send Payment Paths](#) for more information.

Parameters

- **horizon_url** (`str`) – Horizon server URL.
- **client** (`BaseSyncClient`) – The client instance used to send request.
- **source_asset** (`Asset`) – The asset to be sent.
- **source_amount** (`str`) – The amount, denominated in the source asset, that any returned path should be able to satisfy.
- **destination** (`Union[str, List[Asset]]`) – The destination account or the destination assets.

call()

Triggers a HTTP request using this builder's current configuration.

Return type `Dict[str, Any]`

Returns If it is called synchronous, the response will be returned. If it is called asynchronously, it will return Coroutine.

Raises

ConnectionError: if you have not successfully connected to the server.

NotFoundError: if `status_code == 404`

BadRequestError: if $400 \leq \text{status_code} < 500$ and `status_code != 404`

BadResponseError: if $500 \leq \text{status_code} < 600$

UnknownRequestError: if an unknown error occurs, please submit an issue

cursor(cursor)

Sets cursor parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `cursor` (`Union[int, str]`) – A cursor is a value that points to a specific location in a collection of resources.

Returns current CallBuilder instance

limit(*limit*)

Sets `limit` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `limit` (`int`) – Number of records the server should return.

Returns

order(*desc=True*)

Sets `order` parameter for the current call. Returns the CallBuilder object on which this method has been called.

Parameters `desc` (`bool`) – Sort direction, True to get desc sort direction, the default setting is True.

Returns current CallBuilder instance

stream()

Creates an EventSource that listens for incoming messages from the server.

See [Horizon Response Format](#)

See [MDN EventSource](#)

Return type `Generator[Dict[str, Any], None, None]`

Returns an EventSource.

Raise `StreamClientError` - Failed to fetch stream resource.

TradeAggregationsCallBuilder

```
class stellar_sdk.call_builder.call_builder_sync.TradeAggregationsCallBuilder(horizon_url,
                                                                           client,
                                                                           base,
                                                                           counter,
                                                                           resolution,
                                                                           start_time=None,
                                                                           end_time=None,
                                                                           offset=None)
```

Creates a new `TradeAggregationsCallBuilder` pointed to server defined by `horizon_url`. Do not create this object directly, use `stellar_sdk.Server.trade_aggregations()`.

Trade Aggregations facilitate efficient gathering of historical trade data.

See [List Trade Aggregations](#) for more information.

Parameters

- `horizon_url` (`str`) – Horizon server URL.
- `client` (`BaseSyncClient`) – The client instance used to send request.
- `base` (`Asset`) – base asset
- `counter` (`Asset`) – counter asset

- **resolution** (`int`) – segment duration as millis since epoch. *Supported values are 1 minute (60000), 5 minutes (300000), 15 minutes (900000), 1 hour (3600000), 1 day (86400000) and 1 week (604800000).*
- **start_time** (`Optional[int]`) – lower time boundary represented as millis since epoch
- **end_time** (`Optional[int]`) – upper time boundary represented as millis since epoch
- **offset** (`Optional[int]`) – segments can be offset using this parameter. Expressed in milliseconds. *Can only be used if the resolution is greater than 1 hour. Value must be in whole hours, less than the provided resolution, and less than 24 hours.*

`call()`

Triggers a HTTP request using this builder's current configuration.

Return type `Dict[str, Any]`

Returns If it is called synchronous, the response will be returned. If it is called asynchronously, it will return Coroutine.

Raises

ConnectionError: if you have not successfully connected to the server.

NotFoundError: if `status_code == 404`

BadRequestError: if `400 <= status_code < 500` and `status_code != 404`

BadResponseError: if `500 <= status_code < 600`

UnknownRequestError: if an unknown error occurs, please submit an issue

`cursor(cursor)`

Sets `cursor` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `cursor` (`Union[int, str]`) – A cursor is a value that points to a specific location in a collection of resources.

Returns current CallBuilder instance

`limit(limit)`

Sets `limit` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `limit` (`int`) – Number of records the server should return.

Returns

`order(desc=True)`

Sets `order` parameter for the current call. Returns the CallBuilder object on which this method has been called.

Parameters `desc` (`bool`) – Sort direction, `True` to get desc sort direction, the default setting is `True`.

Returns current CallBuilder instance

`stream()`

Creates an EventSource that listens for incoming messages from the server.

See [Horizon Response Format](#)

See [MDN EventSource](#)

Return type `Generator[Dict[str, Any], None, None]`

Returns an EventSource.

Raise `StreamClientError` - Failed to fetch stream resource.

TradesCallBuilder

class `stellar_sdk.call_builder.call_builder_sync.TradesCallBuilder(horizon_url, client)`

Creates a new `TradesCallBuilder` pointed to server defined by `horizon_url`. Do not create this object directly, use `stellar_sdk.Server.trades()`.

See [List All Trades](#) for more information.

Parameters

- **horizon_url** (`str`) – Horizon server URL.
- **client** (`BaseSyncClient`) – The client instance used to send request.

call()

Triggers a HTTP request using this builder's current configuration.

Return type `Dict[str, Any]`

Returns If it is called synchronous, the response will be returned. If it is called asynchronously, it will return Coroutine.

Raises

`ConnectionError`: if you have not successfully connected to the server.

`NotFoundError`: if `status_code == 404`

`BadRequestError`: if `400 <= status_code < 500` and `status_code != 404`

`BadResponseError`: if `500 <= status_code < 600`

`UnknownRequestError`: if an unknown error occurs, please submit an issue

cursor(cursor)

Sets `cursor` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `cursor` (`Union[int, str]`) – A cursor is a value that points to a specific location in a collection of resources.

Returns current CallBuilder instance

for_account(account_id)

Filter trades for a specific account

See [Retrieve an Account's Trades](#) for more information.

Parameters `account_id` (`str`) – account id

Returns current TradesCallBuilder instance

for_asset_pair(base, counter)

Filter trades for a specific asset pair (orderbook)

See [List All Trades](#) for more information.

Parameters

- **base** ([Asset](#)) – base asset
- **counter** ([Asset](#)) – counter asset

Returns current TradesCallBuilder instance

for_liquidity_pool(*liquidity_pool_id*)

Filter trades for a specific liquidity pool.

See [Liquidity Pools - Retrieve related Trades](#)

Parameters **liquidity_pool_id** ([str](#)) – The ID of the liquidity pool in hex string.

Returns current TradesCallBuilder instance

for_offer(*offer_id*)

Filter trades for a specific offer

See [List All Trades](#) for more information.

Parameters **offer_id** ([Union\[int, str\]](#)) – offer id

Returns current TradesCallBuilder instance

for_trade_type(*trade_type*)

Filter trades for a specific trade type

Horizon will reject requests which attempt to set *trade_type* to `liquidity_pools` when using the offer id filter.

Parameters **trade_type** ([str](#)) – trade type, the currently supported types are "orderbook", "liquidity_pools" and "all", defaults to "all".

Returns current TradesCallBuilder instance

limit(*limit*)

Sets `limit` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters **limit** ([int](#)) – Number of records the server should return.

Returns

order(*desc=True*)

Sets `order` parameter for the current call. Returns the CallBuilder object on which this method has been called.

Parameters **desc** ([bool](#)) – Sort direction, `True` to get desc sort direction, the default setting is `True`.

Returns current CallBuilder instance

stream()

Creates an EventSource that listens for incoming messages from the server.

See [Horizon Response Format](#)

See [MDN EventSource](#)

Return type `Generator[Dict[str, Any], None, None]`

Returns an EventSource.

Raise `StreamClientError` - Failed to fetch stream resource.

TransactionsCallBuilder

class `stellar_sdk.call_builder.call_builder_sync.TransactionsCallBuilder(horizon_url, client)`

Creates a new `TransactionsCallBuilder` pointed to server defined by `horizon_url`. Do not create this object directly, use `stellar_sdk.Server.transactions()`.

See [List All Transactions](#) for more information.

Parameters

- `horizon_url (str)` – Horizon server URL.
- `client (BaseSyncClient)` – The client instance used to send request.

call()

Triggers a HTTP request using this builder's current configuration.

Return type `Dict[str, Any]`

Returns If it is called synchronous, the response will be returned. If it is called asynchronously, it will return Coroutine.

Raises

`ConnectionError`: if you have not successfully connected to the server.

`NotFoundError`: if `status_code == 404`

`BadRequestError`: if `400 <= status_code < 500` and `status_code != 404`

`BadResponseError`: if `500 <= status_code < 600`

`UnknownRequestError`: if an unknown error occurs, please submit an issue

cursor(cursor)

Sets `cursor` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `cursor (Union[int, str])` – A cursor is a value that points to a specific location in a collection of resources.

Returns current CallBuilder instance

for_account(account_id)

This endpoint represents all transactions that affected a given account.

See [Retrieve an Account's Transactions](#) for more information.

Parameters `account_id (str)` – account id

Returns current TransactionsCallBuilder instance

for_claimable_balance(claimable_balance_id)

This endpoint represents all transactions referencing a given claimable balance and can be used in streaming mode.

See [Claimable Balances - Retrieve related Transactions](#)

Parameters `claimable_balance_id (str)` – This claimable balance's id encoded in a hex string representation.

Returns current TransactionsCallBuilder instance

for_ledger(*sequence*)

This endpoint represents all transactions in a given ledger.

See [Retrieve a Ledger's Transactions](#) for more information.

Parameters `sequence` (`Union[str, int]`) – ledger sequence

Returns current `TransactionsCallBuilder` instance

for_liquidity_pool(*liquidity_pool_id*)

This endpoint represents all transactions referencing a given liquidity pool.

See [Liquidity Pools - Retrieve related Transactions](#)

Parameters `liquidity_pool_id` (`str`) – The ID of the liquidity pool in hex string.

Returns this `TransactionsCallBuilder` instance

include_failed(*include_failed*)

Adds a parameter defining whether to include failed transactions. By default only transactions of successful transactions are returned.

Parameters `include_failed` (`bool`) – Set to *True* to include failed transactions.

Returns current `TransactionsCallBuilder` instance

limit(*limit*)

Sets `limit` parameter for the current call. Returns the `CallBuilder` object on which this method has been called.

See [Pagination](#)

Parameters `limit` (`int`) – Number of records the server should return.

Returns

order(*desc=True*)

Sets `order` parameter for the current call. Returns the `CallBuilder` object on which this method has been called.

Parameters `desc` (`bool`) – Sort direction, *True* to get desc sort direction, the default setting is *True*.

Returns current `CallBuilder` instance

stream()

Creates an `EventSource` that listens for incoming messages from the server.

See [Horizon Response Format](#)

See [MDN EventSource](#)

Return type `Generator[Dict[str, Any], None, None]`

Returns an `EventSource`.

Raise `StreamClientError` - Failed to fetch stream resource.

transaction(*transaction_hash*)

The transaction details endpoint provides information on a single transaction. The transaction hash provided in the `hash` argument specifies which transaction to load.

See [Retrieve a Transaction](#) for more information.

Parameters `transaction_hash` (`str`) – transaction hash

Returns current TransactionsCallBuilder instance

2.1.4 Call Builder Async

AccountsCallBuilder

class stellar_sdk.call_builder.call_builder_async.**AccountsCallBuilder**(horizon_url, client)

Creates a new [AccountsCallBuilder](#) pointed to server defined by horizon_url. Do not create this object directly, use `stellar_sdk.ServerAsync.accounts()`.

See [List All Accounts](#) for more information.

Parameters

- **horizon_url** – Horizon server URL.
- **client** ([BaseAsyncClient](#)) – The client instance used to send request.

account_id(account_id)

Returns information and links relating to a single account. The balances section in the returned JSON will also list all the trust lines this account has set up.

See [Retrieve an Account](#) for more information.

Parameters **account_id** ([str](#)) – account id, for example:
"GDGQVOKHW4VEJRU2TETD6DBRKE05ERCNF353LW5WBFW3JJWQ2BRQ6KDD"

Returns current AccountCallBuilder instance

async call()

Triggers a HTTP request using this builder's current configuration.

Return type [Dict\[str, Any\]](#)

Returns If it is called synchronous, the response will be returned. If it is called asynchronously, it will return Coroutine.

Raises

[ConnectionError](#): if you have not successfully connected to the server.

[NotFoundError](#): if status_code == 404

[BadRequestError](#): if 400 <= status_code < 500 and status_code != 404

[BadResponseError](#): if 500 <= status_code < 600

[UnknownRequestError](#): if an unknown error occurs, please submit an issue

cursor(cursor)

Sets cursor parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters **cursor** ([Union\[int, str\]](#)) – A cursor is a value that points to a specific location in a collection of resources.

Returns current CallBuilder instance

for_asset(asset)

Filtering accounts who have a trustline to an asset. The result is a list of accounts.

See [List All Accounts](#) for more information.

Parameters `asset` (`Asset`) – an issued asset

Returns current AccountCallBuilder instance

for_liquidity_pool(`liquidity_pool_id`)

Filtering accounts who have a trustline for the given pool. The result is a list of accounts.

See [List All Accounts](#) for more information.

Parameters `liquidity_pool_id` (`str`) – The ID of the liquidity pool in hex string., for example: "dd7b1ab831c273310ddbec6f97870aa83c2fb78ce22aded37ecbf4f3380fac7"

Returns current AccountCallBuilder instance

for_signer(`signer`)

Filtering accounts who have a given signer. The result is a list of accounts.

See [List All Accounts](#) for more information.

Parameters `signer` (`str`) – signer's account id, for example: "GDGQVOKHW4VEJRU2TETD6DBRKE05ERCNF353LW5WBFW3JJWQ2BRQ6KDD"

Returns current AccountCallBuilder instance

for_sponsor(`sponsor`)

Filtering accounts where the given account is sponsoring the account or any of its sub-entries.

See [List All Accounts](#) for more information.

Parameters `sponsor` (`str`) – the sponsor id, for example: "GDGQVOKHW4VEJRU2TETD6DBRKE05ERCNF353LW5WBFW3JJWQ2BRQ6KDD"

Returns current AccountCallBuilder instance

limit(`limit`)

Sets `limit` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `limit` (`int`) – Number of records the server should return.

Returns

order(`desc=True`)

Sets `order` parameter for the current call. Returns the CallBuilder object on which this method has been called.

Parameters `desc` (`bool`) – Sort direction, True to get desc sort direction, the default setting is True.

Returns current CallBuilder instance

stream()

Creates an EventSource that listens for incoming messages from the server.

See [Horizon Response Format](#)

See [MDN EventSource](#)

Return type `AsyncGenerator[Dict[str, Any], None]`

Returns an EventSource.

Raise `StreamClientError` - Failed to fetch stream resource.

AssetsCallBuilder

```
class stellar_sdk.call_builder.call_builder_async.AssetsCallBuilder(horizon_url, client)
```

Creates a new `AssetsCallBuilder` pointed to server defined by `horizon_url`. Do not create this object directly, use `stellar_sdk.ServerAsync.assets()`.

See [List All Assets](#) for more information.

Parameters

- `horizon_url (str)` – Horizon server URL.
- `client (BaseAsyncClient)` – The client instance used to send request.

async call()

Triggers a HTTP request using this builder's current configuration.

Return type `Dict[str, Any]`

Returns If it is called synchronous, the response will be returned. If it is called asynchronously, it will return Coroutine.

Raises

`ConnectionError`: if you have not successfully connected to the server.

`NotFoundError`: if `status_code == 404`

`BadRequestError`: if `400 <= status_code < 500` and `status_code != 404`

`BadResponseError`: if `500 <= status_code < 600`

`UnknownRequestError`: if an unknown error occurs, please submit an issue

cursor(cursor)

Sets `cursor` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `cursor (Union[int, str])` – A cursor is a value that points to a specific location in a collection of resources.

Returns current CallBuilder instance

for_code(asset_code)

This endpoint filters all assets by the asset code.

See [List All Assets](#) for more information.

Parameters `asset_code (str)` – asset code, for example: `USD`

Returns current AssetCallBuilder instance

for_issuer(asset_issuer)

This endpoint filters all assets by the asset issuer.

See [List All Assets](#) for more information.

Parameters `asset_issuer (str)` – asset issuer, for example:
`"GDGQVOKHW4VEJRU2TETD6DBRKE05ERCNF353LW5WBFW3JJWQ2BRQ6KDD"`

Returns current AssetCallBuilder instance

limit(limit)

Sets `limit` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `limit (int)` – Number of records the server should return.

Returns

order(desc=True)

Sets `order` parameter for the current call. Returns the CallBuilder object on which this method has been called.

Parameters `desc (bool)` – Sort direction, True to get desc sort direction, the default setting is True.

Returns current CallBuilder instance

stream()

Creates an EventSource that listens for incoming messages from the server.

See [Horizon Response Format](#)

See [MDN EventSource](#)

Return type `AsyncGenerator[Dict[str, Any], None]`

Returns an EventSource.

Raise `StreamClientError` - Failed to fetch stream resource.

ClaimableBalancesCallBuilder

```
class stellar_sdk.call_builder.call_builder_async.ClaimableBalancesCallBuilder(horizon_url,  
                                client)
```

Creates a new `ClaimableBalancesCallBuilder` pointed to server defined by `horizon_url`. Do not create this object directly, use `stellar_sdk.ServerAsync.claimable_balance()`.

See [List Claimable Balances](#) for more information.

Parameters

- `horizon_url` – Horizon server URL.
- `client (BaseAsyncClient)` – The client instance used to send request.

async call()

Triggers a HTTP request using this builder's current configuration.

Return type `Dict[str, Any]`

Returns If it is called synchronous, the response will be returned. If it is called asynchronously, it will return Coroutine.

Raises

`ConnectionError`: if you have not successfully connected to the server.

`NotFoundError`: if `status_code == 404`

`BadRequestError`: if `400 <= status_code < 500` and `status_code != 404`

`BadResponseError`: if `500 <= status_code < 600`

`UnknownRequestError`: if an unknown error occurs, please submit an issue

claimable_balance(*claimable_balance_id*)

Returns information and links relating to a single claimable balance.

See [List Claimable Balances](#) for more information.

Parameters **claimable_balance_id** (`str`) – claimable balance id

Returns current AccountCallBuilder instance

cursor(*cursor*)

Sets `cursor` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters **cursor** (`Union[int, str]`) – A cursor is a value that points to a specific location in a collection of resources.

Returns current CallBuilder instance

for_asset(*asset*)

Returns all claimable balances which provide a balance for the given asset.

See [List Claimable Balances](#) for more information.

Parameters **asset** (`Asset`) – an asset

Returns current ClaimableBalancesCallBuilder instance

for_claimant(*claimant*)

Returns all claimable balances which can be claimed by the given account ID.

See [List Claimable Balances](#) for more information.

Parameters **claimant** (`str`) – the account id, for example:
"GDGQVOKHW4VEJRU2TETD6DBRKE05ERCNF353LW5WBFW3JJWQ2BRQ6KDD"

Returns current ClaimableBalancesCallBuilder instance

for_sponsor(*sponsor*)

Returns all claimable balances which are sponsored by the given account ID.

See [List Claimable Balances](#) for more information.

Parameters **sponsor** (`str`) – the sponsor id, for example:
"GDGQVOKHW4VEJRU2TETD6DBRKE05ERCNF353LW5WBFW3JJWQ2BRQ6KDD"

Returns current ClaimableBalancesCallBuilder instance

limit(*limit*)

Sets `limit` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters **limit** (`int`) – Number of records the server should return.

Returns

order(*desc=True*)

Sets `order` parameter for the current call. Returns the CallBuilder object on which this method has been called.

Parameters **desc** (`bool`) – Sort direction, True to get desc sort direction, the default setting is True.

Returns current CallBuilder instance

`stream()`

Creates an EventSource that listens for incoming messages from the server.

See [Horizon Response Format](#)

See [MDN EventSource](#)

Return type `AsyncGenerator[Dict[str, Any], None]`

Returns an EventSource.

Raise `StreamClientError` - Failed to fetch stream resource.

DataCallBuilder

```
class stellar_sdk.call_builder.call_builder_async.DataCallBuilder(horizon_url, client,
                                                                account_id, data_name)
```

Creates a new `DataCallBuilder` pointed to server defined by `horizon_url`. Do not create this object directly, use `stellar_sdk.ServerAsync.data()`.

See [Retrieve an Account's Data](#) for more information.

Parameters

- `horizon_url` (`str`) – Horizon server URL.
- `client` (`BaseAsyncClient`) – The client instance used to send request.
- `account_id` (`str`) – account id, for example: "GDGQVOKHW4VEJRU2TETD6DBRKE05ERCNF353LW5WBFW3JJWQ2BRQ
- `data_name` (`str`) – Key name

`async call()`

Triggers a HTTP request using this builder's current configuration.

Return type `Dict[str, Any]`

Returns If it is called synchronous, the response will be returned. If it is called asynchronously, it will return Coroutine.

Raises

`ConnectionError`: if you have not successfully connected to the server.

`NotFoundError`: if `status_code == 404`

`BadRequestError`: if `400 <= status_code < 500` and `status_code != 404`

`BadResponseError`: if `500 <= status_code < 600`

`UnknownRequestError`: if an unknown error occurs, please submit an issue

`cursor(cursor)`

Sets `cursor` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `cursor` (`Union[int, str]`) – A cursor is a value that points to a specific location in a collection of resources.

Returns current CallBuilder instance

`limit(limit)`

Sets `limit` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `limit (int)` – Number of records the server should return.

Returns

`order(desc=True)`

Sets `order` parameter for the current call. Returns the CallBuilder object on which this method has been called.

Parameters `desc (bool)` – Sort direction, True to get desc sort direction, the default setting is True.

Returns current CallBuilder instance

`stream()`

Creates an EventSource that listens for incoming messages from the server.

See [Horizon Response Format](#)

See [MDN EventSource](#)

Return type `AsyncGenerator[Dict[str, Any], None]`

Returns an EventSource.

Raise `StreamClientError` - Failed to fetch stream resource.

EffectsCallBuilder

`class stellar_sdk.call_builder.call_builder_async.EffectsCallBuilder(horizon_url, client)`

Creates a new `EffectsCallBuilder` pointed to server defined by `horizon_url`. Do not create this object directly, use `stellar_sdk.ServerAsync.effects()`.

See [List All Effects](#) for more information.

Parameters

- `horizon_url (str)` – Horizon server URL.
- `client (BaseAsyncClient)` – The client instance used to send request.

`async call()`

Triggers a HTTP request using this builder's current configuration.

Return type `Dict[str, Any]`

Returns If it is called synchronous, the response will be returned. If it is called asynchronously, it will return Coroutine.

Raises

`ConnectionError`: if you have not successfully connected to the server.

`NotFoundError`: if `status_code == 404`

`BadRequestError`: if `400 <= status_code < 500` and `status_code != 404`

`BadResponseError`: if `500 <= status_code < 600`

`UnknownRequestError`: if an unknown error occurs, please submit an issue

cursor(cursor)

Sets `cursor` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `cursor` (`Union[int, str]`) – A cursor is a value that points to a specific location in a collection of resources.

Returns current CallBuilder instance

for_account(account_id)

This endpoint represents all effects that changed a given account. It will return relevant effects from the creation of the account to the current ledger.

See [Retrieve an Account's Effects](#) for more information.

Parameters `account_id` (`str`) – account id, for example:
"GDGQVOKHW4VEJRU2TETD6DBRKE05ERCNF353LW5WBFW3JJWQ2BRQ6KDD"

Returns this EffectCallBuilder instance

for_ledger(sequence)

Effects are the specific ways that the ledger was changed by any operation. This endpoint represents all effects that occurred in the given ledger.

See [Retrieve a Ledger's Effects](#) for more information.

Parameters `sequence` (`Union[int, str]`) – ledger sequence

Returns this EffectCallBuilder instance

for_liquidity_pool(liquidity_pool_id)

This endpoint represents all effects that occurred as a result of a given liquidity pool.

See [Liquidity Pools - Retrieve related Effects](#) for more information.

Parameters `liquidity_pool_id` (`str`) – The ID of the liquidity pool in hex string.

Returns this EffectsCallBuilder instance

for_operation(operation_id)

This endpoint represents all effects that occurred as a result of a given operation.

See [Retrieve an Operation's Effects](#) for more information.

Parameters `operation_id` (`Union[int, str]`) – operation ID

Returns this EffectCallBuilder instance

for_transaction(transaction_hash)

This endpoint represents all effects that occurred as a result of a given transaction.

See [Retrieve a Transaction's Effects](#) for more information.

Parameters `transaction_hash` (`str`) – transaction hash

Returns this EffectCallBuilder instance

limit(limit)

Sets `limit` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `limit` (`int`) – Number of records the server should return.

Returns

`order`(`desc=True`)

Sets `order` parameter for the current call. Returns the CallBuilder object on which this method has been called.

Parameters `desc` (`bool`) – Sort direction, True to get desc sort direction, the default setting is True.

Returns current CallBuilder instance

`stream()`

Creates an EventSource that listens for incoming messages from the server.

See [Horizon Response Format](#)

See [MDN EventSource](#)

Return type `AsyncGenerator[Dict[str, Any], None]`

Returns an EventSource.

Raise `StreamClientError` - Failed to fetch stream resource.

FeeStatsCallBuilder

`class stellar_sdk.call_builder.call_builder_async.FeeStatsCallBuilder(horizon_url, client)`

Creates a new `FeeStatsCallBuilder` pointed to server defined by `horizon_url`. Do not create this object directly, use `stellar_sdk.ServerAsync.fee_stats()`.

See [Fee Stats](#) for more information.

Parameters

- `horizon_url` (`str`) – Horizon server URL.
- `client` (`BaseAsyncClient`) – The client instance used to send request.

`async call()`

Triggers a HTTP request using this builder's current configuration.

Return type `Dict[str, Any]`

Returns If it is called synchronous, the response will be returned. If it is called asynchronously, it will return Coroutine.

Raises

`ConnectionError`: if you have not successfully connected to the server.

`NotFoundError`: if `status_code == 404`

`BadRequestError`: if $400 \leq \text{status_code} < 500$ and `status_code != 404`

`BadResponseError`: if $500 \leq \text{status_code} < 600$

`UnknownRequestError`: if an unknown error occurs, please submit an issue

`cursor(cursor)`

Sets `cursor` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `cursor` (`Union[int, str]`) – A cursor is a value that points to a specific location in a collection of resources.

Returns current CallBuilder instance

`limit(limit)`

Sets `limit` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `limit` (`int`) – Number of records the server should return.

Returns

`order(desc=True)`

Sets `order` parameter for the current call. Returns the CallBuilder object on which this method has been called.

Parameters `desc` (`bool`) – Sort direction, True to get desc sort direction, the default setting is True.

Returns current CallBuilder instance

`stream()`

Creates an EventSource that listens for incoming messages from the server.

See [Horizon Response Format](#)

See [MDN EventSource](#)

Return type `AsyncGenerator[Dict[str, Any], None]`

Returns an EventSource.

Raise `StreamClientError` - Failed to fetch stream resource.

LedgersCallBuilder

```
class stellar_sdk.call_builder.call_builder_async.LedgersCallBuilder(horizon_url, client)
```

Creates a new `LedgersCallBuilder` pointed to server defined by `horizon_url`. Do not create this object directly, use `stellar_sdk.ServerAsync.ledgers()`.

See [List All Ledgers](#) for more information.

Parameters

- `horizon_url` (`str`) – Horizon server URL.
- `client` (`BaseAsyncClient`) – The client instance used to send request.

`async call()`

Triggers a HTTP request using this builder's current configuration.

Return type `Dict[str, Any]`

Returns If it is called synchronous, the response will be returned. If it is called asynchronously, it will return Coroutine.

Raises

`ConnectionError`: if you have not successfully connected to the server.

`NotFoundError`: if status_code == 404

BadRequestError: if $400 \leq \text{status_code} < 500$ and $\text{status_code} \neq 404$

BadResponseError: if $500 \leq \text{status_code} < 600$

UnknownRequestError: if an unknown error occurs, please submit an issue

cursor(cursor)

Sets `cursor` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `cursor (Union[int, str])` – A cursor is a value that points to a specific location in a collection of resources.

Returns current CallBuilder instance

ledger(sequence)

Provides information on a single ledger.

See [Retrieve a Ledger](#) for more information.

Parameters `sequence (Union[int, str])` – Ledger sequence

Returns current LedgerCallBuilder instance

limit(limit)

Sets `limit` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `limit (int)` – Number of records the server should return.

Returns

order(desc=True)

Sets `order` parameter for the current call. Returns the CallBuilder object on which this method has been called.

Parameters `desc (bool)` – Sort direction, True to get desc sort direction, the default setting is True.

Returns current CallBuilder instance

stream()

Creates an EventSource that listens for incoming messages from the server.

See [Horizon Response Format](#)

See [MDN EventSource](#)

Return type `AsyncGenerator[Dict[str, Any], None]`

Returns an EventSource.

Raise `StreamClientError` - Failed to fetch stream resource.

LiquidityPoolsBuilder

```
class stellar_sdk.call_builder.call_builder_async.LiquidityPoolsBuilder(horizon_url, client)
```

Creates a new `LiquidityPoolsBuilder` pointed to server defined by `horizon_url`. Do not create this object directly, use `stellar_sdk.ServerAsync.liquidity_pools()`.

See [List Liquidity Pools](#) for more information.

Parameters

- `horizon_url` (`str`) – Horizon server URL.
- `client` (`BaseAsyncClient`) – The client instance used to send request.

async call()

Triggers a HTTP request using this builder's current configuration.

Return type `Dict[str, Any]`

Returns If it is called synchronous, the response will be returned. If it is called asynchronously, it will return Coroutine.

Raises

`ConnectionError`: if you have not successfully connected to the server.

`NotFoundError`: if `status_code == 404`

`BadRequestError`: if $400 \leq \text{status_code} < 500$ and `status_code != 404`

`BadResponseError`: if $500 \leq \text{status_code} < 600$

`UnknownRequestError`: if an unknown error occurs, please submit an issue

cursor(cursor)

Sets `cursor` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `cursor` (`Union[int, str]`) – A cursor is a value that points to a specific location in a collection of resources.

Returns current CallBuilder instance

for_account(account_id)

Filter pools for a specific account

See [List Liquidity Pools](#) for more information.

Parameters `account_id` (`str`) – account id

Returns current LiquidityPoolsBuilder instance

for_reserves(reserves)

Get pools by reserves.

Horizon will provide an endpoint to find all liquidity pools which contain a given set of reserve assets.

See [List Liquidity Pools](#) for more information.

Returns current LiquidityPoolsBuilder instance

limit(limit)

Sets `limit` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `limit` (`int`) – Number of records the server should return.

Returns

`liquidity_pool(liquidity_pool_id)`

Provides information on a liquidity pool.

See [Retrieve a Liquidity Pool](#) for more information.

Parameters `liquidity_pool_id` (`str`) – The ID of the liquidity pool in hex string.

Returns current LiquidityPoolsBuilder instance

`order(desc=True)`

Sets `order` parameter for the current call. Returns the CallBuilder object on which this method has been called.

Parameters `desc` (`bool`) – Sort direction, True to get desc sort direction, the default setting is True.

Returns current CallBuilder instance

`stream()`

Creates an EventSource that listens for incoming messages from the server.

See [Horizon Response Format](#)

See [MDN EventSource](#)

Return type `AsyncGenerator[Dict[str, Any], None]`

Returns an EventSource.

Raise `StreamClientError` - Failed to fetch stream resource.

OffersCallBuilder

`class stellar_sdk.call_builder.call_builder_async.OffersCallBuilder(horizon_url, client)`

Creates a new `OffersCallBuilder` pointed to server defined by `horizon_url`. Do not create this object directly, use `stellar_sdk.ServerAsync.offers()`.

See [List All Offers](#) for more information.

Parameters

- `horizon_url` (`str`) – Horizon server URL.
- `client` (`BaseAsyncClient`) – The client instance used to send request.

`async call()`

Triggers a HTTP request using this builder's current configuration.

Return type `Dict[str, Any]`

Returns If it is called synchronous, the response will be returned. If it is called asynchronously, it will return Coroutine.

Raises

`ConnectionError`: if you have not successfully connected to the server.

`NotFoundError`: if `status_code == 404`

`BadRequestError`: if `400 <= status_code < 500` and `status_code != 404`

`BadResponseError`: if `500 <= status_code < 600`

`UnknownRequestError`: if an unknown error occurs, please submit an issue

`cursor(cursor)`

Sets `cursor` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `cursor` (`Union[int, str]`) – A cursor is a value that points to a specific location in a collection of resources.

Returns current CallBuilder instance

`for_buying(buying)`

Returns all offers buying an asset.

People on the Stellar network can make offers to buy or sell assets. This endpoint represents all the current offers, allowing filtering by `seller`, `selling_asset` or `buying_asset`.

See [List All Offers](#) for more information.

Parameters `buying` (`Asset`) – The asset being bought.

Returns this OffersCallBuilder instance

`for_seller(seller)`

Returns all offers where the given account is the seller.

People on the Stellar network can make offers to buy or sell assets. This endpoint represents all the current offers, allowing filtering by `seller`, `selling_asset` or `buying_asset`.

See [List All Offers](#) for more information.

Parameters `seller` (`str`) – Account ID of the offer creator

Returns this OffersCallBuilder instance

`for_selling(selling)`

Returns all offers selling an asset.

People on the Stellar network can make offers to buy or sell assets. This endpoint represents all the current offers, allowing filtering by `seller`, `selling_asset` or `buying_asset`.

See [List All Offers](#) for more information.

Parameters `selling` (`Asset`) – The asset being sold.

Returns this OffersCallBuilder instance

`for_sponsor(sponsor)`

Filtering offers where the given account is sponsoring the offer entry.

See [List All Offers](#) for more information.

Parameters `sponsor` (`str`) – the sponsor id, for example:
"GDGQVOKHW4VEJRU2TETD6DBRKE05ERCNF353LW5WBFW3JJWQ2BRQ6KDD"

Returns current OffersCallBuilder instance

`limit(limit)`

Sets `limit` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `limit` (`int`) – Number of records the server should return.

Returns

offer(*offer_id*)

Returns information and links relating to a single offer.

See [Retrieve an Offer](#) for more information.

Parameters `offer_id` (`Union[str, int]`) – Offer ID.

Returns this OffersCallBuilder instance

order(*desc=True*)

Sets `order` parameter for the current call. Returns the CallBuilder object on which this method has been called.

Parameters `desc` (`bool`) – Sort direction, True to get desc sort direction, the default setting is True.

Returns current CallBuilder instance

stream()

Creates an EventSource that listens for incoming messages from the server.

See [Horizon Response Format](#)

See [MDN EventSource](#)

Return type `AsyncGenerator[Dict[str, Any], None]`

Returns an EventSource.

Raise `StreamClientError` - Failed to fetch stream resource.

OperationsCallBuilder

class `stellar_sdk.call_builder.call_builder_async.OperationsCallBuilder(horizon_url, client)`

Creates a new `OperationsCallBuilder` pointed to server defined by `horizon_url`. Do not create this object directly, use `stellar_sdk.ServerAsync.operations()`.

See [List All Operations](#) for more information.

Parameters

- `horizon_url` – Horizon server URL.
- `client` (`BaseAsyncClient`) – The client instance used to send request.

async call()

Triggers a HTTP request using this builder's current configuration.

Return type `Dict[str, Any]`

Returns If it is called synchronous, the response will be returned. If it is called asynchronously, it will return Coroutine.

Raises

`ConnectionError`: if you have not successfully connected to the server.

`NotFoundError`: if `status_code == 404`

`BadRequestError`: if `400 <= status_code < 500` and `status_code != 404`

`BadResponseError`: if `500 <= status_code < 600`

`UnknownRequestError`: if an unknown error occurs, please submit an issue

cursor(cursor)

Sets `cursor` parameter for the current call. Returns the `CallBuilder` object on which this method has been called.

See [Pagination](#)

Parameters `cursor` (`Union[int, str]`) – A cursor is a value that points to a specific location in a collection of resources.

Returns current `CallBuilder` instance

for_account(account_id)

This endpoint represents all operations that were included in valid transactions that affected a particular account.

See [Retrieve an Account's Operations](#) for more information.

Parameters `account_id` (`str`) – Account ID

Returns this `OperationCallBuilder` instance

for_claimable_balance(claimable_balance_id)

This endpoint represents successful operations referencing a given claimable balance and can be used in streaming mode.

See [Claimable Balances - Retrieve related Operations](#) for more information.

Parameters `claimable_balance_id` (`str`) – This claimable balance's id encoded in a hex string representation.

Returns this `OperationCallBuilder` instance

for_ledger(sequence)

This endpoint returns all operations that occurred in a given ledger.

See [Retrieve a Ledger's Operations](#) for more information.

Parameters `sequence` (`Union[int, str]`) – Sequence ID

Returns this `OperationCallBuilder` instance

for_liquidity_pool(liquidity_pool_id)

This endpoint represents all operations that are part of a given liquidity pool.

See [Liquidity Pools - Retrieve related Operations](#) for more information.

Parameters `liquidity_pool_id` (`str`) – The ID of the liquidity pool in hex string.

Returns this `OperationCallBuilder` instance

for_transaction(transaction_hash)

This endpoint represents all operations that are part of a given transaction.

See [Retrieve a Transaction's Operations](#) for more information.

Parameters `transaction_hash` (`str`) – Transaction Hash

Returns this `OperationCallBuilder` instance

include_failed(include_failed)

Adds a parameter defining whether to include failed transactions. By default only operations of successful transactions are returned.

Parameters `include_failed` (`bool`) – Set to `True` to include operations of failed transactions.

Returns current OperationsCallBuilder instance

join(join)

join represents *join* param in queries, currently only supports *transactions*

Parameters **join** (`str`) – join represents *join* param in queries, currently only supports *transactions*

Returns current OperationsCallBuilder instance

limit(limit)

Sets *limit* parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters **limit** (`int`) – Number of records the server should return.

Returns

operation(operation_id)

The operation details endpoint provides information on a single operation. The operation ID provided in the *id* argument specifies which operation to load.

See [Retrieve an Operation](#) for more information.

Parameters **operation_id** (`Union[int, str]`) – Operation ID

Returns this OperationCallBuilder instance

order(desc=True)

Sets *order* parameter for the current call. Returns the CallBuilder object on which this method has been called.

Parameters **desc** (`bool`) – Sort direction, True to get desc sort direction, the default setting is True.

Returns current CallBuilder instance

stream()

Creates an EventSource that listens for incoming messages from the server.

See [Horizon Response Format](#)

See [MDN EventSource](#)

Return type `AsyncGenerator[Dict[str, Any], None]`

Returns an EventSource.

Raise `StreamClientError` - Failed to fetch stream resource.

OrderbookCallBuilder

```
class stellar_sdk.call_builder.call_builder_async.OrderbookCallBuilder(horizon_url, client,  
                           selling, buying)
```

Creates a new `OrderbookCallBuilder` pointed to server defined by *horizon_url*. Do not create this object directly, use `stellar_sdk.ServerAsync.orderbook()`.

See [Orderbook](#) for more information.

Parameters

- **horizon_url** (`str`) – Horizon server URL.
- **client** (`BaseAsyncClient`) – The client instance used to send request.
- **selling** (`Asset`) – Asset being sold
- **buying** (`Asset`) – Asset being bought

`async call()`

Triggers a HTTP request using this builder's current configuration.

Return type `Dict[str, Any]`

Returns If it is called synchronous, the response will be returned. If it is called asynchronously, it will return Coroutine.

Raises

ConnectionError: if you have not successfully connected to the server.

NotFoundError: if status_code == 404

BadRequestError: if 400 <= status_code < 500 and status_code != 404

BadResponseError: if 500 <= status_code < 600

UnknownRequestError: if an unknown error occurs, please submit an issue

`cursor(cursor)`

Sets `cursor` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `cursor` (`Union[int, str]`) – A cursor is a value that points to a specific location in a collection of resources.

Returns current CallBuilder instance

`limit(limit)`

Sets `limit` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `limit` (`int`) – Number of records the server should return.

Returns

`order(desc=True)`

Sets `order` parameter for the current call. Returns the CallBuilder object on which this method has been called.

Parameters `desc` (`bool`) – Sort direction, True to get desc sort direction, the default setting is True.

Returns current CallBuilder instance

`stream()`

Creates an EventSource that listens for incoming messages from the server.

See [Horizon Response Format](#)

See [MDN EventSource](#)

Return type `AsyncGenerator[Dict[str, Any], None]`

Returns an EventSource.

Raise `StreamClientError` - Failed to fetch stream resource.

PaymentsCallBuilder

class `stellar_sdk.call_builder.call_builder_async.PaymentsCallBuilder(horizon_url, client)`

Creates a new `PaymentsCallBuilder` pointed to server defined by `horizon_url`. Do not create this object directly, use `stellar_sdk.ServerAsync.payments()`.

See [List All Payments](#) for more information.

Parameters

- `horizon_url (str)` – Horizon server URL.
- `client (BaseAsyncClient)` – The client instance used to send request.

async call()

Triggers a HTTP request using this builder's current configuration.

Return type `Dict[str, Any]`

Returns If it is called synchronous, the response will be returned. If it is called asynchronously, it will return Coroutine.

Raises

`ConnectionError`: if you have not successfully connected to the server.

`NotFoundError`: if `status_code == 404`

`BadRequestError`: if `400 <= status_code < 500` and `status_code != 404`

`BadResponseError`: if `500 <= status_code < 600`

`UnknownRequestError`: if an unknown error occurs, please submit an issue

cursor(cursor)

Sets `cursor` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `cursor (Union[int, str])` – A cursor is a value that points to a specific location in a collection of resources.

Returns current CallBuilder instance

for_account(account_id)

This endpoint responds with a collection of Payment operations where the given account was either the sender or receiver.

See [Retrieve an Account's Payments](#) for more information.

Parameters `account_id (str)` – Account ID

Returns current PaymentsCallBuilder instance

for_ledger(sequence)

This endpoint represents all payment operations that are part of a valid transactions in a given ledger.

See [Retrieve a Ledger's Payments](#) for more information.

Parameters `sequence (Union[int, str])` – Ledger sequence

Returns current PaymentsCallBuilder instance

for_transaction(*transaction_hash*)

This endpoint represents all payment operations that are part of a given transaction.

P.S. The documentation provided by SDF seems to be missing this API.

Parameters `transaction_hash` (`str`) – Transaction hash

Returns current PaymentsCallBuilder instance

include_failed(*include_failed*)

Adds a parameter defining whether to include failed transactions. By default only payments of successful transactions are returned.

Parameters `include_failed` (`bool`) – Set to True to include payments of failed transactions.

Returns current PaymentsCallBuilder instance

join(*join*)

join represents *join* param in queries, currently only supports *transactions*

Parameters `join` (`str`) – *join* represents *join* param in queries, currently only supports *transactions*

Returns current OperationsCallBuilder instance

limit(*limit*)

Sets *limit* parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `limit` (`int`) – Number of records the server should return.

Returns

order(*desc=True*)

Sets *order* parameter for the current call. Returns the CallBuilder object on which this method has been called.

Parameters `desc` (`bool`) – Sort direction, True to get desc sort direction, the default setting is True.

Returns current CallBuilder instance

stream()

Creates an EventSource that listens for incoming messages from the server.

See [Horizon Response Format](#)

See [MDN EventSource](#)

Return type `AsyncGenerator[Dict[str, Any], None]`

Returns an EventSource.

Raise `StreamClientError` - Failed to fetch stream resource.

RootCallBuilder

```
class stellar_sdk.call_builder.call_builder_async.RootCallBuilder(horizon_url, client)
```

Creates a new `RootCallBuilder` pointed to server defined by `horizon_url`. Do not create this object directly, use `stellar_sdk.ServerAsync.root()`.

Parameters

- `horizon_url` (`str`) – Horizon server URL.
- `client` (`BaseAsyncClient`) – The client instance used to send request.

async call()

Triggers a HTTP request using this builder's current configuration.

Return type `Dict[str, Any]`

Returns If it is called synchronous, the response will be returned. If it is called asynchronously, it will return Coroutine.

Raises

`ConnectionError`: if you have not successfully connected to the server.

`NotFoundError`: if `status_code == 404`

`BadRequestError`: if `400 <= status_code < 500` and `status_code != 404`

`BadResponseError`: if `500 <= status_code < 600`

`UnknownRequestError`: if an unknown error occurs, please submit an issue

cursor(cursor)

Sets `cursor` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `cursor` (`Union[int, str]`) – A cursor is a value that points to a specific location in a collection of resources.

Returns current CallBuilder instance

limit(limit)

Sets `limit` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `limit` (`int`) – Number of records the server should return.

Returns

order(desc=True)

Sets `order` parameter for the current call. Returns the CallBuilder object on which this method has been called.

Parameters `desc` (`bool`) – Sort direction, `True` to get desc sort direction, the default setting is `True`.

Returns current CallBuilder instance

stream()

Creates an EventSource that listens for incoming messages from the server.

See [Horizon Response Format](#)

See [MDN EventSource](#)

Return type `AsyncGenerator[Dict[str, Any], None]`

Returns an EventSource.

Raise `StreamClientError` - Failed to fetch stream resource.

StrictReceivePathsCallBuilder

```
class stellar_sdk.call_builder.call_builder_async.StrictReceivePathsCallBuilder(horizon_url,
                                                                           client,
                                                                           source,
                                                                           destination_asset,
                                                                           destination_amount)
```

Creates a new `StrictReceivePathsCallBuilder` pointed to server defined by `horizon_url`. Do not create this object directly, use `stellar_sdk.ServerAsync.strict_receive_paths()`.

The Stellar Network allows payments to be made across assets through path payments. A path payment specifies a series of assets to route a payment through, from source asset (the asset debited from the payer) to destination asset (the asset credited to the payee).

A path search is specified using:

- The source address or source assets.
- The asset and amount that the destination account should receive.

As part of the search, horizon will load a list of assets available to the source address and will find any payment paths from those source assets to the desired destination asset. The search's amount parameter will be used to determine if there a given path can satisfy a payment of the desired amount.

If a list of assets is passed as the source, horizon will find any payment paths from those source assets to the desired destination asset.

See [List Strict Receive Payment Paths](#) for more information.

Parameters

- `horizon_url (str)` – Horizon server URL.
- `client (BaseAsyncClient)` – The client instance used to send request.
- `source (Union[str, List[Asset]])` – The sender's account ID or a list of Assets. Any returned path must use a source that the sender can hold.
- `destination_asset (Asset)` – The destination asset.
- `destination_amount (str)` – The amount, denominated in the destination asset, that any returned path should be able to satisfy.

async call()

Triggers a HTTP request using this builder's current configuration.

Return type `Dict[str, Any]`

Returns If it is called synchronous, the response will be returned. If it is called asynchronously, it will return Coroutine.

Raises

ConnectionError: if you have not successfully connected to the server.

NotFoundError: if status_code == 404

BadRequestError: if 400 <= status_code < 500 and status_code != 404

BadResponseError: if 500 <= status_code < 600

UnknownRequestError: if an unknown error occurs, please submit an issue

`cursor(cursor)`

Sets `cursor` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `cursor` (`Union[int, str]`) – A cursor is a value that points to a specific location in a collection of resources.

Returns current CallBuilder instance

`limit(limit)`

Sets `limit` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `limit` (`int`) – Number of records the server should return.

Returns

`order(desc=True)`

Sets `order` parameter for the current call. Returns the CallBuilder object on which this method has been called.

Parameters `desc` (`bool`) – Sort direction, True to get desc sort direction, the default setting is True.

Returns current CallBuilder instance

`stream()`

Creates an EventSource that listens for incoming messages from the server.

See [Horizon Response Format](#)

See [MDN EventSource](#)

Return type `AsyncGenerator[Dict[str, Any], None]`

Returns an EventSource.

Raise `StreamClientError` - Failed to fetch stream resource.

StrictSendPathsCallBuilder

```
class stellar_sdk.call_builder.call_builder_async.StrictSendPathsCallBuilder(horizon_url,
                                                                           client,
                                                                           source_asset,
                                                                           source_amount,
                                                                           destination)
```

Creates a new `StrictSendPathsCallBuilder` pointed to server defined by `horizon_url`. Do not create this object directly, use `stellar_sdk.ServerAsync.strict_send_paths()`.

The Stellar Network allows payments to be made across assets through path payments. A strict send path payment specifies a series of assets to route a payment through, from source asset (the asset debited from the payer) to destination asset (the asset credited to the payee).

A strict send path search is specified using:

- The source asset
- The source amount
- The destination assets or destination account.

As part of the search, horizon will load a list of assets available to the source address and will find any payment paths from those source assets to the desired destination asset. The search's source_amount parameter will be used to determine if there a given path can satisfy a payment of the desired amount.

See [List Strict Send Payment Paths](#) for more information.

Parameters

- **horizon_url** (`str`) – Horizon server URL.
- **client** (`BaseAsyncClient`) – The client instance used to send request.
- **source_asset** (`Asset`) – The asset to be sent.
- **source_amount** (`str`) – The amount, denominated in the source asset, that any returned path should be able to satisfy.
- **destination** (`Union[str, List[Asset]]`) – The destination account or the destination assets.

`async call()`

Triggers a HTTP request using this builder's current configuration.

Return type `Dict[str, Any]`

Returns If it is called synchronous, the response will be returned. If it is called asynchronously, it will return Coroutine.

Raises

ConnectionError: if you have not successfully connected to the server.

NotFoundError: if status_code == 404

BadRequestError: if 400 <= status_code < 500 and status_code != 404

BadResponseError: if 500 <= status_code < 600

UnknownRequestError: if an unknown error occurs, please submit an issue

`cursor(cursor)`

Sets `cursor` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `cursor` (`Union[int, str]`) – A cursor is a value that points to a specific location in a collection of resources.

Returns current CallBuilder instance

`limit(limit)`

Sets `limit` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `limit` (`int`) – Number of records the server should return.

Returns

`order`(`desc=True`)

Sets `order` parameter for the current call. Returns the CallBuilder object on which this method has been called.

Parameters `desc` (`bool`) – Sort direction, True to get desc sort direction, the default setting is True.

Returns current CallBuilder instance

`stream()`

Creates an EventSource that listens for incoming messages from the server.

See [Horizon Response Format](#)

See [MDN EventSource](#)

Return type `AsyncGenerator[Dict[str, Any], None]`

Returns an EventSource.

Raise `StreamClientError` - Failed to fetch stream resource.

TradeAggregationsCallBuilder

```
class stellar_sdk.call_builder.call_builder_async.TradeAggregationsCallBuilder(horizon_url,
                                                                                 client,
                                                                                 base,
                                                                                 counter,
                                                                                 resolution,
                                                                                 start_time=None,
                                                                                 end_time=None,
                                                                                 offset=None)
```

Creates a new `TradeAggregationsCallBuilder` pointed to server defined by `horizon_url`. Do not create this object directly, use `stellar_sdk.ServerAsync.trade_aggregations()`.

Trade Aggregations facilitate efficient gathering of historical trade data.

See [List Trade Aggregations](#) for more information.

Parameters

- `horizon_url` (`str`) – Horizon server URL.
- `client` (`BaseAsyncClient`) – The client instance used to send request.
- `base` (`Asset`) – base asset
- `counter` (`Asset`) – counter asset
- `resolution` (`int`) – segment duration as millis since epoch. *Supported values are 1 minute (60000), 5 minutes (300000), 15 minutes (900000), 1 hour (3600000), 1 day (86400000) and 1 week (604800000).*
- `start_time` (`Optional[int]`) – lower time boundary represented as millis since epoch
- `end_time` (`Optional[int]`) – upper time boundary represented as millis since epoch
- `offset` (`Optional[int]`) – segments can be offset using this parameter. Expressed in milliseconds. *Can only be used if the resolution is greater than 1 hour. Value must be in whole hours, less than the provided resolution, and less than 24 hours.*

async call()

Triggers a HTTP request using this builder's current configuration.

Return type `Dict[str, Any]`

Returns If it is called synchronous, the response will be returned. If it is called asynchronously, it will return Coroutine.

Raises

ConnectionError: if you have not successfully connected to the server.

NotFoundError: if `status_code == 404`

BadRequestError: if $400 \leq \text{status_code} < 500$ and `status_code != 404`

BadResponseError: if $500 \leq \text{status_code} < 600$

UnknownRequestError: if an unknown error occurs, please submit an issue

cursor(cursor)

Sets `cursor` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `cursor (Union[int, str])` – A cursor is a value that points to a specific location in a collection of resources.

Returns current CallBuilder instance

limit(limit)

Sets `limit` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `limit (int)` – Number of records the server should return.

Returns

order(desc=True)

Sets `order` parameter for the current call. Returns the CallBuilder object on which this method has been called.

Parameters `desc (bool)` – Sort direction, `True` to get desc sort direction, the default setting is `True`.

Returns current CallBuilder instance

stream()

Creates an EventSource that listens for incoming messages from the server.

See [Horizon Response Format](#)

See [MDN EventSource](#)

Return type `AsyncGenerator[Dict[str, Any], None]`

Returns an EventSource.

Raise `StreamClientError` - Failed to fetch stream resource.

TradesCallBuilder

```
class stellar_sdk.call_builder.call_builder_async.TradesCallBuilder(horizon_url, client)
```

Creates a new `TradesCallBuilder` pointed to server defined by `horizon_url`. Do not create this object directly, use `stellar_sdk.ServerAsync.trades()`.

See [List All Trades](#) for more information.

Parameters

- `horizon_url (str)` – Horizon server URL.
- `client (BaseAsyncClient)` – The client instance used to send request.

async call()

Triggers a HTTP request using this builder's current configuration.

Return type `Dict[str, Any]`

Returns If it is called synchronous, the response will be returned. If it is called asynchronously, it will return Coroutine.

Raises

`ConnectionError`: if you have not successfully connected to the server.

`NotFoundError`: if `status_code == 404`

`BadRequestError`: if `400 <= status_code < 500` and `status_code != 404`

`BadResponseError`: if `500 <= status_code < 600`

`UnknownRequestError`: if an unknown error occurs, please submit an issue

cursor(cursor)

Sets `cursor` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `cursor (Union[int, str])` – A cursor is a value that points to a specific location in a collection of resources.

Returns current CallBuilder instance

for_account(account_id)

Filter trades for a specific account

See [Retrieve an Account's Trades](#) for more information.

Parameters `account_id (str)` – account id

Returns current TradesCallBuilder instance

for_asset_pair(base, counter)

Filter trades for a specific asset pair (orderbook)

See [List All Trades](#) for more information.

Parameters

- `base (Asset)` – base asset
- `counter (Asset)` – counter asset

Returns current TradesCallBuilder instance

for_liquidity_pool(*liquidity_pool_id*)

Filter trades for a specific liquidity pool.

See [Liquidity Pools - Retrieve related Trades](#)

Parameters `liquidity_pool_id` (`str`) – The ID of the liquidity pool in hex string.

Returns current TradesCallBuilder instance

for_offer(*offer_id*)

Filter trades for a specific offer

See [List All Trades](#) for more information.

Parameters `offer_id` (`Union[int, str]`) – offer id

Returns current TradesCallBuilder instance

for_trade_type(*trade_type*)

Filter trades for a specific trade type

Horizon will reject requests which attempt to set *trade_type* to `liquidity_pools` when using the offer id filter.

Parameters `trade_type` (`str`) – trade type, the currently supported types are "orderbook", "liquidity_pools" and "all", defaults to "all".

Returns current TradesCallBuilder instance

limit(*limit*)

Sets *limit* parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `limit` (`int`) – Number of records the server should return.

Returns

order(*desc=True*)

Sets *order* parameter for the current call. Returns the CallBuilder object on which this method has been called.

Parameters `desc` (`bool`) – Sort direction, True to get desc sort direction, the default setting is True.

Returns current CallBuilder instance

stream()

Creates an EventSource that listens for incoming messages from the server.

See [Horizon Response Format](#)

See [MDN EventSource](#)

Return type `AsyncGenerator[Dict[str, Any], None]`

Returns an EventSource.

Raise `StreamClientError` - Failed to fetch stream resource.

TransactionsCallBuilder

class `stellar_sdk.call_builder.call_builder_async.TransactionsCallBuilder(horizon_url, client)`

Creates a new `TransactionsCallBuilder` pointed to server defined by `horizon_url`. Do not create this object directly, use `stellar_sdk.ServerAsync.transactions()`.

See [List All Transactions](#) for more information.

Parameters

- `horizon_url (str)` – Horizon server URL.
- `client (BaseAsyncClient)` – The client instance used to send request.

async call()

Triggers a HTTP request using this builder's current configuration.

Return type `Dict[str, Any]`

Returns If it is called synchronous, the response will be returned. If it is called asynchronously, it will return Coroutine.

Raises

`ConnectionError`: if you have not successfully connected to the server.

`NotFoundError`: if `status_code == 404`

`BadRequestError`: if `400 <= status_code < 500` and `status_code != 404`

`BadResponseError`: if `500 <= status_code < 600`

`UnknownRequestError`: if an unknown error occurs, please submit an issue

cursor(cursor)

Sets `cursor` parameter for the current call. Returns the CallBuilder object on which this method has been called.

See [Pagination](#)

Parameters `cursor (Union[int, str])` – A cursor is a value that points to a specific location in a collection of resources.

Returns current CallBuilder instance

for_account(account_id)

This endpoint represents all transactions that affected a given account.

See [Retrieve an Account's Transactions](#) for more information.

Parameters `account_id (str)` – account id

Returns current TransactionsCallBuilder instance

for_claimable_balance(claimable_balance_id)

This endpoint represents all transactions referencing a given claimable balance and can be used in streaming mode.

See [Claimable Balances - Retrieve related Transactions](#)

Parameters `claimable_balance_id (str)` – This claimable balance's id encoded in a hex string representation.

Returns current TransactionsCallBuilder instance

for_ledger(*sequence*)

This endpoint represents all transactions in a given ledger.

See [Retrieve a Ledger's Transactions](#) for more information.

Parameters `sequence` (`Union[str, int]`) – ledger sequence

Returns current `TransactionsCallBuilder` instance

for_liquidity_pool(*liquidity_pool_id*)

This endpoint represents all transactions referencing a given liquidity pool.

See [Liquidity Pools - Retrieve related Transactions](#)

Parameters `liquidity_pool_id` (`str`) – The ID of the liquidity pool in hex string.

Returns this `TransactionsCallBuilder` instance

include_failed(*include_failed*)

Adds a parameter defining whether to include failed transactions. By default only transactions of successful transactions are returned.

Parameters `include_failed` (`bool`) – Set to *True* to include failed transactions.

Returns current `TransactionsCallBuilder` instance

limit(*limit*)

Sets `limit` parameter for the current call. Returns the `CallBuilder` object on which this method has been called.

See [Pagination](#)

Parameters `limit` (`int`) – Number of records the server should return.

Returns

order(*desc=True*)

Sets `order` parameter for the current call. Returns the `CallBuilder` object on which this method has been called.

Parameters `desc` (`bool`) – Sort direction, *True* to get desc sort direction, the default setting is *True*.

Returns current `CallBuilder` instance

stream()

Creates an `EventSource` that listens for incoming messages from the server.

See [Horizon Response Format](#)

See [MDN EventSource](#)

Return type `AsyncGenerator[Dict[str, Any], None]`

Returns an `EventSource`.

Raise `StreamClientError` - Failed to fetch stream resource.

transaction(*transaction_hash*)

The transaction details endpoint provides information on a single transaction. The transaction hash provided in the `hash` argument specifies which transaction to load.

See [Retrieve a Transaction](#) for more information.

Parameters `transaction_hash` (`str`) – transaction hash

Returns current TransactionsCallBuilder instance

2.1.5 Client

BaseAsyncClient

```
class stellar_sdk.client.base_async_client.BaseAsyncClient
```

This is an abstract class, and if you want to implement your own asynchronous client, you **must** implement this class.

```
abstract async get(url, params=None)
```

Perform HTTP GET request.

Parameters

- **url** (`str`) – the request url
- **params** (`Optional[Dict[str, str]]`) – the request params

Return type `Response`

Returns the response from server

Raise `ConnectionError`

```
abstract async post(url, data)
```

Perform HTTP POST request.

Parameters

- **url** (`str`) – the request url
- **data** (`Dict[str, str]`) – the data send to server

Return type `Response`

Returns the response from server

Raise `ConnectionError`

```
abstract async stream(url, params=None)
```

Creates an EventSource that listens for incoming messages from the server.

See [Horizon Response Format](#)

See [MDN EventSource](#)

Parameters

- **url** (`str`) – the request url
- **params** (`Optional[Dict[str, str]]`) – the request params

Return type `AsyncGenerator[Dict[str, Any], None]`

Returns a dict AsyncGenerator for server response

Raise `ConnectionError`

BaseSyncClient

```
class stellar_sdk.client.base_sync_client.BaseSyncClient
```

This is an abstract class, and if you want to implement your own synchronous client, you **must** implement this class.

```
abstract get(url, params=None)
```

Perform HTTP GET request.

Parameters

- **url** (`str`) – the request url
- **params** (`Optional[Dict[str, str]]`) – the request params

Return type `Response`

Returns the response from server

Raise `ConnectionError`

```
abstract post(url, data)
```

Perform HTTP POST request.

Parameters

- **url** (`str`) – the request url
- **data** (`Dict[str, str]`) – the data send to server

Return type `Response`

Returns the response from server

Raise `ConnectionError`

```
abstract stream(url, params=None)
```

Creates an EventSource that listens for incoming messages from the server.

See [Horizon Response Format](#)

See [MDN EventSource](#)

Parameters

- **url** (`str`) – the request url
- **params** (`Optional[Dict[str, str]]`) – the request params

Return type `Generator[Dict[str, Any], None, None]`

Returns a dict Generator for server response

Raise `ConnectionError`

AiohttpClient

```
class stellar_sdk.client.aiohttp_client.AiohttpClient(pool_size=None, request_timeout=11,
                                                       post_timeout=33.0, backoff_factor=0.5,
                                                       user_agent=None, **kwargs)
```

The `AiohttpClient` object is a asynchronous http client, which represents the interface for making requests to a server instance.

Parameters

- `pool_size` (`Optional[int]`) – persistent connection to Horizon and connection pool
- `request_timeout` (`float`) – the timeout for all GET requests
- `post_timeout` (`float`) – the timeout for all POST requests
- `backoff_factor` (`Optional[float]`) – a backoff factor to apply between attempts after the second try
- `user_agent` (`Optional[str]`) – the server can use it to identify you

`async close()`

Close underlying connector.

Release all acquired resources.

Return type `None`

`async get(url, params=None)`

Perform HTTP GET request.

Parameters

- `url` (`str`) – the request url
- `params` (`Optional[Dict[str, str]]`) – the request params

Return type `Response`

Returns the response from server

Raise `ConnectionError`

`async post(url, data=None)`

Perform HTTP POST request.

Parameters

- `url` (`str`) – the request url
- `data` (`Optional[Dict[str, str]]`) – the data send to server

Return type `Response`

Returns the response from server

Raise `ConnectionError`

`stream(url, params=None)`

Perform Stream request.

Parameters

- `url` (`str`) – the request url
- `params` (`Optional[Dict[str, str]]`) – the request params

Return type `AsyncGenerator[Dict[str, Any], None]`

Returns the stream response from server

Raise `StreamClientError` - Failed to fetch stream resource.

RequestsClient

```
class stellar_sdk.client.requests_client.RequestsClient(pool_size=10, num_retries=3,
                                                       request_timeout=11, post_timeout=33.0,
                                                       backoff_factor=0.5, session=None,
                                                       stream_session=None)
```

The `RequestsClient` object is a synchronous http client, which represents the interface for making requests to a server instance.

Parameters

- `pool_size` (`int`) – persistent connection to Horizon and connection pool
- `num_retries` (`int`) – configurable request retry functionality
- `request_timeout` (`int`) – the timeout for all GET requests
- `post_timeout` (`float`) – the timeout for all POST requests
- `backoff_factor` (`float`) – a backoff factor to apply between attempts after the second try
- `session` (`Optional[Session]`) – the request session
- `stream_session` (`Optional[Session]`) – the stream request session

close()

Close underlying connector.

Release all acquired resources.

Return type `None`

get(`url`, `params=None`)

Perform HTTP GET request.

Parameters

- `url` (`str`) – the request url
- `params` (`Optional[Dict[str, str]]`) – the request params

Return type `Response`

Returns the response from server

Raise `ConnectionError`

post(`url`, `data=None`)

Perform HTTP POST request.

Parameters

- `url` (`str`) – the request url
- `data` (`Optional[Dict[str, str]]`) – the data send to server

Return type `Response`

Returns the response from server

Raise `ConnectionError`

stream(url, params=None)

Creates an EventSource that listens for incoming messages from the server.

See [Horizon Response Format](#)

See [MDN EventSource](#)

Parameters

- **url** (`str`) – the request url
- **params** (`Optional[Dict[str, str]]`) – the request params

Return type `Generator[Dict[str, Any], None, None]`

Returns a Generator for server response

Raise `ConnectionError`

SimpleRequestsClient

class stellar_sdk.client.simple_requests_client.SimpleRequestsClient

The `SimpleRequestsClient` object is a synchronous http client, which represents the interface for making requests to a server instance.

This client is to guide you in writing a client that suits your needs. I don't recommend that you actually use it.

get(url, params=None)

Perform HTTP GET request.

Parameters

- **url** (`str`) – the request url
- **params** (`Optional[Dict[str, str]]`) – the request params

Return type `Response`

Returns the response from server

Raise `ConnectionError`

post(url, data)

Perform HTTP POST request.

Parameters

- **url** (`str`) – the request url
- **data** (`Dict[str, str]`) – the data send to server

Return type `Response`

Returns the response from server

Raise `ConnectionError`

stream(url, params=None)

Not Implemented

Parameters

- **url** (`str`) – the request url

- **params** (`Optional[Dict[str, str]]`) – the request params
- Return type** `Generator[Dict[str, Any], None, None]`
- Returns** None

Response

```
class stellar_sdk.client.response.Response(status_code, text, headers, url)
```

The `Response` object, which contains a server's response to an HTTP request.

Parameters

- **status_code** (`int`) – response status code
- **text** (`str`) – response content
- **headers** (`dict`) – response headers
- **url** (`str`) – request url

`json()`

convert the content to dict

Return type `dict`

Returns the content from server

2.1.6 Exceptions

SdkError

```
class stellar_sdk.exceptions.SdkError
```

Base exception for all stellar sdk related errors

BadSignatureError

```
class stellar_sdk.exceptions.BadSignatureError
```

Raised when the signature was forged or otherwise corrupt.

Ed25519PublicKeyInvalidError

```
class stellar_sdk.exceptions.Ed25519PublicKeyInvalidError
```

Ed25519 public key is incorrect.

Ed25519SecretSeedInvalidError

```
class stellar_sdk.exceptions.Ed25519SecretSeedInvalidError
    Ed25519 secret seed is incorrect.
```

MissingEd25519SecretSeedError

```
class stellar_sdk.exceptions.MissingEd25519SecretSeedError
    Missing Ed25519 secret seed in the keypair
```

MemoInvalidException

```
class stellar_sdk.exceptions.MemoInvalidException
    Memo is incorrect.
```

AssetCodeInvalidError

```
class stellar_sdk.exceptions.AssetCodeInvalidError
    Asset Code is incorrect.
```

AssetIssuerInvalidError

```
class stellar_sdk.exceptions.AssetIssuerInvalidError
    Asset issuer is incorrect.
```

NoApproximationError

```
class stellar_sdk.exceptions.NoApproximationError
    Approximation cannot be found
```

SignatureExistError

```
class stellar_sdk.exceptions.SignatureExistError
    A keypair can only sign a transaction once.
```

BaseRequestError

```
class stellar_sdk.exceptions.BaseRequestError
    Base class for requests errors.
```

ConnectionError

```
class stellar_sdk.exceptions.ConnectionError
```

Base class for client connection errors.

BaseHorizonError

```
class stellar_sdk.exceptions.BaseHorizonError(response)
```

Base class for horizon request errors.

Parameters `response` (`Response`) – client response

NotFoundError

```
class stellar_sdk.exceptions.NotFoundError(response)
```

This exception is thrown when the requested resource does not exist. `status_code == 400`

BadRequestError

```
class stellar_sdk.exceptions.BadRequestError(response)
```

The request from the client has an error. $400 \leq \text{status_code} < 500$ and `status_code != 404`

BadResponseError

```
class stellar_sdk.exceptions.BadResponseError(response)
```

The response from the server has an error. $500 \leq \text{status_code} < 600$

FeatureNotEnabledError

```
class stellar_sdk.exceptions.FeatureNotEnabledError
```

The feature is not enabled.

2.1.7 Keypair

```
class stellar_sdk.keypair.Keypair(verify_key, signing_key=None)
```

The `Keypair` object, which represents a signing and verifying key for use with the Stellar network.

Instead of instantiating the class directly, we recommend using one of several class methods:

- `Keypair.random()`
- `Keypair.from_secret()`
- `Keypair.from_public_key()`

Learn how to create a key through our documentation: [Generate Keypair](#).

Parameters

- `verify_key` (`VerifyKey`) – The verifying (public) Ed25519 key in the keypair.

- **signing_key** (`Optional[SigningKey]`) – The signing (private) Ed25519 key in the key-pair.

can_sign()

Returns `True` if this `Keypair` object contains secret key and can sign.

Return type `bool`

Returns `True` if this `Keypair` object contains secret key and can sign

classmethod from_mnemonic_phrase(`cls, mnemonic_phrase, language=Language.ENGLISH, passphrase='', index=0`)

Generate a `Keypair` object via a mnemonic phrase.

Parameters

- **mnemonic_phrase** (`str`) – A unique string used to deterministically generate keypairs.
- **language** (`Union[Language, str]`) – The language of the mnemonic phrase, defaults to english.
- **passphrase** (`str`) – An optional passphrase used as part of the salt during PBKDF2 rounds when generating the seed from the mnemonic.
- **index** (`int`) – The index of the keypair generated by the mnemonic. This allows for multiple Keypairs to be derived from the same mnemonic, such as:

```
>>> from stellar_sdk.keypair import Keypair
>>> mnemonic = 'update hello cry airport drive chunk elite boat_
...shaft sea describe number' # Don't use this mnemonic in practice.
>>> kp1 = Keypair.from_mnemonic_phrase(mnemonic, index=0)
>>> kp2 = Keypair.from_mnemonic_phrase(mnemonic, index=1)
>>> kp3 = Keypair.from_mnemonic_phrase(mnemonic, index=2)
```

Return type `Keypair`

Returns A new `Keypair` object derived from the mnemonic.

classmethod from_public_key(`cls, public_key`)

Generate a `Keypair` object from a public key.

Parameters `public_key(str)` – public key (ex. "GATPGGOIE6VWADVKD3ER3IF02IH6DTOA5G535ITB3TT66FZFSIZE

Return type `Keypair`

Returns A new `Keypair` object derived by the public key.

Raise `Ed25519PublicKeyInvalidError`: if `public_key` is not a valid ed25519 public key.

classmethod from_raw_ed25519_public_key(`cls, raw_public_key`)

Generate a `Keypair` object from ed25519 public key raw bytes.

Parameters `raw_public_key(bytes)` – ed25519 public key raw bytes

Return type `Keypair`

Returns A new `Keypair` object derived by the ed25519 public key raw bytes

classmethod from_raw_ed25519_seed(`cls, raw_seed`)

Generate a `Keypair` object from ed25519 secret key seed raw bytes.

Parameters `raw_seed(bytes)` – ed25519 secret key seed raw bytes

Return type `Keypair`

Returns A new `Keypair` object derived by the ed25519 secret key seed raw bytes

classmethod from_secret(`cls, secret`)

Generate a `Keypair` object from a secret key.

Parameters `secret(str)` – secret key (ex. "SB2LHKBL24ITV2Y346BU46XPEL45BDAF00JLZ6SESCJZ6V5JMP7D6G5X")

Return type `Keypair`

Returns A new `Keypair` object derived by the secret.

Raise `Ed25519SecretSeedInvalidError`: if `secret` is not a valid ed25519 secret seed.

static generate_mnemonic_phrase(`language=Language.ENGLISH, strength=128`)

Generate a mnemonic phrase.

Parameters

- `language(Union[Language, str])` – The language of the mnemonic phrase, defaults to english.
- `strength(int)` – The complexity of the mnemonic, its possible value is 128, 160, 192, 224 and 256.

Return type `str`

Returns A mnemonic phrase.

property public_key: str

Returns public key associated with this `Keypair` object

Return type `str`

Returns public key

classmethod random(`cls`)

Generate a `Keypair` object from a randomly generated seed.

Return type `Keypair`

Returns A new `Keypair` object derived by the randomly seed.

raw_public_key()

Returns raw public key.

Return type `bytes`

Returns raw public key

raw_secret_key()

Returns raw secret key.

Return type `bytes`

Returns raw secret key

property secret: str

Returns secret key associated with this `Keypair` object

Return type `str`

Returns secret key

Raise `MissingEd25519SecretSeedError` The `Keypair` does not contain secret seed

sign(*data*)

Sign the provided data with the keypair's private key.

Parameters **data** (`bytes`) – The data to sign.

Return type `bytes`

Returns signed bytes

Raise `MissingEd25519SecretSeedError`: if `Keypair` does not contain secret seed.

sign_decorated(*data*)

Sign the provided data with the keypair's private key and returns DecoratedSignature.

Parameters **data** (`bytes`) – signed bytes

Return type `DecoratedSignature`

Returns sign decorated

signature_hint()

Returns signature hint associated with this `Keypair` object

Return type `bytes`

Returns signature hint

verify(*data*, *signature*)

Verify the provided data and signature match this keypair's public key.

Parameters

- **data** (`bytes`) – The data that was signed.
- **signature** (`bytes`) – The signature.

Raise `BadSignatureError`: if the verification failed and the signature was incorrect.

Return type `None`

xdr_public_key()

Return type `PublicKey`

Returns xdr public key

2.1.8 LiquidityPoolAsset

```
stellar_sdk.liquidity_pool_asset.LIQUIDITY_POOL_FEE_V18 = 30
```

`LIQUIDITY_POOL_FEE_V18` is the default liquidity pool fee in protocol v18. It defaults to 30 base points (0.3%).

```
class stellar_sdk.liquidity_pool_asset.LiquidityPoolAsset(asset_a, asset_b, fee=30)
```

The `LiquidityPoolAsset` object, which represents a liquidity pool trustline change.

Parameters

- **asset_a** (`Asset`) – The first asset in the Pool, it must respect the rule `asset_a < asset_b`. See `stellar_sdk.liquidity_pool_asset.LiquidityPoolAsset.is_valid_lexicographic_order()` for more details on how assets are sorted.
- **asset_b** (`Asset`) – The second asset in the Pool, it must respect the rule `asset_a < asset_b`. See `stellar_sdk.liquidity_pool_asset.LiquidityPoolAsset.is_valid_lexicographic_order()` for more details on how assets are sorted.

- **fee** (`int`) – The liquidity pool fee. For now the only fee supported is `30`.

Raise `ValueError`

classmethod `from_xdr_object`(`cls, xdr_object`)

Create a `LiquidityPoolAsset` from an XDR ChangeTrustAsset object.

Parameters `xdr_object` (`ChangeTrustAsset`) – The XDR ChangeTrustAsset object.

Return type `LiquidityPoolAsset`

Returns A new `LiquidityPoolAsset` object from the given XDR ChangeTrustAsset object.

static `is_valid_lexicographic_order`(`asset_a, asset_b`)

Compares if asset_a < asset_b according with the criteria:

1. First compare the type (eg. native before alphanum4 before alphanum12).
2. If the types are equal, compare the assets codes.
3. If the asset codes are equal, compare the issuers.

Parameters

- `asset_a` (`Asset`) – The first asset in the lexicographic order.

- `asset_b` (`Asset`) – The second asset in the lexicographic order.

Return type `bool`

Returns return `True` if asset_a < asset_b

property `liquidity_pool_id: str`

Computes the liquidity pool id for current instance.

Return type `str`

Returns Liquidity pool id.

to_change_trust_asset_xdr_object()

Returns the xdr object for this ChangeTrustAsset object.

Return type `ChangeTrustAsset`

Returns XDR ChangeTrustAsset object

2.1.9 LiquidityPoolId

class `stellar_sdk.liquidity_pool_id.LiquidityPoolId`(`liquidity_pool_id`)

The `LiquidityPoolId` object, which represents the asset referenced by a trustline to a liquidity pool.

Parameters `liquidity_pool_id` (`str`) – The ID of the liquidity pool in hex string.

Raise `ValueError`

classmethod `from_xdr_object`(`cls, xdr_object`)

Create a `LiquidityPoolId` from an XDR Asset object.

Parameters `xdr_object` (`TrustLineAsset`) – The XDR TrustLineAsset object.

Return type `LiquidityPoolId`

Returns A new `LiquidityPoolId` object from the given XDR TrustLineAsset object.

to_trust_line_asset_xdr_object()

Returns the xdr object for this LiquidityPoolId object.

Return type *TrustLineAsset*

Returns XDR TrustLineAsset object

2.1.10 Memo

Memo

class stellar_sdk.memo.Memo

The *Memo* object, which represents the base class for memos for use with Stellar transactions.

The memo for a transaction contains optional extra information about the transaction taking place. It is the responsibility of the client to interpret this value.

See the following implementations that serve a more practical use with the library:

- *NoneMemo* - No memo.
- *TextMemo* - A string encoded using either ASCII or UTF-8, up to 28-bytes long.
- *IdMemo* - A 64 bit unsigned integer.
- *HashMemo* - A 32 byte hash.
- *RetHashMemo* - A 32 byte hash intended to be interpreted as the hash of the transaction the sender is refunding.

See Stellar's documentation on [Transactions](#) for more information on how memos are used within transactions, as well as information on the available types of memos.

static from_xdr_object(xdr_object)

Returns an Memo object from XDR memo object.

Return type *Memo*

abstract to_xdr_object()

Creates an XDR Memo object that represents this *Memo*.

Return type *Memo*

NoneMemo

class stellar_sdk.memo.NoneMemo

The *NoneMemo*, which represents no memo for a transaction.

classmethod from_xdr_object(cls, xdr_object)

Returns an *NoneMemo* object from XDR memo object.

Return type *NoneMemo*

to_xdr_object()

Creates an XDR Memo object that represents this *NoneMemo*.

Return type *Memo*

TextMemo

```
class stellar_sdk.memo.TextMemo(text)
```

The `TextMemo`, which represents MEMO_TEXT in a transaction.

Parameters `text` (`Union[str, bytes]`) – A string encoded using either ASCII or UTF-8, up to 28-bytes long. Note, `text` can be anything, see [this issue](#) for more information.

Raises `MemoInvalidException`: if `text` is not a valid text memo.

```
classmethod from_xdr_object(cls, xdr_object)
```

Returns an `TextMemo` object from XDR memo object.

Return type `TextMemo`

```
to_xdr_object()
```

Creates an XDR Memo object that represents this `TextMemo`.

Return type `Memo`

IdMemo

```
class stellar_sdk.memo.IdMemo(memo_id)
```

The `IdMemo` which represents MEMO_ID in a transaction.

Parameters `memo_id` (`int`) – A 64 bit unsigned integer.

Raises `MemoInvalidException`: if `id` is not a valid id memo.

```
classmethod from_xdr_object(cls, xdr_object)
```

Returns an `IdMemo` object from XDR memo object.

Return type `IdMemo`

```
to_xdr_object()
```

Creates an XDR Memo object that represents this `IdMemo`.

Return type `Memo`

HashMemo

```
class stellar_sdk.memo.HashMemo(memo_hash)
```

The `HashMemo` which represents MEMO_HASH in a transaction.

Parameters `memo_hash` (`Union[bytes, str]`) – A 32 byte hash hex encoded string.

Raises `MemoInvalidException`: if `memo_hash` is not a valid hash memo.

```
classmethod from_xdr_object(cls, xdr_object)
```

Returns an `HashMemo` object from XDR memo object.

Return type `HashMemo`

```
to_xdr_object()
```

Creates an XDR Memo object that represents this `HashMemo`.

Return type `Memo`

ReturnHashMemo

```
class stellar_sdk.memo.ReturnHashMemo(memo_return)
```

The [ReturnHashMemo](#) which represents MEMO_RETURN in a transaction.

MEMO_RETURN is typically used with refunds/returns over the network - it is a 32 byte hash intended to be interpreted as the hash of the transaction the sender is refunding.

Parameters `memo_return` (`Union[bytes, str]`) – A 32 byte hash or hex encoded string intended to be interpreted as the hash of the transaction the sender is refunding.

Raises `MemoInvalidException`: if `memo_return` is not a valid return hash memo.

```
classmethod from_xdr_object(cls, xdr_object)
```

Returns an [ReturnHashMemo](#) object from XDR memo object.

Return type `ReturnHashMemo`

```
to_xdr_object()
```

Creates an XDR Memo object that represents this [ReturnHashMemo](#).

Return type `Memo`

2.1.11 MuxedAccount

```
class stellar_sdk.muxed_account.MuxedAccount(account_id, account_muxed_id=None)
```

The [MuxedAccount](#) object, which represents a multiplexed account on Stellar's network.

An example:

```
from stellar_sdk import MuxedAccount

account_id = "GAQAA5L65LSYH7CQ3VTJ7F3HHLGCL3DSLAR2Y47263D56MNNGHSQSTVY"
account_muxed_id = 1234
account_muxed =
    →"MAQAA5L65LSYH7CQ3VTJ7F3HHLGCL3DSLAR2Y47263D56MNNGHSQSAAAAAAAAAE2LP26"

# generate account_muxed
muxed = MuxedAccount(account=account_id, account_muxed_id=1234) # account_muxed_id
    →is optional.
print(f"account_muxed: {muxed.account_muxed}") # `account_muxed` returns ``None`` if
    →`account_muxed_id` is ``None``.

# parse account_muxed
muxed = MuxedAccount.from_account(account_muxed)
print(f"account_id: {muxed.account_id}\n"
      f"account_muxed_id: {muxed.account_muxed_id}")
```

See [SEP-0023](#) for more information.

Parameters

- `account_id` (`str`) – ed25519 account id, for example: "GDGQVOKHW4VEJRU2TETD6DBRKE05ERCNF353LW5WBFW3JJWQ2BRQ6KDD". It should be a string starting with G. If you want to build a MuxedAccount object using an address starting with M, please use `stellar_sdk.MuxedAccount.from_account()`.
- `account_muxed_id` (`Optional[int]`) – account multiplexing id (ex. 1234)

```
property account_muxed: Optional[str]
```

Get the multiplex address starting with M, return None if *account_id_id* is None.

Return type `Optional[str]`

```
classmethod from_account(cls, account)
```

Create a `MuxedAccount` object from account id or muxed account id.

Parameters `account (str)` – account id or muxed account id (ex. "GDGQVOKHW4VEJRU2TETD6DBRKE05ERCNF353LW5WBFW3JJWQ2BRQ6KDD" or "AAAAAAAAAAJURAAB2X52XFQP6FBXLGT6LWOOWMEXWHEWBDVRZ7V5WH34Y22MPFBHUHY")

Return type `MuxedAccount`

```
classmethod from_xdr_object(cls, xdr_object)
```

Create a `MuxedAccount` object from an XDR Asset object.

Parameters `xdr_object (MuxedAccount)` – The MuxedAccount object.

Return type `MuxedAccount`

Returns A new `MuxedAccount` object from the given XDR MuxedAccount object.

```
to_xdr_object()
```

Returns the xdr object for this MuxedAccount object.

Return type `MuxedAccount`

Returns XDR MuxedAccount object

```
property universal_account_id: str
```

Get the universal account id, if *account_muxed_id* is None, it will return ed25519 public key (ex. "GDGQVOKHW4VEJRU2TETD6DBRKE05ERCNF353LW5WBFW3JJWQ2BRQ6KDD"), otherwise it will return muxed account (ex. "AAAAAAAAAAJURAAB2X52XFQP6FBXLGT6LWOOWMEXWHEWBDVRZ7V5WH34Y22MPFBHUHY")

Return type `str`

2.1.12 Network

```
class stellar_sdk.network.Network(network_passphrase)
```

The `Network` object, which represents a Stellar network.

This class represents such a stellar network such as the Public network and the Test network.

Parameters `network_passphrase(str)` – The passphrase for the network. (ex. "Public Global Stellar Network ; September 2015")

```
PUBLIC_NETWORK_PASSPHRASE: str = 'Public Global Stellar Network ; September 2015'
```

The Public network passphrase.

```
TESTNET_NETWORK_PASSPHRASE: str = 'Test SDF Network ; September 2015'
```

The Test network passphrase.

```
network_id()
```

Get the network ID of the network, which is an hash of the passphrase.

Return type `bytes`

Returns The network ID of the network.

```
classmethod public_network(cls)
```

Get the [Network](#) object representing the PUBLIC Network.

Return type [Network](#)

Returns PUBLIC Network

```
classmethod testnet_network(cls)
```

Get the [Network](#) object representing the TESTNET Network.

Return type [Network](#)

Returns TESTNET Network

2.1.13 Operation

Operation

```
class stellar_sdk.operation.Operation(source=None)
```

The [Operation](#) object, which represents an operation on Stellar's network.

An operation is an individual command that mutates Stellar's ledger. It is typically rolled up into a transaction (a transaction is a list of operations with additional metadata).

Operations are executed on behalf of the source account specified in the transaction, unless there is an override defined for the operation.

For more on operations, see Stellar's documentation on [operations](#) as well as [Stellar's List of Operations](#), which includes information such as the security necessary for a given operation, as well as information about when validity checks occur on the network.

The [Operation](#) class is typically not used, but rather one of its subclasses is typically included in transactions.

Parameters `source` (`Union[MuxedAccount, str, None]`) – The source account for the operation.

Defaults to the transaction's source account.

```
static from_xdr_amount(value)
```

Converts an str amount from an XDR amount object

Parameters `value` (`int`) – The amount to convert to a string from an XDR int64 amount.

Return type `str`

```
classmethod from_xdr_object(cls, xdr_object)
```

Create the appropriate [Operation](#) subclass from the XDR object.

Parameters `xdr_object` (`Operation`) – The XDR object to create an [Operation](#) (or subclass) instance from.

Return type [Operation](#)

```
static get_source_from_xdr_obj(xdr_object)
```

Get the source account from account the operation xdr object.

Parameters `xdr_object` (`Operation`) – the operation xdr object.

Return type `Optional[MuxedAccount]`

Returns The source account from account the operation xdr object.

static to_xdr_amount(value)

Converts an amount to the appropriate value to send over the network as a part of an XDR object.

Each asset amount is encoded as a signed 64-bit integer in the XDR structures. An asset amount unit (that which is seen by end users) is scaled down by a factor of ten million (10,000,000) to arrive at the native 64-bit integer representation. For example, the integer amount value 25,123,456 equals 2.5123456 units of the asset. This scaling allows for seven decimal places of precision in human-friendly amount units.

This static method correctly multiplies the value by the scaling factor in order to come to the integer value used in XDR structures.

See [Stellar's documentation on Asset Precision](#) for more information.

Parameters `value (Union[str, Decimal])` – The amount to convert to an integer for XDR serialization.

Return type `int`

to_xdr_object()

Creates an XDR Operation object that represents this *Operation*.

Return type `Operation`

AccountMerge

class stellar_sdk.operation.AccountMerge(destination, source=None)

The `AccountMerge` object, which represents a AccountMerge operation on Stellar's network.

Transfers the native balance (the amount of XLM an account holds) to another account and removes the source account from the ledger.

Threshold: High

See [Account Merge](#) for more information.

Parameters

- `destination (Union[MuxedAccount, str])` – Destination to merge the source account into.
- `source (Union[MuxedAccount, str, None])` – The source account for the operation. Defaults to the transaction's source account.

classmethod from_xdr_object(cls, xdr_object)

Creates a `AccountMerge` object from an XDR Operation object.

Return type `AccountMerge`

to_xdr_object()

Creates an XDR Operation object that represents this *Operation*.

Return type `Operation`

AllowTrust

```
class stellar_sdk.operation.AllowTrust(trustor, asset_code, authorize, source=None)
```

The [AllowTrust](#) object, which represents a AllowTrust operation on Stellar's network.

Updates the authorized flag of an existing trustline. This can only be called by the issuer of a trustline's asset.

The issuer can only clear the authorized flag if the issuer has the AUTH_REVOCABLE_FLAG set. Otherwise, the issuer can only set the authorized flag.

Threshold: Low

See [Allow Trust](#) for more information.

Parameters

- **trustor** (`str`) – The trusting account (the one being authorized).
- **asset_code** (`str`) – The asset code being authorized.
- **authorize** (`Union[TrustLineEntryFlag, bool]`) – *True* to authorize the line, *False* to deauthorize if you need further control, you can also use `stellar_sdk.operation.allow_trust.TrustLineEntryFlag`.
- **source** (`Union[MuxedAccount, str, None]`) – The source account for the operation. Defaults to the transaction's source account.

```
classmethod from_xdr_object(cls, xdr_object)
```

Creates a [AllowTrust](#) object from an XDR Operation object.

Return type `AllowTrust`

```
to_xdr_object()
```

Creates an XDR Operation object that represents this [Operation](#).

Return type `Operation`

```
class stellar_sdk.operation.allow_trust.TrustLineEntryFlag(value)
```

Indicates which flags to set. For details about the flags, please refer to the [CAP-0018](#).

- **UNAUTHORIZED_FLAG**: The account can hold a balance but cannot receive payments, send payments, maintain offers or manage offers
- **AUTHORIZED_FLAG**: The account can hold a balance, receive payments, send payments, maintain offers or manage offers
- **AUTHORIZED_TO_MAINTAIN LIABILITYES_FLAG**: The account can hold a balance and maintain offers but cannot receive payments, send payments or manage offers

BumpSequence

```
class stellar_sdk.operation.BumpSequence(bump_to, source=None)
```

The [BumpSequence](#) object, which represents a BumpSequence operation on Stellar's network.

Bump sequence allows to bump forward the sequence number of the source account of the operation, allowing to invalidate any transactions with a smaller sequence number. If the specified bumpTo sequence number is greater than the source account's sequence number, the account's sequence number is updated with that value, otherwise it's not modified.

Threshold: Low

See [Bump Sequence](#) for more information.

Parameters

- **bump_to** (`int`) – Sequence number to bump to.
- **source** (`Union[MuxedAccount, str, None]`) – The optional source account.

classmethod `from_xdr_object(cls, xdr_object)`

Creates a `BumpSequence` object from an XDR Operation object.

Return type `BumpSequence`

to_xdr_object()

Creates an XDR Operation object that represents this `Operation`.

Return type `Operation`

ChangeTrust

class `stellar_sdk.operation.ChangeTrust(asset, limit=None, source=None)`

The `ChangeTrust` object, which represents a ChangeTrust operation on Stellar's network.

Creates, updates, or deletes a trustline. For more on trustlines, please refer to the [assets documentation](#).

Threshold: Medium

See [Change Trust](#) for more information.

Parameters

- **asset** (`Union[Asset, LiquidityPoolAsset]`) – The asset for the trust line.
- **limit** (`Union[str, Decimal, None]`) – The limit for the asset, defaults to `max_int64(922337203685.4775807)`. If the limit is set to "`0`" it deletes the trustline.
- **source** (`Union[MuxedAccount, str, None]`) – The source account for the operation. Defaults to the transaction's source account.

classmethod `from_xdr_object(cls, xdr_object)`

Creates a `ChangeTrust` object from an XDR Operation object.

Return type `ChangeTrust`

to_xdr_object()

Creates an XDR Operation object that represents this `Operation`.

Return type `Operation`

CreateAccount

class `stellar_sdk.operation.CreateAccount(destination, starting_balance, source=None)`

The `CreateAccount` object, which represents a Create Account operation on Stellar's network.

This operation creates and funds a new account with the specified starting balance.

Threshold: Medium

See [Create Account](#) for more information.

Parameters

- **destination** (`str`) – Destination account ID to create an account for.

- **starting_balance** (`Union[str, Decimal]`) – Amount in XLM the account should be funded for. Must be greater than the `reserve balance amount`.
- **source** (`Union[MuxedAccount, str, None]`) – The source account for the operation. Defaults to the transaction's source account.

classmethod `from_xdr_object(cls, xdr_object)`

Creates a `CreateAccount` object from an XDR Operation object.

Return type `CreateAccount`

to_xdr_object()

Creates an XDR Operation object that represents this `Operation`.

Return type `Operation`

CreatePassiveSellOffer

class `stellar_sdk.operation.CreatePassiveSellOffer(selling, buying, amount, price, source=None)`

The `CreatePassiveSellOffer` object, which represents a CreatePassiveSellOffer operation on Stellar's network.

A passive sell offer is an offer that does not act on and take a reverse offer of equal price. Instead, they only take offers of lesser price. For example, if an offer exists to buy 5 BTC for 30 XLM, and you make a passive sell offer to buy 30 XLM for 5 BTC, your passive sell offer does not take the first offer.

Note that regular offers made later than your passive sell offer can act on and take your passive sell offer, even if the regular offer is of the same price as your passive sell offer.

Passive sell offers allow market makers to have zero spread. If you want to trade EUR for USD at 1:1 price and USD for EUR also at 1:1, you can create two passive sell offers so the two offers don't immediately act on each other.

Once the passive sell offer is created, you can manage it like any other offer using the manage offer operation - see `ManageBuyOffer` for more details.

Threshold: Medium

See `Create Passive Sell Offer` for more information.

Parameters

- **selling** (`Asset`) – What you're selling.
- **buying** (`Asset`) – What you're buying.
- **amount** (`Union[str, Decimal]`) – The total amount you're selling.
- **price** (`Union[Price, str, Decimal]`) – Price of 1 unit of `selling` in terms of `buying`.
- **source** (`Union[MuxedAccount, str, None]`) – The source account for the operation. Defaults to the transaction's source account.

classmethod `from_xdr_object(cls, xdr_object)`

Creates a `CreatePassiveSellOffer` object from an XDR Operation object.

Return type `CreatePassiveSellOffer`

to_xdr_object()

Creates an XDR Operation object that represents this `Operation`.

Return type `Operation`

Inflation

```
class stellar_sdk.operation.Inflation(source=None)
```

The [Inflation](#) object, which represents a Inflation operation on Stellar's network.

This operation runs inflation.

Threshold: Low

Parameters `source` (`Union[MuxedAccount, str, None]`) – The source account for the operation.
Defaults to the transaction's source account.

```
classmethod from_xdr_object(cls, xdr_object)
```

Creates a [Inflation](#) object from an XDR Operation object.

Return type [Inflation](#)

```
to_xdr_object()
```

Creates an XDR Operation object that represents this [Operation](#).

Return type [Operation](#)

LiquidityPoolDeposit

```
class stellar_sdk.operation.LiquidityPoolDeposit(liquidity_pool_id, max_amount_a, max_amount_b,  
min_price, max_price, source=None)
```

The [LiquidityPoolDeposit](#) object, which represents a LiquidityPoolDeposit operation on Stellar's network.

Creates a liquidity pool deposit operation.

Threshold: Medium

See [Liquidity Pool Deposit](#) for more information.

Parameters

- `liquidity_pool_id` (`str`) – The liquidity pool ID.
- `max_amount_a` (`Union[str, Decimal]`) – Maximum amount of first asset to deposit.
- `max_amount_b` (`Union[str, Decimal]`) – Maximum amount of second asset to deposit.
- `min_price` (`Union[str, Decimal, Price]`) – Minimum deposit_a/deposit_b price.
- `max_price` (`Union[str, Decimal, Price]`) – Maximum deposit_a/deposit_b price.
- `source` (`Union[MuxedAccount, str, None]`) – The source account for the operation. Defaults to the transaction's source account.

```
classmethod from_xdr_object(cls, xdr_object)
```

Creates a [LiquidityPoolDeposit](#) object from an XDR Operation object.

Return type [LiquidityPoolDeposit](#)

```
to_xdr_object()
```

Creates an XDR Operation object that represents this [Operation](#).

Return type [Operation](#)

LiquidityPoolWithdraw

```
class stellar_sdk.operation.LiquidityPoolWithdraw(liquidity_pool_id, amount, min_amount_a,
                                                min_amount_b, source=None)
```

The `LiquidityPoolWithdraw` object, which represents a LiquidityPoolWithdraw operation on Stellar's network.

Creates a liquidity pool withdraw operation.

Threshold: Medium

See [Liquidity Pool Withdraw](#) for more information.

Parameters

- `liquidity_pool_id` (`str`) – The liquidity pool ID.
- `amount` (`Union[str, Decimal]`) – Amount of pool shares to withdraw.
- `min_amount_a` (`Union[str, Decimal]`) – Minimum amount of first asset to withdraw.
- `min_amount_b` (`Union[str, Decimal]`) – Minimum amount of second asset to withdraw.
- `source` (`Union[MuxedAccount, str, None]`) – The source account for the operation. Defaults to the transaction's source account.

```
classmethod from_xdr_object(cls, xdr_object)
```

Creates a `LiquidityPoolWithdraw` object from an XDR Operation object.

Return type `LiquidityPoolWithdraw`

```
to_xdr_object()
```

Creates an XDR Operation object that represents this `Operation`.

Return type `Operation`

ManageBuyOffer

```
class stellar_sdk.operation.ManageBuyOffer(selling, buying, amount, price, offer_id=0, source=None)
```

The `ManageBuyOffer` object, which represents a ManageBuyOffer operation on Stellar's network.

Creates, updates, or deletes an buy offer.

If you want to create a new offer set `offer_id` to `0`.

If you want to update an existing offer set `offer_id` to existing offer ID.

If you want to delete an existing offer set `offer_id` to existing offer ID and set `amount` to `0`.

Threshold: Medium

See [Manage Buy Offer](#) for more information.

Parameters

- `selling` (`Asset`) – What you're selling.
- `buying` (`Asset`) – What you're buying.
- `amount` (`Union[str, Decimal]`) – Amount being bought. if set to `0`, delete the offer.
- `price` (`Union[Price, str, Decimal]`) – Price of thing being bought in terms of what you are selling.
- `offer_id` (`int`) – If `0`, will create a new offer (default). Otherwise, edits an existing offer.

- **source** (`Union[MuxedAccount, str, None]`) – The source account for the operation. Defaults to the transaction’s source account.

classmethod `from_xdr_object`(`cls, xdr_object`)

Creates a `ManageBuyOffer` object from an XDR Operation object.

Return type `ManageBuyOffer`

`to_xdr_object()`

Creates an XDR Operation object that represents this `Operation`.

Return type `Operation`

ManageData

class `stellar_sdk.operation.ManageData`(`data_name, data_value, source=None`)

The `ManageData` object, which represents a ManageData operation on Stellar’s network.

Allows you to set, modify or delete a Data Entry (name/value pair) that is attached to a particular account. An account can have an arbitrary amount of DataEntries attached to it. Each DataEntry increases the minimum balance needed to be held by the account.

DataEntries can be used for application specific things. They are not used by the core Stellar protocol.

Threshold: Medium

See [Manage Data](#) for more information.

Parameters

- **data_name** (`str`) – If this is a new Name it will add the given name/value pair to the account. If this Name is already present then the associated value will be modified. Up to 64 bytes long.
- **data_value** (`Union[str, bytes, None]`) – If not present then the existing `data_name` will be deleted. If present then this value will be set in the DataEntry. Up to 64 bytes long.
- **source** (`Union[MuxedAccount, str, None]`) – The optional source account.

classmethod `from_xdr_object`(`cls, xdr_object`)

Creates a `ManageData` object from an XDR Operation object.

Return type `ManageData`

`to_xdr_object()`

Creates an XDR Operation object that represents this `Operation`.

Return type `Operation`

ManageSellOffer

class `stellar_sdk.operation.ManageSellOffer`(`selling, buying, amount, price, offer_id=0, source=None`)

The `ManageSellOffer` object, which represents a ManageSellOffer operation on Stellar’s network.

Creates, updates, or deletes an sell offer.

If you want to create a new offer set `offer_id` to `0`.

If you want to update an existing offer set `offer_id` to existing offer ID.

If you want to delete an existing offer set `offer_id` to existing offer ID and set `amount` to `0`.

Threshold: Medium

See [Manage Sell Offer](#) for more information.

Parameters

- **selling** ([Asset](#)) – What you’re selling.
- **buying** ([Asset](#)) – What you’re buying.
- **amount** ([Union\[str, Decimal\]](#)) – The total amount you’re selling. If `0`, deletes the offer.
- **price** ([Union\[Price, str, Decimal\]](#)) – Price of 1 unit of *selling* in terms of *buying*.
- **offer_id** ([int](#)) – If `0`, will create a new offer (default). Otherwise, edits an existing offer.
- **source** ([Union\[MuxedAccount, str, None\]](#)) – The source account for the operation. Defaults to the transaction’s source account.

classmethod `from_xdr_object`(*cls*, *xdr_object*)

Creates a [ManageSellOffer](#) object from an XDR Operation object.

Return type [ManageSellOffer](#)

to_xdr_object()

Creates an XDR Operation object that represents this *Operation*.

Return type [Operation](#)

PathPaymentStrictReceive

```
class stellar_sdk.operation.PathPaymentStrictReceive(destination, send_asset, send_max, dest_asset,  
dest_amount, path, source=None)
```

The [PathPaymentStrictReceive](#) object, which represents a PathPaymentStrictReceive operation on Stellar’s network.

Sends an amount in a specific asset to a destination account through a path of offers. This allows the asset sent (e.g. 450 XLM) to be different from the asset received (e.g. 6 BTC).

Threshold: Medium

See [Path Payment Strict Receive](#) for more information.

Parameters

- **destination** ([Union\[MuxedAccount, str\]](#)) – The destination account to send to.
- **send_asset** ([Asset](#)) – The *asset* to pay with.
- **send_max** ([Union\[str, Decimal\]](#)) – The maximum amount of *send_asset* to send.
- **dest_asset** ([Asset](#)) – The asset the *destination* will receive.
- **dest_amount** ([Union\[str, Decimal\]](#)) – The amount the *destination* receives.
- **path** ([List\[Asset\]](#)) – A list of Asset objects to use as the path.
- **source** ([Union\[MuxedAccount, str, None\]](#)) – The source account for the operation. Defaults to the transaction’s source account.

classmethod `from_xdr_object`(*cls*, *xdr_object*)

Creates a [PathPaymentStrictReceive](#) object from an XDR Operation object.

Return type [PathPaymentStrictReceive](#)

to_xdr_object()

Creates an XDR Operation object that represents this *Operation*.

Return type *Operation*

PathPaymentStrictSend

```
class stellar_sdk.operation.PathPaymentStrictSend(destination, send_asset, send_amount, dest_asset,
                                                dest_min, path, source=None)
```

The *PathPaymentStrictSend* object, which represents a PathPaymentStrictSend operation on Stellar's network.

Sends an amount in a specific asset to a destination account through a path of offers. This allows the asset sent (e.g, 450 XLM) to be different from the asset received (e.g, 6 BTC).

Threshold: Medium

See [Path Payment Strict Send](#) for more information.

Parameters

- **destination** (`Union[MuxedAccount, str]`) – The destination account to send to.
- **send_asset** (`Asset`) – The *asset* to pay with.
- **send_amount** (`Union[str, Decimal]`) – Amount of *send_asset* to send.
- **dest_asset** (`Asset`) – The asset the *destination* will receive.
- **dest_min** (`Union[str, Decimal]`) – The minimum amount of *dest_asset* to be received.
- **path** (`List[Asset]`) – A list of Asset objects to use as the path.
- **source** (`Union[MuxedAccount, str, None]`) – The source account for the operation. Defaults to the transaction's source account.

classmethod from_xdr_object(cls, xdr_object)

Creates a *PathPaymentStrictSend* object from an XDR Operation object.

Return type *PathPaymentStrictSend*

to_xdr_object()

Creates an XDR Operation object that represents this *Operation*.

Return type *Operation*

Payment

```
class stellar_sdk.operation.Payment(destination, asset, amount, source=None)
```

The *Payment* object, which represents a Payment operation on Stellar's network.

Sends an amount in a specific asset to a destination account.

Threshold: Medium

See [Payment](#) for more information.

Parameters

- **destination** (`Union[MuxedAccount, str]`) – The destination account ID.
- **asset** (`Asset`) – The asset to send.

- **amount** (`Union[str, Decimal]`) – The amount to send.
- **source** (`Union[MuxedAccount, str, None]`) – The source account for the operation. Defaults to the transaction's source account.

classmethod `from_xdr_object`(`cls, xdr_object`)

Creates a `Payment` object from an XDR Operation object.

Return type `Payment`

`to_xdr_object()`

Creates an XDR Operation object that represents this `Operation`.

Return type `Operation`

SetOptions

```
class stellar_sdk.operation.SetOptions(inflation_dest=None, clear_flags=None, set_flags=None,  
                                       master_weight=None, low_threshold=None,  
                                       med_threshold=None, high_threshold=None, signer=None,  
                                       home_domain=None, source=None)
```

The `SetOptions` object, which represents a SetOptions operation on Stellar's network.

This operation sets the options for an account.

For more information on the signing options, please refer to the [multi-sig doc](#).

When updating signers or other thresholds, the threshold of this operation is high.

Threshold: Medium or High

See [Set Options](#) for more information.

Parameters

- **`inflation_dest`** (`Optional[str]`) – Account of the inflation destination.
- **`clear_flags`** (`Union[int, AuthorizationFlag, None]`) – Indicates which flags to clear. For details about the flags, please refer to the [Control Access to an Asset - Flag](#). The bit mask integer subtracts from the existing flags of the account. This allows for setting specific bits without knowledge of existing flags, you can also use `stellar_sdk.operation.set_options.AuthorizationFlag`
 - `AUTHORIZATION_REQUIRED` = 1
 - `AUTHORIZATION_REVOCABLE` = 2
 - `AUTHORIZATION_IMMUTABLE` = 4
 - `AUTHORIZATION_CLAWBACK_ENABLED` = 8
- **`set_flags`** (`Union[int, AuthorizationFlag, None]`) – Indicates which flags to set. For details about the flags, please refer to the [Control Access to an Asset - Flag](#). The bit mask integer adds onto the existing flags of the account. This allows for setting specific bits without knowledge of existing flags, you can also use `stellar_sdk.operation.set_options.AuthorizationFlag`
 - `AUTHORIZATION_REQUIRED` = 1
 - `AUTHORIZATION_REVOCABLE` = 2
 - `AUTHORIZATION_IMMUTABLE` = 4

- AUTHORIZATION_CLAWBACK_ENABLED = 8
- **master_weight** (`Optional[int]`) – A number from 0-255 (inclusive) representing the weight of the master key. If the weight of the master key is updated to 0, it is effectively disabled.
- **low_threshold** (`Optional[int]`) – A number from 0-255 (inclusive) representing the threshold this account sets on all operations it performs that have a `low threshold`.
- **med_threshold** (`Optional[int]`) – A number from 0-255 (inclusive) representing the threshold this account sets on all operations it performs that have a `medium threshold`.
- **high_threshold** (`Optional[int]`) – A number from 0-255 (inclusive) representing the threshold this account sets on all operations it performs that have a `high threshold`.
- **home_domain** (`Optional[str]`) – sets the home domain used for reverse `federation` lookup.
- **signer** (`Optional[Signer]`) – Add, update, or remove a signer from the account.
- **source** (`Union[MuxedAccount, str, None]`) – The source account for the operation. Defaults to the transaction's source account.

classmethod `from_xdr_object`(*cls*, *xdr_object*)

Creates a `SetOptions` object from an XDR Operation object.

Return type `SetOptions`

to_xdr_object()

Creates an XDR Operation object that represents this `Operation`.

Return type `Operation`

class `stellar_sdk.operation.set_options.AuthorizationFlag`(*value*)

Indicates which flags to set. For details about the flags, please refer to the `Control Access to an Asset - Flag`.

CreateClaimableBalance

class `stellar_sdk.operation.CreateClaimableBalance`(*asset*, *amount*, *claimants*, *source=None*)

The `CreateClaimableBalance` object, which represents a CreateClaimableBalance operation on Stellar's network.

Creates a ClaimableBalanceEntry. See `Claimable Balance` for more information on parameters and usage.

Threshold: Medium

See `Create Claimable Balance` for more information.

Parameters

- **asset** (`Asset`) – The asset for the claimable balance.
- **amount** (`Union[str, Decimal]`) – the amount of the asset.
- **claimants** (`List[Claimant]`) – A list of Claimants.
- **source** (`Union[MuxedAccount, str, None]`) – The source account for the operation. Defaults to the transaction's source account.

classmethod `from_xdr_object`(*cls*, *xdr_object*)

Creates a `CreateClaimableBalance` object from an XDR Operation object.

Return type `CreateClaimableBalance`

to_xdr_object()

Creates an XDR Operation object that represents this *Operation*.

Return type *Operation*

class stellar_sdk.operation.Claimant(destination, predicate=None)

The *Claimant* object represents a claimable balance claimant.

Parameters

- **destination** (*str*) – The destination account ID.
- **predicate** (*Optional[ClaimPredicate]*) – The claim predicate. It is optional, it defaults to unconditional if none is specified.

class stellar_sdk.operation.ClaimPredicate(claim_predicate_type, and_predicates, or_predicates, not_predicate, abs_before, rel_before)

The *ClaimPredicate* object, which represents a ClaimPredicate on Stellar's network.

We do not recommend that you build it through the constructor, please use the helper function.

Parameters

- **claim_predicate_type** (*ClaimPredicateType*) – Type of ClaimPredicate.
- **and_predicates** (*Optional[ClaimPredicateGroup]*) – The ClaimPredicates.
- **or_predicates** (*Optional[ClaimPredicateGroup]*) – The ClaimPredicates.
- **not_predicate** (*Optional[ClaimPredicate]*) – The ClaimPredicate.
- **abs_before** (*Optional[int]*) – Unix epoch.
- **rel_before** (*Optional[int]*) – seconds since closeTime of the ledger in which the ClaimableBalanceEntry was created.

classmethod predicate_and(cls, left, right)

Returns an **and** claim predicate

Parameters

- **left** (*ClaimPredicate*) – a ClaimPredicate.
- **right** (*ClaimPredicate*) – a ClaimPredicate.

Return type *ClaimPredicate*

Returns an **and** claim predicate.

classmethod predicate_before_absolute_time(cls, abs_before)

Returns a **before_absolute_time** claim predicate.

This predicate will be fulfilled if the closing time of the ledger that includes the *CreateClaimableBalance* operation is less than this (absolute) Unix timestamp.

Parameters **abs_before** (*int*) – Unix epoch.

Return type *ClaimPredicate*

Returns a **before_absolute_time** claim predicate.

classmethod predicate_before_relative_time(cls, seconds)

Returns a **before_relative_time** claim predicate.

This predicate will be fulfilled if the closing time of the ledger that includes the *CreateClaimableBalance* operation plus this relative time delta (in seconds) is less than the current time.

Parameters `seconds` (`int`) – seconds since closeTime of the ledger in which the ClaimableBalanceEntry was created.

Return type `ClaimPredicate`

Returns a `before_relative_time` claim predicate.

classmethod `predicate_not`(*cls*, *predicate*)

Returns a `not` claim predicate.

Parameters `predicate` (`ClaimPredicate`) – a ClaimPredicate.

Return type `ClaimPredicate`

Returns a `not` claim predicate.

classmethod `predicate_or`(*cls*, *left*, *right*)

Returns an `or` claim predicate

Parameters

- `left` (`ClaimPredicate`) – a ClaimPredicate.

- `right` (`ClaimPredicate`) – a ClaimPredicate.

Return type `ClaimPredicate`

Returns an `or` claim predicate.

classmethod `predicate_unconditional`(*cls*)

Returns an `unconditional` claim predicate.

Return type `ClaimPredicate`

Returns an `unconditional` claim predicate.

class `stellar_sdk.operation.create_claimable_balance.ClaimPredicateType`(*value*)

Currently supported claim predicate types.

class `stellar_sdk.operation.create_claimable_balance.ClaimPredicateGroup`(*left*, *right*)

Used to assemble the left and right values for and_predicates and or_predicates.

Parameters

- `left` (`ClaimPredicate`) – The ClaimPredicate.

- `right` (`ClaimPredicate`) – The ClaimPredicate.

ClaimClaimableBalance

class `stellar_sdk.operation.ClaimClaimableBalance`(*balance_id*, *source=None*)

The `ClaimClaimableBalance` object, which represents a ClaimClaimableBalance operation on Stellar's network.

Claims a ClaimableBalanceEntry and adds the amount of asset on the entry to the source account.

Threshold: Low

See [Claim Claimable Balance](#) for more information.

Parameters

- `balance_id` (`str`) – The claimable balance id to be claimed.

- **source** (`Union[MuxedAccount, str, None]`) – The source account for the operation. Defaults to the transaction’s source account.

classmethod `from_xdr_object(cls, xdr_object)`

Creates a `ClaimClaimableBalance` object from an XDR Operation object.

Return type `ClaimClaimableBalance`

to_xdr_object()

Creates an XDR Operation object that represents this `Operation`.

Return type `Operation`

BeginSponsoringFutureReserves

class `stellar_sdk.operation.BeginSponsoringFutureReserves(sponsored_id, source=None)`

The `BeginSponsoringFutureReserves` object, which represents a BeginSponsoringFutureReserves operation on Stellar’s network.

Establishes the is-sponsoring-future-reserves-for relationship between the source account and sponsoredID. See [Sponsored Reserves](#) for more information.

Threshold: Medium

See [Begin Sponsoring Future Reserves](#) for more information.

Parameters

- **sponsored_id** (`str`) – The sponsored account id.
- **source** (`Union[MuxedAccount, str, None]`) – The source account for the operation. Defaults to the transaction’s source account.

classmethod `from_xdr_object(cls, xdr_object)`

Creates a `BeginSponsoringFutureReserves` object from an XDR Operation object.

Return type `BeginSponsoringFutureReserves`

to_xdr_object()

Creates an XDR Operation object that represents this `Operation`.

Return type `Operation`

EndSponsoringFutureReserves

class `stellar_sdk.operation.EndSponsoringFutureReserves(source=None)`

The `EndSponsoringFutureReserves` object, which represents a EndSponsoringFutureReserves operation on Stellar’s network.

Terminates the current is-sponsoring-future-reserves-for relationship in which the source account is sponsored. See [Sponsored Reserves](#) for more information.

Threshold: Medium

See [End Sponsoring Future Reserves](#).

Parameters **source** (`Union[MuxedAccount, str, None]`) – The source account for the operation.

Defaults to the transaction’s source account.

```
classmethod from_xdr_object(cls, xdr_object)
```

Creates a [EndSponsoringFutureReserves](#) object from an XDR Operation object.

Return type [EndSponsoringFutureReserves](#)

```
to_xdr_object()
```

Creates an XDR Operation object that represents this [Operation](#).

Return type [Operation](#)

RevokeSponsorship

```
class stellar_sdk.operation.RevokeSponsorship(revoke_sponsorship_type, account_id, trustline, offer,
                                              data, claimable_balance_id, signer, liquidity_pool_id,
                                              source=None)
```

The [RevokeSponsorship](#) object, which represents a RevokeSponsorship operation on Stellar's network.

The logic of this operation depends on the state of the source account.

If the source account is not sponsored or is sponsored by the owner of the specified entry or sub-entry, then attempt to revoke the sponsorship. If the source account is sponsored, the next step depends on whether the entry is sponsored or not. If it is sponsored, attempt to transfer the sponsorship to the sponsor of the source account. If the entry is not sponsored, then establish the sponsorship. See [Sponsored Reserves](#) for more information.

Threshold: Medium

See [Revoke Sponsorship](#) for more information.

Parameters

- **revoke_sponsorship_type** ([RevokeSponsorshipType](#)) – The sponsored account id.
- **account_id** ([Optional\[str\]](#)) – The sponsored account ID.
- **trustline** ([Optional\[TrustLine\]](#)) – The sponsored trustline.
- **offer** ([Optional\[Offer\]](#)) – The sponsored offer.
- **data** ([Optional\[Data\]](#)) – The sponsored data.
- **claimable_balance_id** ([Optional\[str\]](#)) – The sponsored claimable balance.
- **signer** ([Optional\[Signer\]](#)) – The sponsored signer.
- **source** ([Union\[MuxedAccount, str, None\]](#)) – The source account for the operation. Defaults to the transaction's source account.

```
classmethod from_xdr_object(cls, xdr_object)
```

Creates a [RevokeSponsorship](#) object from an XDR Operation object.

Return type [RevokeSponsorship](#)

```
to_xdr_object()
```

Creates an XDR Operation object that represents this [Operation](#).

Return type [Operation](#)

```
class stellar_sdk.operation.revoke_sponsorship.RevokeSponsorshipType(value)
```

Currently supported RevokeSponsorship types.

```
class stellar_sdk.operation.revoke_sponsorship.TrustLine(account_id, asset)
```

```
class stellar_sdk.operation.revoke_sponsorship.Offer(seller_id, offer_id)
class stellar_sdk.operation.revoke_sponsorship.Data(account_id, data_name)
class stellar_sdk.operation.revoke_sponsorship.Signer(account_id, signer_key)
```

Clawback

```
class stellar_sdk.operation.Clawback(asset, from_, amount, source=None)
```

The [Clawback](#) object, which represents a Clawback operation on Stellar's network.

Claws back an amount of an asset from an account.

Threshold: Medium

See [Clawback](#) for more information.

Parameters

- **asset** ([Asset](#)) – The asset being clawed back.
- **from** – The public key of the account to claw back from.
- **amount** ([Union\[str, Decimal\]](#)) – The amount of the asset to claw back.
- **source** ([Union\[MuxedAccount, str, None\]](#)) – The source account for the operation. Defaults to the transaction's source account.

```
classmethod from_xdr_object(cls, xdr_object)
```

Creates a [Clawback](#) object from an XDR Operation object.

Return type [Clawback](#)

```
to_xdr_object()
```

Creates an XDR Operation object that represents this [Operation](#).

Return type [Operation](#)

ClawbackClaimableBalance

```
class stellar_sdk.operation.ClawbackClaimableBalance(balance_id, source=None)
```

The [ClawbackClaimableBalance](#) object, which represents a ClawbackClaimableBalance operation on Stellar's network.

Claws back a claimable balance

Threshold: Medium

See [Clawback Claimable Balance](#) for more information.

Parameters

- **balance_id** ([str](#)) – The claimable balance ID to be clawed back.
- **source** ([Union\[MuxedAccount, str, None\]](#)) – The source account for the operation. Defaults to the transaction's source account.

```
classmethod from_xdr_object(cls, xdr_object)
```

Creates a [ClawbackClaimableBalance](#) object from an XDR Operation object.

Return type [ClawbackClaimableBalance](#)

to_xdr_object()

Creates an XDR Operation object that represents this *Operation*.

Return type *Operation*

SetTrustLineFlags

```
class stellar_sdk.operation.SetTrustLineFlags(trustor, asset, clear_flags=None, set_flags=None, source=None)
```

The *SetTrustLineFlags* object, which represents a SetTrustLineFlags operation on Stellar's network.

Updates the flags of an existing trust line. This is called by the issuer of the related asset.

Threshold: Low

See [Set Trustline Flags](#) for more information.

Parameters

- **trustor** (`str`) – The account whose trustline this is.
- **asset** (`Asset`) – The asset on the trustline.
- **clear_flags** (`Optional[TrustLineFlags]`) – The flags to clear.
- **set_flags** (`Optional[TrustLineFlags]`) – The flags to set.
- **source** (`Union[MuxedAccount, str, None]`) – The source account for the operation. Defaults to the transaction's source account.

classmethod from_xdr_object(cls, xdr_object)

Creates a *SetTrustLineFlags* object from an XDR Operation object.

Return type *SetTrustLineFlags*

to_xdr_object()

Creates an XDR Operation object that represents this *Operation*.

Return type *Operation*

```
class stellar_sdk.operation.set_trust_line_flags.TrustLineFlags(value)
```

Indicates which flags to set. For details about the flags, please refer to the [CAP-0035](#).

- **AUTHORIZED_FLAG**: issuer has authorized account to perform transactions with its credit
- **AUTHORIZED_TO_MAINTAIN LIABILITYES_FLAG**: issuer has authorized account to maintain and reduce liabilities for its credit
- **TRUSTLINE_CLAWBACK_ENABLED_FLAG**: issuer has specified that it may clawback its credit, and that claimable balances created with its credit may also be clawed back

2.1.14 Price

```
class stellar_sdk.price.Price(n, d)
```

Create a new price. Price in Stellar is represented as a fraction.

An example:

```
from stellar_sdk import Price

price_a = Price(1, 2)
price_b = Price.from_raw_price("0.5")
```

Parameters

- **n** (`int`) – numerator
- **d** (`int`) – denominator

```
classmethod from_raw_price(cls, price)
```

Create a `Price` from the given str or Decimal price.

Parameters `price` (`Union[str, Decimal]`) – the str or Decimal price. (ex. "0.125")

Return type `Price`

Returns A new `Price` object from the given str or Decimal price.

Raises `NoApproximationError`: if the approximation could not be found.

```
classmethod from_xdr_object(cls, xdr_object)
```

Create a `Price` from an XDR Price object.

Parameters `xdr_object` (`Price`) – The XDR Price object.

Return type `Price`

Returns A new `Price` object from the given XDR Price object.

```
to_xdr_object()
```

Returns the xdr object for this price object.

Return type `Price`

Returns XDR Price object

2.1.15 Server

```
class stellar_sdk.server.Server(horizon_url='https://horizon-testnet.stellar.org', client=None)
```

Server handles the network connection to a `Horizon` instance and exposes an interface for requests to that instance.

An example:

```
from stellar_sdk import Server

server = Server("https://horizon-testnet.stellar.org")
resp = server.transactions().limit(10).order(desc=True).call()
print(resp)
```

Parameters

- **horizon_url** (`str`) – Horizon Server URL (ex. "https://horizon-testnet.stellar.org" for test network, "https://horizon-testnet.stellar.org" for public network)
- **client** (`Optional[BaseSyncClient]`) – Http client used to send the request

accounts()

Return type `AccountsCallBuilder`

Returns New `stellar_sdk.call_builder.call_builder_sync.AccountsCallBuilder` object configured by a current Horizon server configuration.

assets()

Return type `AssetsCallBuilder`

Returns New `stellar_sdk.call_builder.call_builder_sync.AssetsCallBuilder` object configured by a current Horizon server configuration.

claimable_balances()

Return type `ClaimableBalancesCallBuilder`

Returns New `stellar_sdk.call_builder.call_builder_sync.ClaimableBalancesCallBuilder` object configured by a current Horizon server configuration.

close()

Close underlying connector, and release all acquired resources.

Return type `None`

data(account_id, data_name)

Return type `DataCallBuilder`

Returns New `stellar_sdk.call_builder.call_builder_sync.DataCallBuilder` object configured by a current Horizon server configuration.

effects()

Return type `EffectsCallBuilder`

Returns New `stellar_sdk.call_builder.call_builder_sync.EffectsCallBuilder` object configured by a current Horizon server configuration.

fee_stats()

Return type `FeeStatsCallBuilder`

Returns New `stellar_sdk.call_builder.call_builder_sync.FeeStatsCallBuilder` object configured by a current Horizon server configuration.

fetch_base_fee()

Fetch the base fee. Since this hits the server, if the server call fails, you might get an error. You should be prepared to use a default value if that happens.

Return type `int`

Returns the base fee

Raises `ConnectionError` `NotFoundError` `BadRequestError` `BadResponseError` `UnknownRequestError`

`ledgers()`

Return type `LedgersCallBuilder`

Returns New `stellar_sdk.call_builder.call_builder_sync.LedgersCallBuilder` object configured by a current Horizon server configuration.

`liquidity_pools()`

Return type `LiquidityPoolsBuilder`

Returns New `stellar_sdk.call_builder.call_builder_sync.LiquidityPoolsBuilder` object configured by a current Horizon server configuration.

`load_account(account_id)`

Fetches an account's most current base state (like sequence) in the ledger and then creates and returns an `stellar_sdk.account.Account` object.

If you want to get complete account information, please use `stellar_sdk.server.Server.accounts()`.

Parameters `account_id` (`Union[MuxedAccount, Keypair, str]`) – The account to load.

Return type `Account`

Returns an `stellar_sdk.account.Account` object.

Raises `ConnectionError` `NotFoundError` `BadRequestError` `BadResponseError` `UnknownRequestError`

`offers()`

Return type `OffersCallBuilder`

Returns New `stellar_sdk.call_builder.call_builder_sync.OffersCallBuilder` object configured by a current Horizon server configuration.

`operations()`

Return type `OperationsCallBuilder`

Returns New `stellar_sdk.call_builder.call_builder_sync.OperationsCallBuilder` object configured by a current Horizon server configuration.

`orderbook(selling, buying)`

Parameters

- `selling` (`Asset`) – Asset being sold
- `buying` (`Asset`) – Asset being bought

Return type `OrderbookCallBuilder`

Returns New `stellar_sdk.call_builder.call_builder_sync.OrderbookCallBuilder` object configured by a current Horizon server configuration.

`payments()`

Return type `PaymentsCallBuilder`

Returns New `stellar_sdk.call_builder.call_builder_sync.PaymentsCallBuilder` object configured by a current Horizon server configuration.

`root()`

Return type `RootCallBuilder`

Returns New `stellar_sdk.call_builder.call_builder_sync.RootCallBuilder` object configured by a current Horizon server configuration.

`strict_receive_paths(source, destination_asset, destination_amount)`

Parameters

- **source** (`Union[str, List[Asset]]`) – The sender’s account ID or a list of Assets. Any returned path must use a source that the sender can hold.
- **destination_asset** (`Asset`) – The destination asset.
- **destination_amount** (`str`) – The amount, denominated in the destination asset, that any returned path should be able to satisfy.

Return type `StrictReceivePathsCallBuilder`

Returns New `stellar_sdk.call_builder.call_builder_sync.StrictReceivePathsCallBuilder` object configured by a current Horizon server configuration.

`strict_send_paths(source_asset, source_amount, destination)`

Parameters

- **source_asset** (`Asset`) – The asset to be sent.
- **source_amount** (`str`) – The amount, denominated in the source asset, that any returned path should be able to satisfy.
- **destination** (`Union[str, List[Asset]]`) – The destination account or the destination assets.

Return type `StrictSendPathsCallBuilder`

Returns New `stellar_sdk.call_builder.call_builder_sync.StrictSendPathsCallBuilder` object configured by a current Horizon server configuration.

`submit_transaction(transaction_envelope, skip_memo_required_check=False)`

Submits a transaction to the network.

Parameters

- **transaction_envelope** (`Union[TransactionEnvelope, FeeBumpTransactionEnvelope, str]`) – `stellar_sdk.transaction_envelope.TransactionEnvelope` object or base64 encoded xdr
- **skip_memo_required_check** (`bool`) – Allow skipping memo

Return type `Dict[str, Any]`

Returns the response from horizon

Raises `ConnectionError` `NotFoundError` `BadRequestError` `BadResponseError` `UnknownRequestError` `AccountRequiresMemoError`

`trade_aggregations(base, counter, resolution, start_time=None, end_time=None, offset=None)`

Parameters

- **base** (`Asset`) – base asset

- **counter** (`Asset`) – counter asset
- **resolution** (`int`) – segment duration as millis since epoch. *Supported values are 1 minute (60000), 5 minutes (300000), 15 minutes (900000), 1 hour (3600000), 1 day (86400000) and 1 week (604800000).*
- **start_time** (`Optional[int]`) – lower time boundary represented as millis since epoch
- **end_time** (`Optional[int]`) – upper time boundary represented as millis since epoch
- **offset** (`Optional[int]`) – segments can be offset using this parameter. Expressed in milliseconds. *Can only be used if the resolution is greater than 1 hour. Value must be in whole hours, less than the provided resolution, and less than 24 hours.*

Return type `TradeAggregationsCallBuilder`

Returns New `stellar_sdk.call_builder.call_builder_sync.TradeAggregationsCallBuilder` object configured by a current Horizon server configuration.

trades()

Return type `TradesCallBuilder`

Returns New `stellar_sdk.call_builder.call_builder_sync.TradesCallBuilder` object configured by a current Horizon server configuration.

transactions()

Return type `TransactionsCallBuilder`

Returns New `stellar_sdk.call_builder.call_builder_sync.TransactionsCallBuilder` object configured by a current Horizon server configuration.

2.1.16 ServerAsync

```
class stellar_sdk.server_async.ServerAsync(horizon_url='https://horizon-testnet.stellar.org',
                                           client=None)
```

ServerAsync handles the network connection to a Horizon instance and exposes an interface for requests to that instance.

An example:

```
import asyncio
from stellar_sdk import ServerAsync

async def example():
    async with ServerAsync("https://horizon-testnet.stellar.org") as server:
        resp = await server.transactions().limit(10).order(desc=True).call()
        print(resp)

asyncio.run(example())
```

Parameters

- **horizon_url** (`str`) – Horizon Server URL (ex. "https://horizon-testnet.stellar.org" for test network, "https://horizon-testnet.stellar.org" for public network)

- **client** (`Optional[BaseAsyncClient]`) – Http client used to send the request

accounts()

Return type `AccountsCallBuilder`

Returns New `stellar_sdk.call_builder.call_builder_async.AccountsCallBuilder` object configured by a current Horizon server configuration.

assets()

Return type `AssetsCallBuilder`

Returns New `stellar_sdk.call_builder.call_builder_async.AssetsCallBuilder` object configured by a current Horizon server configuration.

claimable_balances()

Return type `ClaimableBalancesCallBuilder`

Returns New `stellar_sdk.call_builder.call_builder_async.ClaimableBalancesCallBuilder` object configured by a current Horizon server configuration.

async close()

Close underlying connector, and release all acquired resources.

Return type `None`

data(account_id, data_name)

Return type `DataCallBuilder`

Returns New `stellar_sdk.call_builder.call_builder_async.DataCallBuilder` object configured by a current Horizon server configuration.

effects()

Return type `EffectsCallBuilder`

Returns New `stellar_sdk.call_builder.call_builder_async.EffectsCallBuilder` object configured by a current Horizon server configuration.

fee_stats()

Return type `FeeStatsCallBuilder`

Returns New `stellar_sdk.call_builder.call_builder_async.FeeStatsCallBuilder` object configured by a current Horizon server configuration.

async fetch_base_fee()

Fetch the base fee. Since this hits the server, if the server call fails, you might get an error. You should be prepared to use a default value if that happens.

Return type `int`

Returns the base fee

Raises `ConnectionError` `NotFoundError` `BadRequestError` `BadResponseError`
`UnknownRequestError`

ledgers()

Return type `LedgersCallBuilder`

Returns New `stellar_sdk.call_builder.call_builder_async.LedgersCallBuilder` object configured by a current Horizon server configuration.

liquidity_pools()

Return type `LiquidityPoolsBuilder`

Returns New `stellar_sdk.call_builder.call_builder_async.LiquidityPoolsBuilder` object configured by a current Horizon server configuration.

async load_account(account_id)

Fetches an account's most current base state (like sequence) in the ledger and then creates and returns an `stellar_sdk.account.Account` object.

If you want to get complete account information, please use `stellar_sdk.server.Server.accounts()`.

Parameters `account_id` (`Union[MuxedAccount, Keypair, str]`) – The account to load.

Return type `Account`

Returns an `stellar_sdk.account.Account` object.

Raises `ConnectionError` `NotFoundError` `BadRequestError` `BadResponseError` `UnknownRequestError`

offers()

Return type `OffersCallBuilder`

Returns New `stellar_sdk.call_builder.call_builder_async.OffersCallBuilder` object configured by a current Horizon server configuration.

operations()

Return type `OperationsCallBuilder`

Returns New `stellar_sdk.call_builder.call_builder_async.OperationsCallBuilder` object configured by a current Horizon server configuration.

orderbook(selling, buying)

Parameters

- `selling` (`Asset`) – Asset being sold
- `buying` (`Asset`) – Asset being bought

Return type `OrderbookCallBuilder`

Returns New `stellar_sdk.call_builder.call_builder_async.OrderbookCallBuilder` object configured by a current Horizon server configuration.

payments()

Return type `PaymentsCallBuilder`

Returns New `stellar_sdk.call_builder.call_builder_async.PaymentsCallBuilder` object configured by a current Horizon server configuration.

`root()`

Return type `RootCallBuilder`

Returns New `stellar_sdk.call_builder.call_builder_async.RootCallBuilder` object configured by a current Horizon server configuration.

`strict_receive_paths(source, destination_asset, destination_amount)`

Parameters

- **source** (`Union[str, List[Asset]]`) – The sender’s account ID or a list of Assets. Any returned path must use a source that the sender can hold.
- **destination_asset** (`Asset`) – The destination asset.
- **destination_amount** (`str`) – The amount, denominated in the destination asset, that any returned path should be able to satisfy.

Return type `StrictReceivePathsCallBuilder`

Returns New `stellar_sdk.call_builder.call_builder_async.StrictReceivePathsCallBuilder` object configured by a current Horizon server configuration.

`strict_send_paths(source_asset, source_amount, destination)`

Parameters

- **source_asset** (`Asset`) – The asset to be sent.
- **source_amount** (`str`) – The amount, denominated in the source asset, that any returned path should be able to satisfy.
- **destination** (`Union[str, List[Asset]]`) – The destination account or the destination assets.

Return type `StrictSendPathsCallBuilder`

Returns New `stellar_sdk.call_builder.call_builder_async.StrictReceivePathsCallBuilder` object configured by a current Horizon server configuration.

`async submit_transaction(transaction_envelope, skip_memo_required_check=False)`

Submits a transaction to the network.

Parameters

- **transaction_envelope** (`Union[TransactionEnvelope, FeeBumpTransactionEnvelope, str]`) – `stellar_sdk.transaction_envelope.TransactionEnvelope` object or base64 encoded xdr
- **skip_memo_required_check** (`bool`) – Allow skipping memo

Return type `Dict[str, Any]`

Returns the response from horizon

Raises `ConnectionError` `NotFoundError` `BadRequestError` `BadResponseError` `UnknownRequestError` `AccountRequiresMemoError`

`trade_aggregations(base, counter, resolution, start_time=None, end_time=None, offset=None)`

Parameters

- **base** (`Asset`) – base asset

- **counter** ([Asset](#)) – counter asset
- **resolution** ([int](#)) – segment duration as millis since epoch. *Supported values are 1 minute (60000), 5 minutes (300000), 15 minutes (900000), 1 hour (3600000), 1 day (86400000) and 1 week (604800000).*
- **start_time** ([Optional\[int\]](#)) – lower time boundary represented as millis since epoch
- **end_time** ([Optional\[int\]](#)) – upper time boundary represented as millis since epoch
- **offset** ([Optional\[int\]](#)) – segments can be offset using this parameter. Expressed in milliseconds. *Can only be used if the resolution is greater than 1 hour. Value must be in whole hours, less than the provided resolution, and less than 24 hours.*

Return type [TradeAggregationsCallBuilder](#)

Returns New [stellar_sdk.call_builder.call_builder_async.TradeAggregationsCallBuilder](#) object configured by a current Horizon server configuration.

trades()

Return type [TradesCallBuilder](#)

Returns New [stellar_sdk.call_builder.call_builder_async.TradesCallBuilder](#) object configured by a current Horizon server configuration.

transactions()

Return type [TransactionsCallBuilder](#)

Returns New [stellar_sdk.call_builder.call_builder_async.TransactionsCallBuilder](#) object configured by a current Horizon server configuration.

2.1.17 Signer

class [stellar_sdk.signer.Signer](#)(*signer_key, weight*)

The [Signer](#) object, which represents an account signer on Stellar's network.

An example:

```
from stellar_sdk import Signer

signer_ed25519 = Signer.ed25519_public_key("GCC3U63F5OJIG4VS6XCFUJGCQRRMNCVGASDGIZZEP3AZ242K4J
1) signer_sha256_hash = Signer.sha256_hash("XCC3U63F5OJIG4VS6XCFUJGCQRRMNCVGASDGIZZEP3AZ242K4J
2) signer_pre_auth_tx = Signer.pre_auth_tx("TCC3U63F5OJIG4VS6XCFUJGCQRRMNCVGASDGIZZEP3AZ242K4J
3) print(f'signer_ed25519 account id: {signer_ed25519.signer_key.encoded_signer_key}')
print(f'signer_ed25519 weight: {signer_ed25519.weight}')
```

Parameters

- **signer_key** ([SignerKey](#)) – The signer object
- **weight** ([int](#)) – The weight of the key

classmethod [ed25519_public_key](#)(*cls, account_id, weight*)

Create ED25519 PUBLIC KEY Signer from account id.

Parameters

- **account_id** ([Union\[str, bytes\]](#)) – account id (ex. "GDNA2V62PVEFBZ74CDJKTUHLY4Y7PL5UAV2MAM4VWF6USFE3SH2354AD")

- **weight** (`int`) – The weight of the signer (0 to delete or 1-255)

Return type `Signer`

Returns ED25519 PUBLIC KEY Signer

Raises `Ed25519PublicKeyInvalidError`: if account_id is not a valid ed25519 public key.

classmethod `from_xdr_object`(`cls, xdr_object`)

Create a `Signer` from an XDR Signer object.

Parameters `xdr_object` (`Signer`) – The XDR Signer object.

Return type `Signer`

Returns A new `Signer` object from the given XDR Signer object.

classmethod `pre_auth_tx`(`cls, pre_auth_tx_hash, weight`)

Create Pre AUTH TX Signer from the sha256 hash of a transaction, click [here](#) for more information.

Parameters

- **pre_auth_tx_hash** (`Union[str, bytes]`) – The sha256 hash of a transaction (ex. "TDNA2V62PVEFBZ74CDJKTUHLY4Y7PL5UAV2MAM4VWF6USFE3SH234BSS" or bytes)
- **weight** (`int`) – The weight of the signer (0 to delete or 1-255)

Return type `Signer`

Returns Pre AUTH TX Signer

classmethod `sha256_hash`(`cls, sha256_hash, weight`)

Create SHA256 HASH Signer from a sha256 hash of a preimage, click [here](#) for more information.

Parameters

- **sha256_hash** (`Union[str, bytes]`) – a sha256 hash of a preimage (ex. "XDNA2V62PVEFBZ74CDJKTUHLY4Y7PL5UAV2MAM4VWF6USFE3SH235FXL" or bytes)
- **weight** (`int`) – The weight of the signer (0 to delete or 1-255)

Return type `Signer`

Returns SHA256 HASH Signer

to_xdr_object()

Returns the xdr object for this Signer object.

Return type `Signer`

Returns XDR Signer object

2.1.18 SignerKey

class `stellar_sdk.signer_key.SignerKey(signer_key, signer_key_type)`

The `SignerKey` object, which represents an account signer key on Stellar's network.

Parameters

- **signer_key** (`bytes`) – The signer key.
- **signer_key** – The signer key type.

```
classmethod ed25519_public_key(cls, account_id)
    Create ED25519 PUBLIC KEY Signer from account id.

    Parameters account_id (Union[str, bytes]) – account id
    Return type SignerKey
    Returns ED25519 PUBLIC KEY Signer
    Raises Ed25519PublicKeyInvalidError: if account_id is not a valid ed25519 public key.

property encoded_signer_key: str
    return: The signer key encoded in Strkey format.

    Return type str

classmethod from_xdr_object(cls, xdr_object)
    Create a SignerKey from an XDR SignerKey object.

    Parameters xdr_object (SignerKey) – The XDR SignerKey object.
    Return type SignerKey
    Returns A new SignerKey object from the given XDR SignerKey object.

classmethod pre_auth_tx(cls, pre_auth_tx_hash)
    Create Pre AUTH TX Signer from the sha256 hash of a transaction, click here for more information.

    Parameters pre_auth_tx_hash (Union[str, bytes]) – The sha256 hash of a transaction.
    Return type SignerKey
    Returns Pre AUTH TX Signer

classmethod sha256_hash(cls, sha256_hash)
    Create SHA256 HASH Signer from a sha256 hash of a preimage, click here for more information.

    Parameters sha256_hash (Union[str, bytes]) – a sha256 hash of a preimage
    Return type SignerKey
    Returns SHA256 HASH Signer

to_xdr_object()
    Returns the xdr object for this SignerKey object.

    Return type SignerKey
    Returns XDR Signer object
```

```
class stellar_sdk.signer_key.SignerKeyType(value)
    An enumeration.
```

2.1.19 StrKey

```
class stellar_sdk.strkey.StrKey
    StrKey is a helper class that allows encoding and decoding strkey.

    static decode_ed25519_public_key(data)
        Decodes encoded ed25519 public key strkey to raw data.

        Parameters data (str) – encoded ed25519 public key strkey
```

Return type bytes

Returns raw bytes

Raises `Ed25519PublicKeyInvalidError`

static decode_ed25519_secret_seed(data)

Decodes encoded ed25519 secret seed strkey to raw data.

Parameters data (str) – encoded ed25519 secret seed strkey

Return type bytes

Returns raw bytes

Raises `Ed25519SecretSeedInvalidError`

static decode_muxed_account(data)

Decodes encoded muxed account strkey to raw data.

Parameters data (str) – encoded muxed account strkey

Return type `MuxedAccount`

Returns raw bytes

Raises `ValueError`

static decode_pre_auth_tx(data)

Decodes encoded pre auth tx strkey to raw data.

Parameters data (str) – encoded pre auth tx strkey

Return type bytes

Returns raw bytes

Raises `ValueError`

static decode_sha256_hash(data)

Decodes encoded sha256 hash strkey to raw data.

Parameters data (str) – encoded sha256 hash strkey

Return type bytes

Returns raw bytes

Raises `ValueError`

static encode_ed25519_public_key(data)

Encodes data to encoded ed25519 public key strkey.

Parameters data (bytes) – data to encode

Return type str

Returns encoded ed25519 public key strkey

Raises `ValueError`

static encode_ed25519_secret_seed(data)

Encodes data to encoded ed25519 secret seed strkey.

Parameters data (bytes) – data to encode

Return type str

Returns encoded ed25519 secret seed strkey

Raises ValueError

static encode_muxed_account(*data*)

Encodes data to encoded muxed account strkey.

Parameters `data` (*MuxedAccount*) – data to encode

Return type `str`

Returns encoded muxed account strkey

Raises ValueError

static encode_pre_auth_tx(*data*)

Encodes data to encoded pre auth tx strkey.

Parameters `data` (*bytes*) – data to encode

Return type `str`

Returns encoded pre auth tx strkey

Raises ValueError

static encode_sha256_hash(*data*)

Encodes data to encoded sha256 hash strkey.

Parameters `data` (*bytes*) – data to encode

Return type `str`

Returns encoded sha256 hash strkey

Raises ValueError

static is_valid_ed25519_public_key(*public_key*)

Returns True if the given *seed* is a valid ed25519 public key strkey.

Parameters `public_key` (`str`) – encoded ed25519 public key strkey

Return type `bool`

Returns True if the given key is valid

static is_valid_ed25519_secret_seed(*seed*)

Returns True if the given *seed* is a valid ed25519 secret seed strkey.

Parameters `seed` (`str`) – encoded ed25519 secret seed strkey

Return type `bool`

Returns True if the given key is valid

static is_valid_pre_auth_tx(*pre_auth_tx*)

Returns True if the given *pre_auth_tx* is a valid encoded pre auth tx strkey.

Parameters `pre_auth_tx` (`str`) – encoded pre auth tx strkey

Return type `bool`

Returns True if the given key is valid

```
static is_valid_sha256_hash(sha256_hash)
```

Returns True if the given `sha256_hash` is a valid encoded sha256 hash(HashX) strkey.

Parameters `sha256_hash (str)` – encoded sha256 hash(HashX) strkey

Return type `bool`

Returns True if the given key is valid

2.1.20 TimeBounds

```
class stellar_sdk.time_bounds.TimeBounds(min_time, max_time)
```

`TimeBounds` represents the time interval that a transaction is valid.

The UNIX timestamp (in seconds), determined by ledger time, of a lower and upper bound of when this transaction will be valid. If a transaction is submitted too early or too late, it will fail to make it into the transaction set. `max_time` equal `0` means that it's not set.

See [Stellar's documentation on Transactions](#) for more information on how `TimeBounds` are used within transactions.

Parameters

- `min_time (int)` – the UNIX timestamp (in seconds)
- `max_time (int)` – the UNIX timestamp (in seconds)

Raises `ValueError`: if `max_time` less than `min_time`.

```
classmethod from_xdr_object(cls, xdr_object)
```

Create a `TimeBounds` from an XDR `TimeBounds` object.

Parameters `xdr_object (TimeBounds)` – The XDR `TimeBounds` object.

Return type `TimeBounds`

Returns A new `TimeBounds` object from the given XDR `TimeBounds` object.

```
to_xdr_object()
```

Returns the xdr object for this `TimeBounds` object.

Return type `TimeBounds`

Returns XDR `TimeBounds` object

2.1.21 DecoratedSignature

```
class stellar_sdk.decorated_signature.DecoratedSignature(signature_hint, signature)
```

```
classmethod from_xdr_object(cls, xdr_object)
```

Create a `DecoratedSignature` from an XDR `DecoratedSignature` object.

Parameters `xdr_object (DecoratedSignature)` – The XDR `DecoratedSignature` object.

Return type `DecoratedSignature`

Returns A new `DecoratedSignature` object from the given XDR `DecoratedSignature` object.

to_xdr_object()

Returns the xdr object for this DecoratedSignature object.

Return type *DecoratedSignature*

Returns XDR DecoratedSignature object

2.1.22 Transaction

```
class stellar_sdk.transaction.Transaction(source, sequence, fee, operations, memo=None,
                                         time_bounds=None, v1=True)
```

The *Transaction* object, which represents a transaction(Transaction or TransactionV0) on Stellar's network.

A transaction contains a list of operations, which are all executed in order as one ACID transaction, along with an associated source account, fee, account sequence number, list of signatures, both an optional memo and an optional TimeBounds. Typically a *Transaction* is placed in a *TransactionEnvelope* which is then signed before being sent over the network.

For more information on Transactions in Stellar, see [Stellar's guide on transactions](#).

Parameters

- **source** ([Union\[MuxedAccount, Keypair, str\]](#)) – the source account for the transaction.
- **sequence** ([int](#)) – The sequence number for the transaction.
- **fee** ([int](#)) – The max fee amount for the transaction, which should equal FEE (currently least 100 stroops) multiplied by the number of operations in the transaction. See [Stellar's latest documentation on fees](#) for more information.
- **operations** ([List\[Operation\]](#)) – A list of operations objects (typically its subclasses as defined in [stellar_sdk.operation.Operation](#)).
- **time_bounds** ([Optional\[TimeBounds\]](#)) – The timebounds for the validity of this transaction.
- **memo** ([Optional\[Memo\]](#)) – The memo being sent with the transaction, being represented as one of the subclasses of the [Memo](#) object.
- **v1** ([bool](#)) – When this value is set to True, V1 transactions will be generated, otherwise V0 transactions will be generated. See [CAP-0015](#) for more information.

classmethod from_xdr(cls, xdr, v1=True)

Create a new *Transaction* from an XDR string.

Parameters

- **xdr** ([str](#)) – The XDR string that represents a transaction.
- **v1** ([bool](#)) – Temporary feature flag to allow alpha testing of Stellar Protocol 13 transactions. We will remove this once all transactions are supposed to be v1. See [CAP-0015](#) for more information.

Return type *Transaction*

Returns A new *Transaction* object from the given XDR Transaction base64 string object.

classmethod from_xdr_object(cls, xdr_object, v1=True)

Create a new *Transaction* from an XDR object.

Parameters

- **xdr_object** (`Union[Transaction, TransactionV0]`) – The XDR object that represents a transaction.
- **v1** (`bool`) – Temporary feature flag to allow alpha testing of Stellar Protocol 13 transactions. We will remove this once all transactions are supposed to be v1. See [CAP-0015](#) for more information.

Return type `Transaction`

Returns A new `Transaction` object from the given XDR Transaction object.

get_claimable_balance_id(operation_index)

Calculate the claimable balance ID for an operation within the transaction.

Parameters `operation_index` (`int`) – the index of the CreateClaimableBalance operation.

Return type `str`

Returns a hex string representing the claimable balance ID.

Raises

`IndexError`: if `operation_index` is invalid.

`TypeError`: if operation at `operation_index` is not `FeeBumpTransactionEnvelope`.

to_xdr_object()

Get an XDR object representation of this `Transaction`.

Return type `Union[Transaction, TransactionV0]`

Returns XDR Transaction object

2.1.23 `TransactionEnvelope`

```
class stellar_sdk.transaction_envelope.TransactionEnvelope(transaction, network_passphrase,
                                                               signatures=None)
```

The `TransactionEnvelope` object, which represents a transaction envelope ready to sign and submit to send over the network.

When a transaction is ready to be prepared for sending over the network, it must be put into a `TransactionEnvelope`, which includes additional metadata such as the signers for a given transaction. Ultimately, this class handles signing and conversion to and from XDR for usage on Stellar's network.

Parameters

- **transaction** (`Transaction`) – The transaction that is encapsulated in this envelope.
- **signatures** (`list`) – which contains a list of signatures that have already been created.
- **network_passphrase** (`str`) – The network to connect to for verifying and retrieving additional attributes from.

classmethod from_xdr(cls, xdr, network_passphrase)

Create a new `BaseTransactionEnvelope` from an XDR string.

Parameters

- **xdr** (`str`) – The XDR string that represents a transaction envelope.
- **network_passphrase** (`str`) – which network this transaction envelope is associated with.

Return type `TypeVar(T)`

Returns A new `BaseTransactionEnvelope` object from the given XDR `TransactionEnvelope` base64 string object.

classmethod `from_xdr_object`(`cls, xdr_object, network_passphrase`)

Create a new `TransactionEnvelope` from an XDR object.

Parameters

- **xdr_object** (`TransactionEnvelope`) – The XDR object that represents a transaction envelope.
- **network_passphrase** (`str`) – The network to connect to for verifying and retrieving additional attributes from.

Return type `TransactionEnvelope`

Returns A new `TransactionEnvelope` object from the given XDR `TransactionEnvelope` object.

hash()

Get the XDR Hash of the signature base.

This hash is ultimately what is signed before transactions are sent over the network. See `signature_base()` for more details about this process.

Return type `bytes`

Returns The XDR Hash of this transaction envelope's signature base.

hash_hex()

Return a hex encoded hash for this transaction envelope.

Return type `str`

Returns A hex encoded hash for this transaction envelope.

sign(`signer`)

Sign this transaction envelope with a given keypair.

Note that the signature must not already be in this instance's list of signatures.

Parameters `signer` (`Union[Keypair, str]`) – The keypair or secret to use for signing this transaction envelope.

Raise `SignatureExistError`: if this signature already exists.

Return type `None`

sign_hashx(`preimage`)

Sign this transaction envelope with a Hash(x) signature.

See Stellar's documentation on [Multi-Sig](#) for more details on Hash(x) signatures.

Parameters `preimage` (`Union[bytes, str]`) – Preimage of hash used as signer, byte hash or hex encoded string

Return type `None`

signature_base()

Get the signature base of this transaction envelope.

Return the “signature base” of this transaction, which is the value that, when hashed, should be signed to create a signature that validators on the Stellar Network will accept.

It is composed of a 4 prefix bytes followed by the xdr-encoded form of this transaction.

Return type `bytes`

Returns The signature base of this transaction envelope.

to_transaction_envelope_v1()

Create a new `TransactionEnvelope`, if the internal tx is not v1, we will convert it to v1.

Return type `TransactionEnvelope`

to_xdr()

Get the base64 encoded XDR string representing this `BaseTransactionEnvelope`.

Return type `str`

Returns XDR TransactionEnvelope base64 string object

to_xdr_object()

Get an XDR object representation of this `TransactionEnvelope`.

Return type `TransactionEnvelope`

Returns XDR TransactionEnvelope object

2.1.24 FeeBumpTransaction

```
class stellar_sdk.fee_bump_transaction.FeeBumpTransaction(fee_source, base_fee,  
inner_transaction_envelope)
```

The `FeeBumpTransaction` object, which represents a fee bump transaction on Stellar's network.

See Fee-Bump Transactions for more information. See CAP-0015 for more information.

Parameters

- `fee_source` (`Union[MuxedAccount, Keypair, str]`) – The account paying for the transaction.
- `base_fee` (`int`) – The max fee willing to pay per operation in inner transaction (**in stroops**).
- `inner_transaction_envelope` (`TransactionEnvelope`) – The `TransactionEnvelope` to be bumped by the fee bump transaction.

classmethod from_xdr(cls, xdr, network_passphrase)

Create a new `FeeBumpTransaction` from an XDR string.

Parameters

- `xdr` (`str`) – The XDR string that represents a transaction.
- `network_passphrase` (`str`) – The network to connect to for verifying and retrieving additional attributes from.

Return type `FeeBumpTransaction`

Returns A new `FeeBumpTransaction` object from the given XDR FeeBumpTransaction base64 string object.

classmethod from_xdr_object(cls, xdr_object, network_passphrase)

Create a new `FeeBumpTransaction` from an XDR object.

Parameters

- `xdr_object` (`FeeBumpTransaction`) – The XDR object that represents a fee bump transaction.

- **network_passphrase** (`str`) – The network to connect to for verifying and retrieving additional attributes from.

Return type `FeeBumpTransaction`

Returns A new `FeeBumpTransaction` object from the given XDR Transaction object.

`to_xdr_object()`

Get an XDR object representation of this `FeeBumpTransaction`.

Return type `FeeBumpTransaction`

Returns XDR Transaction object

2.1.25 FeeBumpTransactionEnvelope

```
class stellar_sdk.fee_bump_transaction_envelope.FeeBumpTransactionEnvelope(transaction, net-
                                work_passphrase,
                                signatures=None)
```

The `FeeBumpTransactionEnvelope` object, which represents a fee bump transaction envelope ready to sign and submit to send over the network.

When a fee bump transaction is ready to be prepared for sending over the network, it must be put into a `FeeBumpTransactionEnvelope`, which includes additional metadata such as the signers for a given transaction. Ultimately, this class handles signing and conversion to and from XDR for usage on Stellar's network.

See Fee-Bump Transactions for more information. See CAP-0015 for more information.

Parameters

- **transaction** (`FeeBumpTransaction`) – The fee bump transaction that is encapsulated in this envelope.
- **signatures** (`list`) – which contains a list of signatures that have already been created.
- **network_passphrase** (`str`) – The network to connect to for verifying and retrieving additional attributes from.

```
classmethod from_xdr(cls, xdr, network_passphrase)
```

Create a new `BaseTransactionEnvelope` from an XDR string.

Parameters

- **xdr** (`str`) – The XDR string that represents a transaction envelope.
- **network_passphrase** (`str`) – which network this transaction envelope is associated with.

Return type `TypeVar(T)`

Returns A new `BaseTransactionEnvelope` object from the given XDR `TransactionEnvelope` base64 string object.

```
classmethod from_xdr_object(cls, xdr_object, network_passphrase)
```

Create a new `FeeBumpTransactionEnvelope` from an XDR object.

Parameters

- **xdr_object** (`TransactionEnvelope`) – The XDR object that represents a fee bump transaction envelope.
- **network_passphrase** (`str`) – The network to connect to for verifying and retrieving additional attributes from.

Return type `FeeBumpTransactionEnvelope`

Returns A new `FeeBumpTransactionEnvelope` object from the given XDR TransactionEnvelope object.

`hash()`

Get the XDR Hash of the signature base.

This hash is ultimately what is signed before transactions are sent over the network. See `signature_base()` for more details about this process.

Return type `bytes`

Returns The XDR Hash of this transaction envelope's signature base.

`hash_hex()`

Return a hex encoded hash for this transaction envelope.

Return type `str`

Returns A hex encoded hash for this transaction envelope.

`sign(signer)`

Sign this transaction envelope with a given keypair.

Note that the signature must not already be in this instance's list of signatures.

Parameters `signer` (`Union[Keypair, str]`) – The keypair or secret to use for signing this transaction envelope.

Raise `SignatureExistError`: if this signature already exists.

Return type `None`

`sign_hashx(preimage)`

Sign this transaction envelope with a Hash(x) signature.

See Stellar's documentation on [Multi-Sig](#) for more details on Hash(x) signatures.

Parameters `preimage` (`Union[bytes, str]`) – Preimage of hash used as signer, byte hash or hex encoded string

Return type `None`

`signature_base()`

Get the signature base of this transaction envelope.

Return the “signature base” of this transaction, which is the value that, when hashed, should be signed to create a signature that validators on the Stellar Network will accept.

It is composed of a 4 prefix bytes followed by the xdr-encoded form of this transaction.

Return type `bytes`

Returns The signature base of this transaction envelope.

`to_xdr()`

Get the base64 encoded XDR string representing this BaseTransactionEnvelope.

Return type `str`

Returns XDR TransactionEnvelope base64 string object

to_xdr_object()

Get an XDR object representation of this `TransactionEnvelope`.

Return type `TransactionEnvelope`

Returns XDR `TransactionEnvelope` object

2.1.26 `TransactionBuilder`

```
class stellar_sdk.transaction_builder.TransactionBuilder(source_account,
                                                       network_passphrase='Test SDF Network ;
                                                       September 2015', base_fee=100,
                                                       v1=True)
```

Transaction builder helps constructs a new `TransactionEnvelope` using the given `Account` as the transaction's "source account". The transaction will use the current sequence number of the given account as its sequence number and increment the given account's sequence number by one. The given source account must include a private key for signing the transaction or an error will be thrown.

Be careful about **unsubmitted transactions**! When you build a transaction, stellar-sdk automatically increments the source account's sequence number. If you end up not submitting this transaction and submitting another one instead, it'll fail due to the sequence number being wrong. So if you decide not to use a built transaction, make sure to update the source account's sequence number with `stellar_sdk.server.Server.load_account()` or `stellar_sdk.server_async.ServerAsync.load_account()` before creating another transaction.

An example:

```
# Alice pay 10.25 XLM to Bob
from stellar_sdk import Server, Asset, Keypair, TransactionBuilder, Network

alice_keypair = Keypair.from_secret(
    "SBFZCHU5645DOKRWYBXVOXY2ELGJKFRX6VGGPRYUWHQ7PMXXJNDZFMKD")
bob_address = "GA7YNBW5CBTJZ3ZZOWX3ZNBKD60E7A7IHUQVWMY62W2ZBG2SGZVOOPVH"

server = Server("https://horizon-testnet.stellar.org")
alice_account = server.load_account(alice_keypair.public_key)
network_passphrase = Network.TESTNET_NETWORK_PASSPHRASE
base_fee = 100
transaction = (
    TransactionBuilder(
        source_account=alice_account,
        network_passphrase=network_passphrase,
        base_fee=base_fee,
    )
    .add_text_memo("Hello, Stellar!")
    .append_payment_op(bob_address, Asset.native(), "10.25")
    .set_timeout(30)
    .build()
)
transaction.sign(alice_keypair)
response = server.submit_transaction(transaction)
print(response)
```

Parameters

- `source_account` (`Account`) – The source account for this transaction.

- **network_passphrase** (`str`) – The network to connect to for verifying and retrieving additional attributes from. Defaults to Test SDF Network ; September 2015.
- **base_fee** (`int`) – Max fee you’re willing to pay per operation in this transaction (**in stroops**).
- **v1** (`bool`) – When this value is set to True, V1 transactions will be generated, otherwise V0 transactions will be generated. See [CAP-0015](#) for more information.

`add_hash_memo(memo_hash)`

Set the memo for the transaction to a new [`HashMemo`](#).

Parameters `memo_hash` (`Union[bytes, str]`) – A 32 byte hash or hex encoded string to use as the memo.

Return type [`TransactionBuilder`](#)

Returns This builder instance.

Raises [`MemoInvalidException`](#): if `memo_hash` is not a valid hash memo.

`add_id_memo(memo_id)`

Set the memo for the transaction to a new [`IdMemo`](#).

Parameters `memo_id` (`int`) – A 64 bit unsigned integer to set as the memo.

Return type [`TransactionBuilder`](#)

Returns This builder instance.

Raises [`MemoInvalidException`](#): if `memo_id` is not a valid id memo.

`add_memo(memo)`

Set the memo for the transaction build by this Builder.

Parameters `memo` ([`Memo`](#)) – A memo to add to this transaction.

Return type [`TransactionBuilder`](#)

Returns This builder instance.

`add_return_hash_memo(memo_return)`

Set the memo for the transaction to a new [`RetHashMemo`](#).

Parameters `memo_return` (`Union[bytes, str]`) – A 32 byte hash or hex encoded string intended to be interpreted as the hash of the transaction the sender is refunding.

Return type [`TransactionBuilder`](#)

Returns This builder instance.

Raises [`MemoInvalidException`](#): if `memo_return` is not a valid return hash memo.

`add_text_memo(memo_text)`

Set the memo for the transaction to a new [`TextMemo`](#).

Parameters `memo_text` (`Union[str, bytes]`) – The text for the memo to add.

Return type [`TransactionBuilder`](#)

Returns This builder instance.

Raises [`MemoInvalidException`](#): if `memo_text` is not a valid text memo.

add_time_bounds(*min_time*, *max_time*)

Add a time bound to this transaction.

Add a UNIX timestamp, determined by ledger time, of a lower and upper bound of when this transaction will be valid. If a transaction is submitted too early or too late, it will fail to make it into the transaction set. *max_time* equal `0` means that it's not set.

Parameters

- **min_time** (`int`) – the UNIX timestamp (in seconds)
- **max_time** (`int`) – the UNIX timestamp (in seconds)

Return type `TransactionBuilder`

Returns This builder instance.

append_account_merge_op(*destination*, *source=None*)

Append a `AccountMerge` operation to the list of operations.

Parameters

- **destination** (`Union[MuxedAccount, str]`) – The ID of the offer. 0 for new offer. Set to existing offer ID to update or delete.
- **source** (`Union[MuxedAccount, str, None]`) – The source address that is being merged into the destination account.

Return type `TransactionBuilder`

Returns This builder instance.

append_allow_trust_op(*trustor*, *asset_code*, *authorize*, *source=None*)

Append an `AllowTrust` operation to the list of operations.

Parameters

- **trustor** (`str`) – The account of the recipient of the trustline.
- **asset_code** (`str`) – The asset of the trustline the source account is authorizing. For example, if an anchor wants to allow another account to hold its USD credit, the type is `USD:anchor`.
- **authorize** (`Union[TrustLineEntryFlag, bool]`) – `True` to authorize the line, `False` to deauthorize if you need further control, you can also use `stellar_sdk.operation.allow_trust.TrustLineEntryFlag`.
- **source** (`Union[MuxedAccount, str, None]`) – The source address that is establishing the trust in the allow trust operation.

Return type `TransactionBuilder`

Returns This builder instance.

append_begin_sponsoring_future_reserves_op(*sponsored_id*, *source=None*)

Append a `BeginSponsoringFutureReserves` operation to the list of operations.

Parameters

- **sponsored_id** (`str`) – The sponsored account id.
- **source** (`Union[MuxedAccount, str, None]`) – The source account for the operation. Defaults to the transaction's source account.

Return type `TransactionBuilder`

Returns This builder instance.

append_bump_sequence_op(*bump_to*, *source=None*)

Append a *BumpSequence* operation to the list of operations.

Parameters

- **bump_to** (`int`) – Sequence number to bump to.
- **source** (`Union[MuxedAccount, str, None]`) – The source address that is running the inflation operation.

Return type *TransactionBuilder*

Returns This builder instance.

append_change_trust_op(*asset*, *limit=None*, *source=None*)

Append a *ChangeTrust* operation to the list of operations.

Parameters

- **asset** (`Union[Asset, LiquidityPoolAsset]`) – The asset for the trust line.
- **limit** (`Union[str, Decimal, None]`) – The limit for the asset, defaults to max int64(922337203685.4775807). If the limit is set to "0" it deletes the trustline.
- **source** (`Union[MuxedAccount, str, None]`) – The source address to add the trustline to.

Return type *TransactionBuilder*

Returns This builder instance.

append_claim_claimable_balance_op(*balance_id*, *source=None*)

Append a *ClaimClaimableBalance* operation to the list of operations.

Parameters

- **balance_id** (`str`) – The claimable balance id to be claimed.
- **source** (`Union[MuxedAccount, str, None]`) – The source account for the operation. Defaults to the transaction's source account.

Return type *TransactionBuilder*

append_clawback_claimable_balance_op(*balance_id*, *source=None*)

Append an *ClawbackClaimableBalance* operation to the list of operations.

Parameters

- **balance_id** (`str`) – The claimable balance ID to be clawed back.
- **source** (`Union[MuxedAccount, str, None]`) – The source account for the operation. Defaults to the transaction's source account.

Return type *TransactionBuilder*

Returns This builder instance.

append_clawback_op(*asset*, *from_*, *amount*, *source=None*)

Append an *Clawback* operation to the list of operations.

Parameters

- **asset** (`Asset`) – The asset being clawed back.
- **from** – The public key of the account to claw back from.

- **amount** (`Union[str, Decimal]`) – The amount of the asset to claw back.
- **source** (`Union[MuxedAccount, str, None]`) – The source account for the operation. Defaults to the transaction's source account.

Return type `TransactionBuilder`

`append_create_account_op(destination, starting_balance, source=None)`

Append a `CreateAccount` operation to the list of operations.

Parameters

- **destination** (`str`) – Account address that is created and funded.
- **starting_balance** (`Union[str, Decimal]`) – Amount of XLM to send to the newly created account. This XLM comes from the source account.
- **source** (`Union[MuxedAccount, str, None]`) – The source address to deduct funds from to fund the new account.

Return type `TransactionBuilder`

Returns This builder instance.

`append_create_claimable_balance_op(asset, amount, claimants, source=None)`

Append a `CreateClaimableBalance` operation to the list of operations.

Parameters

- **asset** (`Asset`) – The asset for the claimable balance.
- **amount** (`Union[str, Decimal]`) – the amount of the asset.
- **claimants** (`List[Claimant]`) – A list of Claimants.
- **source** (`Union[MuxedAccount, str, None]`) – The source account for the operation. Defaults to the transaction's source account.

Return type `TransactionBuilder`

`append_create_passive_sell_offer_op(selling, buying, amount, price, source=None)`

Append a `CreatePassiveSellOffer` operation to the list of operations.

Parameters

- **selling** (`Asset`) – What you're selling.
- **buying** (`Asset`) – What you're buying.
- **amount** (`Union[str, Decimal]`) – The total amount you're selling.
- **price** (`Union[Price, str, Decimal]`) – Price of 1 unit of `selling` in terms of `buying`.
- **source** (`Union[MuxedAccount, str, None]`) – The source account for the operation. Defaults to the transaction's source account.

Return type `TransactionBuilder`

Returns This builder instance.

`append_ed25519_public_key_signer(account_id, weight, source=None)`

Add a ed25519 public key signer to an account via a `SetOptions` <`stellar_sdk.operation.SetOptions`> operation. This is a helper function for `append_set_options_op()`.

Parameters

- **account_id** (`str`) – The account id of the new ed25519_public_key signer. (ex. "GDNA2V62PVEFBZ74CDJKTUHLY4Y7PL5UAV2MAM4VWF6USFE3SH2354AD")
- **weight** (`int`) – The weight of the new signer.
- **source** (`Union[MuxedAccount, str, None]`) – The source account that is adding a signer to its list of signers.

Return type `TransactionBuilder`

Returns This builder instance.

`append_end_sponsoring_future_reserves_op(source=None)`

Append a `EndSponsoringFutureReserves` operation to the list of operations.

Parameters `source` (`Union[MuxedAccount, str, None]`) – The source account for the operation. Defaults to the transaction's source account.

Return type `TransactionBuilder`

Returns This builder instance.

`append_hashx_signer(sha256_hash, weight, source=None)`

Add a sha256 hash(HashX) signer to an account via a `SetOptions` <stellar_sdk.operation.SetOptions> operation. This is a helper function for `append_set_options_op()`.

Parameters

- **sha256_hash** (`Union[bytes, str]`) – The address of the new sha256 hash(hashX) signer, a 32 byte hash, hex encoded string or encode strikey. (ex. "XDNA2V62PVEFBZ74CDJKTUHLY4Y7PL5UAV2MAM4VWF6USFE3SH235FXL", "da0d57da7d4850e7fc10d2a9d0ebc731f7afb40574c03395b17d49149b91f5be" or bytes)
- **weight** (`int`) – The weight of the new signer.
- **source** (`Union[MuxedAccount, str, None]`) – The source account that is adding a signer to its list of signers.

Return type `TransactionBuilder`

Returns This builder instance.

`append_inflation_op(source=None)`

Append a `Inflation` operation to the list of operations.

Parameters `source` (`Union[MuxedAccount, str, None]`) – The source address that is running the inflation operation.

Return type `TransactionBuilder`

Returns This builder instance.

`append_liquidity_pool_deposit_op(liquidity_pool_id, max_amount_a, max_amount_b, min_price, max_price, source=None)`

Append an `LiquidityPoolDeposit` operation to the list of operations.

Parameters

- **liquidity_pool_id** (`str`) – The liquidity pool ID.
- **max_amount_a** (`Union[str, Decimal]`) – Maximum amount of first asset to deposit.
- **max_amount_b** (`Union[str, Decimal]`) – Maximum amount of second asset to deposit.

- **min_price** (`Union[str, Decimal, Price]`) – Minimum deposit_a/deposit_b price.
- **max_price** (`Union[str, Decimal, Price]`) – Maximum deposit_a/deposit_b price.
- **source** (`Union[MuxedAccount, str, None]`) – The source account for the operation. Defaults to the transaction's source account.

Return type `TransactionBuilder`

Returns This builder instance.

append_liquidity_pool_withdraw_op(*liquidity_pool_id*, *amount*, *min_amount_a*, *min_amount_b*, *source=None*)

Append an `LiquidityPoolWithdraw` operation to the list of operations.

Parameters

- **liquidity_pool_id** (`str`) – The liquidity pool ID.
- **amount** (`Union[str, Decimal]`) – Amount of pool shares to withdraw.
- **min_amount_a** (`Union[str, Decimal]`) – Minimum amount of first asset to withdraw.
- **min_amount_b** (`Union[str, Decimal]`) – Minimum amount of second asset to withdraw.
- **source** (`Union[MuxedAccount, str, None]`) – The source account for the operation. Defaults to the transaction's source account.

Return type `TransactionBuilder`

Returns This builder instance.

append_manage_buy_offer_op(*selling*, *buying*, *amount*, *price*, *offer_id=0*, *source=None*)

Append a `ManageBuyOffer` operation to the list of operations.

Parameters

- **selling** (`Asset`) – What you're selling.
- **buying** (`Asset`) – What you're buying.
- **amount** (`Union[str, Decimal]`) – Amount being bought. If set to 0, delete the offer.
- **price** (`Union[Price, str, Decimal]`) – Price of thing being bought in terms of what you are selling.
- **offer_id** (`int`) – If 0, will create a new offer (default). Otherwise, edits an existing offer.
- **source** (`Union[MuxedAccount, str, None]`) – The source account for the operation. Defaults to the transaction's source account.

Return type `TransactionBuilder`

Returns This builder instance.

append_manage_data_op(*data_name*, *data_value*, *source=None*)

Append a `ManageData` operation to the list of operations.

Parameters

- **data_name** (`str`) – If this is a new Name it will add the given name/value pair to the account. If this Name is already present then the associated value will be modified. Up to 64 bytes long.
- **data_value** (`Union[str, bytes, None]`) – If not present then the existing *data_name* will be deleted. If present then this value will be set in the DataEntry. Up to 64 bytes long.

- **source** (`Union[MuxedAccount, str, None]`) – The source account on which data is being managed. operation.

Return type `TransactionBuilder`

Returns This builder instance.

append_manage_sell_offer_op(*selling*, *buying*, *amount*, *price*, *offer_id*=0, *source*=None)

Append a `ManageSellOffer` operation to the list of operations.

Parameters

- **selling** (`Asset`) – What you’re selling.
- **buying** (`Asset`) – What you’re buying.
- **amount** (`Union[str, Decimal]`) – The total amount you’re selling. If 0, deletes the offer.
- **price** (`Union[Price, str, Decimal]`) – Price of 1 unit of *selling* in terms of *buying*.
- **offer_id** (`int`) – If 0, will create a new offer (default). Otherwise, edits an existing offer.
- **source** (`Union[MuxedAccount, str, None]`) – The source account for the operation. Defaults to the transaction’s source account.

Return type `TransactionBuilder`

Returns This builder instance.

append_operation(*operation*)

Add an operation to the builder instance

Parameters **operation** (`Operation`) – an operation

Return type `TransactionBuilder`

Returns This builder instance.

append_path_payment_strict_receive_op(*destination*, *send_asset*, *send_max*, *dest_asset*, *dest_amount*, *path*, *source*=None)

Append a `PathPaymentStrictReceive` operation to the list of operations.

Parameters

- **destination** (`Union[MuxedAccount, str]`) – The destination account to send to.
- **send_asset** (`Asset`) – The *asset* to pay with.
- **send_max** (`Union[str, Decimal]`) – The maximum amount of *send_asset* to send.
- **dest_asset** (`Asset`) – The asset the *destination* will receive.
- **dest_amount** (`Union[str, Decimal]`) – The amount the *destination* receives.
- **path** (`List[Asset]`) – A list of Asset objects to use as the path.
- **source** (`Union[MuxedAccount, str, None]`) – The source account for the operation. Defaults to the transaction’s source account.

Return type `TransactionBuilder`

Returns This builder instance.

append_path_payment_strict_send_op(*destination*, *send_asset*, *send_amount*, *dest_asset*, *dest_min*, *path*, *source*=None)

Append a `PathPaymentStrictSend` operation to the list of operations.

Parameters

- **destination** (`Union[MuxedAccount, str]`) – The destination account to send to.
- **send_asset** (`Asset`) – The *asset* to pay with.
- **send_amount** (`Union[str, Decimal]`) – Amount of *send_asset* to send.
- **dest_asset** (`Asset`) – The asset the *destination* will receive.
- **dest_min** (`Union[str, Decimal]`) – The minimum amount of *dest_asset* to be received.
- **path** (`List[Asset]`) – A list of Asset objects to use as the path.
- **source** (`Union[MuxedAccount, str, None]`) – The source account for the operation. Defaults to the transaction's source account.

Return type `TransactionBuilder`

Returns This builder instance.

append_payment_op(*destination*, *asset*, *amount*, *source=None*)

Append a `Payment` operation to the list of operations.

Parameters

- **destination** (`Union[MuxedAccount, str]`) – The destination account ID.
- **asset** (`Asset`) – The asset to send.
- **amount** (`Union[str, Decimal]`) – The amount to send.
- **source** (`Union[MuxedAccount, str, None]`) – The source account for the operation. Defaults to the transaction's source account.

Return type `TransactionBuilder`

Returns This builder instance.

append_pre_auth_tx_signer(*pre_auth_tx_hash*, *weight*, *source=None*)

Add a PreAuthTx signer to an account via a `SetOptions` <`stellar_sdk.operation.SetOptions`> operation. This is a helper function for `append_set_options_op()`.

Parameters

- **pre_auth_tx_hash** (`Union[str, bytes]`) – The address of the new preAuthTx signer - obtained by calling `hash` on the `TransactionEnvelope`, a 32 byte hash, hex encoded string or encode strkey. (ex. "TDNA2V62PVEFBZ74CDJKTUHLY4Y7PL5UAV2MAM4VWF6USFE3SH234BSS", "da0d57da7d4850e7fc10d2a9d0ebc731f7afb40574c03395b17d49149b91f5be" or bytes)
- **weight** (`int`) – The weight of the new signer.
- **source** – The source account that is adding a signer to its list of signers.

Return type `TransactionBuilder`

Returns This builder instance.

append_revoke_account_sponsorship_op(*account_id*, *source=None*)

Append a `RevokeSponsorship` operation for an account to the list of operations.

Parameters

- **account_id** (`str`) – The sponsored account ID.

- **source** (`Union[MuxedAccount, str, None]`) – The source account for the operation. Defaults to the transaction’s source account.

Return type `TransactionBuilder`

Returns This builder instance.

append_revoke_claimable_balance_sponsorship_op(*claimable_balance_id*, *source=None*)

Append a `RevokeSponsorship` operation for a claimable to the list of operations.

Parameters

- **claimable_balance_id** (`str`) – The sponsored claimable balance ID.
- **source** (`Union[MuxedAccount, str, None]`) – The source account for the operation. Defaults to the transaction’s source account.

Return type `TransactionBuilder`

Returns This builder instance.

append_revoke_data_sponsorship_op(*account_id*, *data_name*, *source=None*)

Append a `RevokeSponsorship` operation for a data entry to the list of operations.

Parameters

- **account_id** (`str`) – The account ID which owns the data entry.
- **data_name** (`str`) – The name of the data entry
- **source** (`Union[MuxedAccount, str, None]`) – The source account for the operation. Defaults to the transaction’s source account.

Return type `TransactionBuilder`

Returns This builder instance.

append_revoke_ed25519_public_key_signer_sponsorship_op(*account_id*, *signer_key*, *source=None*)

Append a `RevokeSponsorship` operation for a ed25519_public_key signer to the list of operations.

Parameters

- **account_id** (`str`) – The account ID where the signer sponsorship is being removed from.
- **signer_key** (`str`) – The account id of the ed25519_public_key signer. (ex. "GDNA2V62PVEFBZ74CDJKTUHLY4Y7PL5UAV2MAM4VWF6USFE3SH2354AD")
- **source** (`Union[MuxedAccount, str, None]`) – The source account for the operation. Defaults to the transaction’s source account.

Return type `TransactionBuilder`

Returns This builder instance.

append_revoke_hashx_signer_sponsorship_op(*account_id*, *signer_key*, *source=None*)

Append a `RevokeSponsorship` operation for a hashx signer to the list of operations.

Parameters

- **account_id** (`str`) – The account ID where the signer sponsorship is being removed from.
- **signer_key** (`Union[bytes, str]`) – The account id of the hashx signer. (ex. "XDNA2V62PVEFBZ74CDJKTUHLY4Y7PL5UAV2MAM4VWF6USFE3SH235FXL", "da0d57da7d4850e7fc10d2a9d0ebc731f7afb40574c03395b17d49149b91f5be" or bytes)

- **source** (`Union[MuxedAccount, str, None]`) – The source account for the operation. Defaults to the transaction’s source account.

Return type `TransactionBuilder`

Returns This builder instance.

append_revoke_liquidity_pool_sponsorship_op(*liquidity_pool_id*, *source=None*)

Append a `RevokeSponsorship` operation for a claimable to the list of operations.

Parameters

- **liquidity_pool_id** (`str`) – The sponsored liquidity pool ID in hex string.
- **source** (`Union[MuxedAccount, str, None]`) – The source account for the operation. Defaults to the transaction’s source account.

Return type `TransactionBuilder`

Returns This builder instance.

append_revoke_offer_sponsorship_op(*seller_id*, *offer_id*, *source=None*)

Append a `RevokeSponsorship` operation for an offer to the list of operations.

Parameters

- **seller_id** (`str`) – The account ID which created the offer.
- **offer_id** (`int`) – The offer ID.
- **source** (`Union[MuxedAccount, str, None]`) – The source account for the operation. Defaults to the transaction’s source account.

Return type `TransactionBuilder`

Returns This builder instance.

append_revoke_pre_auth_tx_signer_sponsorship_op(*account_id*, *signer_key*, *source=None*)

Append a `RevokeSponsorship` operation for a pre_auth_tx signer to the list of operations.

Parameters

- **account_id** (`str`) – The account ID where the signer sponsorship is being removed from.
- **signer_key** (`Union[bytes, str]`) – The account id of the pre_auth_tx signer.
(ex. "TDNA2V62PVEFBZ74CDJKTUHLY4Y7PL5UAV2MAM4VWF6USFE3SH234BSS", "da0d57da7d4850e7fc10d2a9d0ebc731f7afb40574c03395b17d49149b91f5be" or bytes)
- **source** (`Union[MuxedAccount, str, None]`) – The source account for the operation. Defaults to the transaction’s source account.

Return type `TransactionBuilder`

Returns This builder instance.

append_revoke_trustline_sponsorship_op(*account_id*, *asset*, *source=None*)

Append a `RevokeSponsorship` operation for a trustline to the list of operations.

Parameters

- **account_id** (`str`) – The account ID which owns the trustline.
- **asset** (`Union[Asset, LiquidityPoolId]`) – The asset in the trustline.
- **source** (`Union[MuxedAccount, str, None]`) – The source account for the operation. Defaults to the transaction’s source account.

Return type `TransactionBuilder`

Returns This builder instance.

```
append_set_options_op(inflation_dest=None, clear_flags=None, set_flags=None, master_weight=None,
                      low_threshold=None, med_threshold=None, high_threshold=None,
                      home_domain=None, signer=None, source=None)
```

Append a `SetOptions` operation to the list of operations.

Parameters

- **inflation_dest** (`Optional[str]`) – Account of the inflation destination.
- **clear_flags** (`Union[int, AuthorizationFlag, None]`) – Indicates which flags to clear. For details about the flags, please refer to the [Control Access to an Asset - Flag](#). The bit mask integer subtracts from the existing flags of the account. This allows for setting specific bits without knowledge of existing flags, you can also use `stellar_sdk.operation.set_options.AuthorizationFlag`
 - `AUTHORIZATION_REQUIRED` = 1
 - `AUTHORIZATION_REVOCABLE` = 2
 - `AUTHORIZATION_IMMUTABLE` = 4
 - `AUTHORIZATION_CLAWBACK_ENABLED` = 8
- **set_flags** (`Union[int, AuthorizationFlag, None]`) – Indicates which flags to set. For details about the flags, please refer to the [Control Access to an Asset - Flag](#). The bit mask integer adds onto the existing flags of the account. This allows for setting specific bits without knowledge of existing flags, you can also use `stellar_sdk.operation.set_options.AuthorizationFlag`
 - `AUTHORIZATION_REQUIRED` = 1
 - `AUTHORIZATION_REVOCABLE` = 2
 - `AUTHORIZATION_IMMUTABLE` = 4
 - `AUTHORIZATION_CLAWBACK_ENABLED` = 8
- **master_weight** (`Optional[int]`) – A number from 0-255 (inclusive) representing the weight of the master key. If the weight of the master key is updated to 0, it is effectively disabled.
- **low_threshold** (`Optional[int]`) – A number from 0-255 (inclusive) representing the threshold this account sets on all operations it performs that have a [low threshold](#).
- **med_threshold** (`Optional[int]`) – A number from 0-255 (inclusive) representing the threshold this account sets on all operations it performs that have a [medium threshold](#).
- **high_threshold** (`Optional[int]`) – A number from 0-255 (inclusive) representing the threshold this account sets on all operations it performs that have a [high threshold](#).
- **home_domain** (`Optional[str]`) – sets the home domain used for reverse `federation` lookup.
- **signer** (`Optional[Signer]`) – Add, update, or remove a signer from the account.
- **source** (`Union[MuxedAccount, str, None]`) – The source account for the operation. Defaults to the transaction's source account.

Return type `TransactionBuilder`

Returns This builder instance.

append_set_trust_line_flags_op(*trustor*, *asset*, *clear_flags=None*, *set_flags=None*, *source=None*)

Append an *SetTrustLineFlags* operation to the list of operations.

Parameters

- **trustor** (`str`) – The account whose trustline this is.
- **asset** (`Asset`) – The asset on the trustline.
- **clear_flags** (`Optional[TrustLineFlags]`) – The flags to clear.
- **set_flags** (`Optional[TrustLineFlags]`) – The flags to set.
- **source** (`Union[MuxedAccount, str, None]`) – The source account for the operation. Defaults to the transaction's source account.

Return type `TransactionBuilder`

Returns This builder instance.

build()

This will build the transaction envelope. It will also increment the source account's sequence number by 1.

Return type `TransactionEnvelope`

Returns New transaction envelope.

static build_fee_bump_transaction(*fee_source*, *base_fee*, *inner_transaction_envelope*,
network_passphrase='Test SDF Network ; September 2015')

Create a *FeeBumpTransactionEnvelope* object.

See [CAP-0015](#) for more information.

Parameters

- **fee_source** (`Union[MuxedAccount, Keypair, str]`) – The account paying for the transaction.
- **base_fee** (`int`) – The max fee willing to pay per operation in inner transaction (**in** **stroops**).
- **inner_transaction_envelope** (`TransactionEnvelope`) – The TransactionEnvelope to be bumped by the fee bump transaction.
- **network_passphrase** (`str`) – The network to connect to for verifying and retrieving additional attributes from.

Return type `FeeBumpTransactionEnvelope`

Returns a TransactionBuilder via the XDR object.

static from_xdr(*xdr*, *network_passphrase*)

Create a TransactionBuilder or *FeeBumpTransactionEnvelope* via an XDR object.

Warning: I don't recommend you to use this function, because it loses its signature when constructing TransactionBuilder. Please use `stellar_sdk.helpers.parse_transaction_envelope_from_xdr()` instead.

In addition, if *xdr* is not of `TransactionEnvelope`, it sets the fields of this builder (the transaction envelope, transaction, operations, source, etc.) to all of the fields in the provided XDR transaction envelope, but the signature will not be added to it.

Parameters

- **xdr** (`str`) – The XDR object representing the transaction envelope to which this builder is setting its state to.
- **network_passphrase** (`str`) – The network to connect to for verifying and retrieving additional attributes from.

Return type `Union[TransactionBuilder, FeeBumpTransactionEnvelope]`

Returns a `TransactionBuilder` or `FeeBumpTransactionEnvelope` via the XDR object.

set_timeout(`timeout`)

Set timeout for the transaction, actually set a TimeBounds.

Parameters `timeout` (`int`) – timeout in second.

Return type `TransactionBuilder`

Returns This builder instance.

Raises `ValueError`: if `time_bound` is already set.

2.1.27 Helpers

`stellar_sdk.helpers.parse_transaction_envelope_from_xdr(xdr, network_passphrase)`

When you are not sure whether your XDR belongs to `TransactionEnvelope` or `FeeBumpTransactionEnvelope`, you can use this helper function.

An example:

```
from stellar_sdk import Network
from stellar_sdk.helpers import parse_transaction_envelope_from_xdr

xdr = "AAAAAgAAAADHJNEDn33/C1uDkDfzDfKVq/
˓→4XE9IxDfGiLCfoV7riZQAAA+gCI4TVABpRPgAAAAAAAAAAAAAAAQAAAAAAAADAAAAAUxpcmEAAAAAabIaDgm0ypyJpsVfEjZ
˓→kEB2Z4UL20y536evnwmmSc4c2Fnx1vUcPZ15jgWHcNwY8LTpFhdrUN9TZWciCRp/JCZYa0SJh8cYB"
te = parse_transaction_envelope_from_xdr(xdr, Network.PUBLIC_NETWORK_PASSPHRASE)
print(te)
```

Parameters

- **xdr** (`str`) – Transaction envelope XDR
- **network_passphrase** (`str`) – The network to connect to for verifying and retrieving additional attributes from. (ex. "Public Global Stellar Network ; September 2015")

Raises `ValueError` - XDR is neither `TransactionEnvelope` nor `FeeBumpTransactionEnvelope`

Return type `Union[TransactionEnvelope, FeeBumpTransactionEnvelope]`

2.1.28 XDR Utils

`stellar_sdk.xdr.utils.from_xdr_amount(value)`

Converts an str amount from an XDR amount object

Parameters `value` (`int`) – The amount to convert to a string from an XDR int64 amount.

Return type `str`

`stellar_sdk.xdr.utils.to_xdr_amount(value)`

Converts an amount to the appropriate value to send over the network as a part of an XDR object.

Each asset amount is encoded as a signed 64-bit integer in the XDR structures. An asset amount unit (that which is seen by end users) is scaled down by a factor of ten million (10,000,000) to arrive at the native 64-bit integer representation. For example, the integer amount value 25,123,456 equals 2.5123456 units of the asset. This scaling allows for seven decimal places of precision in human-friendly amount units.

This static method correctly multiplies the value by the scaling factor in order to come to the integer value used in XDR structures.

See [Stellar's documentation on Asset Precision](#) for more information.

Parameters `value` (`Union[str, Decimal]`) – The amount to convert to an integer for XDR serialization.

Return type `int`

2.1.29 Stellar Ecosystem Proposals

SEP 0001: stellar.toml

`stellar_sdk.sep.stellar_toml.fetch_stellar_toml(domain, client=None, use_http=False)`

Retrieve the stellar.toml file from a given domain.

Retrieve the stellar.toml file for information about interacting with Stellar's federation protocol for a given Stellar Anchor (specified by a domain).

Parameters

- `domain` (`str`) – The domain the .toml file is hosted at.
- `use_http` (`bool`) – Specifies whether the request should go over plain HTTP vs HTTPS.
Note it is recommend that you **always** use HTTPS.
- `client` (`Optional[BaseSyncClient]`) – Http Client used to send the request.

Return type `MutableMapping[str, Any]`

Returns The stellar.toml file as an object via `toml.loads()`.

Raises `StellarTomlNotFoundError`: if the Stellar toml file could not be found.

`async stellar_sdk.sep.stellar_toml.fetch_stellar_toml_async(domain, client=None, use_http=False)`

Retrieve the stellar.toml file from a given domain.

Retrieve the stellar.toml file for information about interacting with Stellar's federation protocol for a given Stellar Anchor (specified by a domain).

Parameters

- `domain` (`str`) – The domain the .toml file is hosted at.

- **use_http** (`bool`) – Specifies whether the request should go over plain HTTP vs HTTPS.
Note it is recommend that you **always** use HTTPS.
- **client** (`Optional[BaseAsyncClient]`) – Http Client used to send the request.

Return type `MutableMapping[str, Any]`

Returns The stellar.toml file as an object via `toml.loads()`.

Raises `StellarTomlNotFoundError`: if the Stellar toml file could not be found.

SEP 0002: Federation protocol

```
stellar_sdk.sep.federation.resolve_stellar_address(stellar_address, client=None,
federation_url=None, use_http=False)
```

Get the federation record if the user was found for a given Stellar address.

Parameters

- **stellar_address** (`str`) – address Stellar address (ex. "bob@stellar.org").
- **client** (`Optional[BaseSyncClient]`) – Http Client used to send the request.
- **federation_url** (`Optional[str]`) – The federation server URL (ex. "https://stellar.org/federation"), if you don't set this value, we will try to get it from `stellar_address`.
- **use_http** (`bool`) – Specifies whether the request should go over plain HTTP vs HTTPS.
Note it is recommend that you **always** use HTTPS.

Return type `FederationRecord`

Returns Federation record.

```
async stellar_sdk.sep.federation.resolve_stellar_address_async(stellar_address, client=None,
federation_url=None,
use_http=False)
```

Get the federation record if the user was found for a given Stellar address.

Parameters

- **stellar_address** (`str`) – address Stellar address (ex. "bob@stellar.org").
- **client** (`Optional[BaseAsyncClient]`) – Http Client used to send the request.
- **federation_url** (`Optional[str]`) – The federation server URL (ex. "https://stellar.org/federation"), if you don't set this value, we will try to get it from `stellar_address`.
- **use_http** (`bool`) – Specifies whether the request should go over plain HTTP vs HTTPS.
Note it is recommend that you **always** use HTTPS.

Return type `FederationRecord`

Returns Federation record.

```
async stellar_sdk.sep.federation.resolve_account_id_async(account_id, domain=None,
federation_url=None, client=None,
use_http=False)
```

Given an account ID, get their federation record if the user was found

Parameters

- **account_id** (`str`) – Account ID (ex. "GBYNR2QJXLBCBTRN44MRORCMI4Y07FZPFBCNOKTOBCAAFC7KC3LNPRYS")
- **domain** (`Optional[str]`) – Get *federation_url* from the domain, you don't need to set this value if *federation_url* is set.
- **federation_url** (`Optional[str]`) – The federation server URL (ex. "https://stellar.org/federation").
- **client** (`Optional[BaseAsyncClient]`) – Http Client used to send the request.
- **use_http** (`bool`) – Specifies whether the request should go over plain HTTP vs HTTPS. Note it is recommend that you **always** use HTTPS.

Return type `FederationRecord`

Returns Federation record.

```
stellar_sdk.sep.federation.resolve_account_id(account_id, domain=None, federation_url=None,
                                              client=None, use_http=False)
```

Given an account ID, get their federation record if the user was found

Parameters

- **account_id** (`str`) – Account ID (ex. "GBYNR2QJXLBCBTRN44MRORCMI4Y07FZPFBCNOKTOBCAAFC7KC3LNPRYS")
- **domain** (`Optional[str]`) – Get *federation_url* from the domain, you don't need to set this value if *federation_url* is set.
- **federation_url** (`Optional[str]`) – The federation server URL (ex. "https://stellar.org/federation").
- **client** (`Optional[BaseSyncClient]`) – Http Client used to send the request.
- **use_http** (`bool`) – Specifies whether the request should go over plain HTTP vs HTTPS. Note it is recommend that you **always** use HTTPS.

Return type `FederationRecord`

Returns Federation record.

```
class stellar_sdk.sep.federation.FederationRecord(account_id, stellar_address, memo_type, memo)
```

SEP 0005: Key Derivation Methods for Stellar Accounts

```
class stellar_sdk.sep.mnemonic.StellarMnemonic(language=Language.ENGLISH)
    Please use stellar_sdk.keypair.Keypair.generate_mnemonic_phrase() and stellar_sdk.
    keypair.Keypair.from_mnemonic_phrase()

class stellar_sdk.sep.mnemonic.Language(value)
    The type of language supported by the mnemonic.

    CHINESE_SIMPLIFIED = 'chinese_simplified'
    CHINESE_TRADITIONAL = 'chinese_traditional'
    ENGLISH = 'english'
    FRENCH = 'french'
    ITALIAN = 'italian'
    JAPANESE = 'japanese'
```

```
KOREAN = 'korean'  
SPANISH = 'spanish'
```

SEP 0007: URI Scheme to facilitate delegated signing

```
class stellar_sdk.sep.stellar_uri.PayStellarUri(destination, amount=None, asset=None,  
                                                memo=None, callback=None, message=None,  
                                                network_passphrase=None, origin_domain=None,  
                                                signature=None)
```

A request for a payment to be signed.

See [SEP-0007](#)

Parameters

- **destination** (`str`) – A valid account ID or payment address.
- **amount** (`Optional[str]`) – Amount that destination will receive.
- **asset** (`Optional[Asset]`) – Asset destination will receive.
- **memo** (`Optional[Memo]`) – A memo to attach to the transaction.
- **callback** (`Optional[str]`) – The uri to post the transaction to after signing.
- **message** (`Optional[str]`) – An message for displaying to the user.
- **network_passphrase** (`Optional[str]`) – The passphrase of the target network.
- **origin_domain** (`Optional[str]`) – A fully qualified domain name that specifies the originating domain of the URI request.
- **signature** (`Optional[str]`) – A base64 encode signature of the hash of the URI request.

```
classmethod from_uri(cls, uri)
```

Parse Stellar Pay URI and generate `PayStellarUri` object.

Parameters `uri` (`str`) – Stellar Pay URI.

Return type `PayStellarUri`

Returns `PayStellarUri` object from uri.

```
sign(signer)
```

Sign the URI.

Parameters `signer` (`Union[Keypair, str]`) – The account used to sign this transaction, it should be the secret key of `URI_REQUEST_SIGNING_KEY`.

Return type `None`

```
to_uri()
```

Generate the request URI.

Return type `str`

Returns Stellar Pay URI.

```
class stellar_sdk.sep.stellar_uri.TransactionStellarUri(transaction_envelope, replace=None,  
                                                       callback=None, pubkey=None,  
                                                       message=None,  
                                                       network_passphrase=None,  
                                                       origin_domain=None, signature=None)
```

A request for a transaction to be signed.

See [SEP-0007](#)

Parameters

- **transaction_envelope** (`Union[TransactionEnvelope, FeeBumpTransactionEnvelope]`) – Transaction waiting to be signed.
- **replace** (`Optional[List[Replacement]]`) – A value that identifies the fields to be replaced in the xdr using the Txrep (SEP-0011) representation.
- **callback** (`Optional[str]`) – The uri to post the transaction to after signing.
- **pubkey** (`Optional[str]`) – Specify which public key you want the URI handler to sign for.
- **message** (`Optional[str]`) – An message for displaying to the user.
- **network_passphrase** (`Optional[str]`) – The passphrase of the target network.
- **origin_domain** (`Optional[str]`) – A fully qualified domain name that specifies the originating domain of the URI request.
- **signature** (`Optional[str]`) – A base64 encode signature of the hash of the URI request.

classmethod from_uri(`cls, uri, network_passphrase`)

Parse Stellar Transaction URI and generate `TransactionStellarUri` object.

Parameters

- **uri** (`str`) – Stellar Transaction URI.
- **network_passphrase** (`Optional[str]`) – The network to connect to for verifying and retrieving xdr, If it is set to `None`, the `network_passphrase` in the uri will not be verified.

Return type `TransactionStellarUri`

Returns `TransactionStellarUri` object from uri.

sign(`signer`)

Sign the URI.

Parameters **signer** (`Union[Keypair, str]`) – The account used to sign this transaction, it should be the secret key of `URI_REQUEST_SIGNING_KEY`.

Return type `None`

to_uri()

Generate the request URI.

Return type `str`

Returns Stellar Transaction URI.

class stellar_sdk.sep.stellar_uri.Replacement(txrep_tx_field_name, reference_identifier, hint)

Used to represent a single replacement.

An example:

```
r1 = Replacement("sourceAccount", "X", "account on which to create the trustline")
r2 = Replacement("seqNum", "Y", "sequence for sourceAccount")
replacements = [r1, r2]
```

See [SEP-0007](#)

Parameters

- **txrep_tx_field_name** (`str`) – Txrep tx field name.
- **reference_identifier** (`str`) – Reference identifier.
- **hint** (`str`) – A brief and clear explanation of the context for the *reference_identifier*.

SEP 0010: Stellar Web Authentication

```
stellar_sdk.sep.stellar_web_authentication.build_challenge_transaction(server_secret,
                                                                    client_account_id,
                                                                    home_domain,
                                                                    web_auth_domain,
                                                                    network_passphrase,
                                                                    timeout=900,
                                                                    client_domain=None,
                                                                    client_signing_key=None,
                                                                    memo=None)
```

Returns a valid [SEP0010](#) challenge transaction which you can use for Stellar Web Authentication.

Parameters

- **server_secret** (`str`) – secret key for server's stellar.toml *SIGNING_KEY*.
- **client_account_id** (`str`) – The stellar account (G...) or muxed account (M...) that the wallet wishes to authenticate with the server.
- **home_domain** (`str`) – The [fully qualified domain name](#) of the service requiring authentication (ex. "example.com").
- **web_auth_domain** (`str`) – The fully qualified domain name of the service issuing the challenge.
- **network_passphrase** (`str`) – The network to connect to for verifying and retrieving additional attributes from. (ex. "Public Global Stellar Network ; September 2015")
- **timeout** (`int`) – Challenge duration in seconds (default to 15 minutes).
- **client_domain** (`Optional[str]`) – The domain of the client application requesting authentication
- **client_signing_key** (`Optional[str]`) – The stellar account listed as the *SIGNING_KEY* on the client domain's TOML file
- **memo** (`Optional[int]`) – The ID memo to attach to the transaction. Not permitted if *client_account_id* is a muxed account

Return type `str`

Returns A base64 encoded string of the raw TransactionEnvelope xdr struct for the transaction.

```
stellar_sdk.sep.stellar_web_authentication.read_challenge_transaction(challenge_transaction,
                                                                    server_account_id,
                                                                    home_domains,
                                                                    web_auth_domain,
                                                                    network_passphrase)
```

Reads a SEP 10 challenge transaction and returns the decoded transaction envelope and client account ID contained within.

It also verifies that transaction is signed by the server.

It does not verify that the transaction has been signed by the client or that any signatures other than the servers on the transaction are valid. Use one of the following functions to completely verify the transaction:

- `stellar_sdk.sep.stellar_web_authentication.verify_challenge_transaction_threshold()`
- `stellar_sdk.sep.stellar_web_authentication.verify_challenge_transaction_signers()`

Parameters

- `challenge_transaction (str)` – SEP0010 transaction challenge transaction in base64.
- `server_account_id (str)` – public key for server's account.
- `home_domains (Union[str, Iterable[str]])` – The home domain that is expected to be included in the first Manage Data operation's string key. If a list is provided, one of the domain names in the array must match.
- `web_auth_domain (str)` – The home domain that is expected to be included as the value of the Manage Data operation with the 'web_auth_domain' key. If no such operation is included, this parameter is not used.
- `network_passphrase (str)` – The network to connect to for verifying and retrieving additional attributes from. (ex. "Public Global Stellar Network ; September 2015")

Raises `InvalidSep10ChallengeError` - if the validation fails, the exception will be thrown.

Return type `ChallengeTransaction`

```
stellar_sdk.sep.stellar_web_authentication.verify_challenge_transaction_threshold(challenge_transaction,
                                server_account_id,
                                home_domains,
                                web_auth_domain,
                                net-
                                work_passphrase,
                                thresh-
                                old,
                                signers)
```

Verifies that for a SEP 10 challenge transaction all signatures on the transaction are accounted for and that the signatures meet a threshold on an account. A transaction is verified if it is signed by the server account, and all other signatures match a signer that has been provided as an argument, and those signatures meet a threshold on the account.

Parameters

- `challenge_transaction (str)` – SEP0010 transaction challenge transaction in base64.
- `server_account_id (str)` – public key for server's account.
- `home_domains (Union[str, Iterable[str]])` – The home domain that is expected to be included in the first Manage Data operation's string key. If a list is provided, one of the domain names in the array must match.
- `web_auth_domain (str)` – The home domain that is expected to be included as the value of the Manage Data operation with the 'web_auth_domain' key. If no such operation is included, this parameter is not used.
- `network_passphrase (str)` – The network to connect to for verifying and retrieving additional attributes from. (ex. "Public Global Stellar Network ; September 2015")
- `threshold (int)` – The medThreshold on the client account.
- `signers (List[Ed25519PublicKeySigner])` – The signers of client account.

Raises `InvalidSep10ChallengeError`: - The transaction is invalid according to `stellar_sdk.sep.stellar_web_authentication.read_challenge_transaction()`. - One or more signatures in the transaction are not identifiable as the server account or one of the signers provided in the arguments. - The signatures are all valid but do not meet the threshold.

Return type `List[Ed25519PublicKeySigner]`

```
stellar_sdk.sep.stellar_web_authentication.verify_challenge_transaction_signed_by_client_master_key(chal  
serv  
hom  
web  
net-  
work)
```

An alias for `stellar_sdk.sep.stellar_web_authentication.verify_challenge_transaction()`.

Parameters

- `challenge_transaction (str)` – SEP0010 transaction challenge transaction in base64.
- `server_account_id (str)` – public key for server's account.
- `home_domains (Union[str, Iterable[str]])` – The home domain that is expected to be included in the first Manage Data operation's string key. If a list is provided, one of the domain names in the array must match.
- `web_auth_domain (str)` – The home domain that is expected to be included as the value of the Manage Data operation with the 'web_auth_domain' key. If no such operation is included, this parameter is not used.
- `network_passphrase (str)` – The network to connect to for verifying and retrieving additional attributes from. (ex. "Public Global Stellar Network ; September 2015")

Raises `InvalidSep10ChallengeError` - if the validation fails, the exception will be thrown.

Return type `None`

```
stellar_sdk.sep.stellar_web_authentication.verify_challenge_transaction_signers(challenge_transaction,  
server_account_id,  
home_domains,  
web_auth_domain,  
net-  
work_passphrase,  
signers)
```

Verifies that for a SEP 10 challenge transaction all signatures on the transaction are accounted for. A transaction is verified if it is signed by the server account, and all other signatures match a signer that has been provided as an argument. Additional signers can be provided that do not have a signature, but all signatures must be matched to a signer for verification to succeed. If verification succeeds a list of signers that were found is returned, excluding the server account ID.

Parameters

- `challenge_transaction (str)` – SEP0010 transaction challenge transaction in base64.
- `server_account_id (str)` – public key for server's account.
- `home_domains (Union[str, Iterable[str]])` – The home domain that is expected to be included in the first Manage Data operation's string key. If a list is provided, one of the domain names in the array must match.
- `web_auth_domain (str)` – The home domain that is expected to be included as the value of the Manage Data operation with the 'web_auth_domain' key, if present.

- **network_passphrase** (`str`) – The network to connect to for verifying and retrieving additional attributes from. (ex. "Public Global Stellar Network ; September 2015")
- **signers** (`List[Ed25519PublicKeySigner]`) – The signers of client account.

Raises `InvalidSep10ChallengeError`: - The transaction is invalid according to `stellar_sdk.sep.stellar_web_authentication.read_challenge_transaction()`. - One or more signatures in the transaction are not identifiable as the server account or one of the signers provided in the arguments.

Return type `List[Ed25519PublicKeySigner]`

```
stellar_sdk.sep.stellar_web_authentication.verify_challenge_transaction(challenge_transaction,  
                      server_account_id,  
                      home_domains,  
                      web_auth_domain,  
                      network_passphrase)
```

Verifies if a transaction is a valid `SEP0010 v1.2` challenge transaction, if the validation fails, an exception will be thrown.

This function performs the following checks:

1. verify that transaction sequenceNumber is equal to zero;
2. verify that transaction source account is equal to the server's signing key;
3. verify that transaction has time bounds set, and that current time is between the minimum and maximum bounds;
4. verify that transaction contains a single Manage Data operation and it's source account is not null;
5. verify that transaction envelope has a correct signature by server's signing key;
6. verify that transaction envelope has a correct signature by the operation's source account;

Parameters

- **challenge_transaction** (`str`) – `SEP0010` transaction challenge transaction in base64.
- **server_account_id** (`str`) – public key for server's account.
- **home_domains** (`Union[str, Iterable[str]]`) – The home domain that is expected to be included in the first Manage Data operation's string key. If a list is provided, one of the domain names in the array must match.
- **web_auth_domain** (`str`) – The home domain that is expected to be included as the value of the Manage Data operation with the `web_auth_domain` key, if present.
- **network_passphrase** (`str`) – The network to connect to for verifying and retrieving additional attributes from. (ex. "Public Global Stellar Network ; September 2015")

Raises `InvalidSep10ChallengeError` - if the validation fails, the exception will be thrown.

Return type `None`

```
class stellar_sdk.sep.stellar_web_authentication.ChallengeTransaction(transaction,  
                      client_account_id,  
                      matched_home_domain,  
                      memo=None)
```

Used to store the results produced by `stellar_sdk.sep.stellar_web_authentication.read_challenge_transaction()`.

Parameters

- **transaction** (*TransactionEnvelope*) – The TransactionEnvelope parsed from challenge xdr.
- **client_account_id** (*str*) – The stellar account that the wallet wishes to authenticate with the server.
- **matched_home_domain** (*str*) – The domain name that has been matched.
- **memo** (*Optional[int]*) – The ID memo attached to the transaction

SEP 0011: Txrep: human-readable low-level representation of Stellar transactions

`stellar_sdk.sep.txrep.to_txrep(transaction_envelope)`

Generate a human-readable format for Stellar transactions.

MuxAccount is currently not supported.

Txrep is a human-readable representation of Stellar transactions that functions like an assembly language for XDR.

See [SEP-0011](#)

Parameters `transaction_envelope` (*Union[TransactionEnvelope, FeeBumpTransactionEnvelope]*) – Transaction envelope object.

Return type `str`

Returns A human-readable format for Stellar transactions.

`stellar_sdk.sep.txrep.from_txrep(txrep, network_passphrase)`

Parse txrep and generate transaction envelope object.

MuxAccount is currently not supported.

Txrep is a human-readable representation of Stellar transactions that functions like an assembly language for XDR.

See [SEP-0011](#)

Parameters

- **txrep** (*str*) – a human-readable format for Stellar transactions.
- **network_passphrase** (*str*) – The network to connect, you do not need to set this value at this time, it is reserved for future use.

Return type *Union[TransactionEnvelope, FeeBumpTransactionEnvelope]*

Returns A human-readable format for Stellar transactions.

Exceptions

`class stellar_sdk.sep.exceptions.StellarTomlNotFoundError`

If the SEP 0010 toml file not found, the exception will be thrown.

`class stellar_sdk.sep.exceptions.InvalidFederationAddress`

If the federation address is invalid, the exception will be thrown.

`class stellar_sdk.sep.exceptions.FederationServerNotFoundError`

If the federation address is invalid, the exception will be thrown.

```
class stellar_sdk.sep.exceptions.BadFederationResponseError(response)
```

If the federation address is invalid, the exception will be thrown.

Parameters **response** – client response

```
class stellar_sdk.sep.exceptions.InvalidSep10ChallengeError
```

If the SEP 0010 validation fails, the exception will be thrown.

```
class stellar_sdk.sep.exceptions.AccountRequiresMemoError(message, account_id, operation_index)
```

AccountRequiresMemoError is raised when a transaction is trying to submit an operation to an account which requires a memo.

This error contains two attributes to help you identify the account requiring the memo and the operation where the account is the destination.

See [SEP-0029](#) for more information.

2.1.30 stellar_sdk.xdr

AccountEntry

```
class stellar_sdk.xdr.account_entry.AccountEntry(account_id, balance, seq_num, num_sub_entries,
                                                inflation_dest, flags, home_domain, thresholds,
                                                signers, ext)
```

XDR Source Code:

```
struct AccountEntry
{
    AccountID accountID;           // master public key for this account
    int64 balance;                 // in stroops
    SequenceNumber seqNum;          // last sequence number used for this account
    uint32 numSubEntries;           // number of sub-entries this account has
                                    // drives the reserve
    AccountID* inflationDest;     // Account to vote for during inflation
    uint32 flags;                  // see AccountFlags

    string32 homeDomain;           // can be used for reverse federation and memo lookup

    // fields used for signatures
    // thresholds stores unsigned bytes: [weight of master|low|medium|high]
    Thresholds thresholds;

    Signer signers<MAX_SIGNERS>; // possible signers for this account

    // reserved for future use
    union switch (int v)
    {
        case 0:
            void;
        case 1:
            AccountEntryExtensionV1 v1;
    }
    ext;
};
```

AccountEntryExt

```
class stellar_sdk.xdr.account_entry_ext.AccountEntryExt(v, v1=None)
```

XDR Source Code:

```
union switch (int v)
{
    case 0:
        void;
    case 1:
        AccountEntryExtensionV1 v1;
}
```

AccountEntryExtensionV1

```
class stellar_sdk.xdr.account_entry_extension_v1.AccountEntryExtensionV1(liabilities, ext)
```

XDR Source Code:

```
struct AccountEntryExtensionV1
{
    Liabilities liabilities;

    union switch (int v)
    {
        case 0:
            void;
        case 2:
            AccountEntryExtensionV2 v2;
    }
    ext;
};
```

AccountEntryExtensionV1Ext

```
class stellar_sdk.xdr.account_entry_extension_v1_ext.AccountEntryExtensionV1Ext(v,
v2=None)
```

XDR Source Code:

```
union switch (int v)
{
    case 0:
        void;
    case 2:
        AccountEntryExtensionV2 v2;
}
```

AccountEntryExtensionV2

```
class stellar_sdk.xdr.account_entry_extension_v2.AccountEntryExtensionV2(num_sponsored,
                                                                           num_sponsoring,
                                                                           signer_sponsoring_i_ds,
                                                                           ext)
```

XDR Source Code:

```
struct AccountEntryExtensionV2
{
    uint32 numSponsored;
    uint32 numSponsoring;
    SponsorshipDescriptor signerSponsoringIDs<MAX_SIGNERS>;

    union switch (int v)
    {
        case 0:
            void;
        }
        ext;
};
```

AccountEntryExtensionV2Ext

```
class stellar_sdk.xdr.account_entry_extension_v2_ext.AccountEntryExtensionV2Ext(v)
```

XDR Source Code:

```
union switch (int v)
{
    case 0:
        void;
}
```

AccountFlags

```
class stellar_sdk.xdr.account_flags.AccountFlags(value)
```

XDR Source Code:

```
enum AccountFlags
{ // masks for each flag

    // Flags set on issuer accounts
    // TrustLines are created with authorized set to "false" requiring
    // the issuer to set it for each TrustLine
    AUTH_REQUIRED_FLAG = 0x1,
    // If set, the authorized flag in TrustLines can be cleared
    // otherwise, authorization cannot be revoked
    AUTH_REVOCABLE_FLAG = 0x2,
    // Once set, causes all AUTH_* flags to be read-only
    AUTH_IMMUTABLE_FLAG = 0x4,
    // Trustlines are created with clawback enabled set to "true",
}
```

(continues on next page)

(continued from previous page)

```
// and claimable balances created from those trustlines are created
// with clawback enabled set to "true"
AUTH_CLAWBACK_ENABLED_FLAG = 0x8
};
```

AccountID

```
class stellar_sdk.xdr.account_id.AccountID(account_id)
```

XDR Source Code:

```
typedef PublicKey AccountID;
```

AccountMergeResult

```
class stellar_sdk.xdr.account_merge_result.AccountMergeResult(code,
                                                               source_account_balance=None)
```

XDR Source Code:

```
union AccountMergeResult switch (AccountMergeresultCode code)
{
    case ACCOUNT_MERGE_SUCCESS:
        int64 sourceAccountBalance; // how much got transferred from source account
    default:
        void;
};
```

AccountMergeresultCode

```
class stellar_sdk.xdr.account_merge_result_code.AccountMergeresultCode(value)
```

XDR Source Code:

```
enum AccountMergeresultCode
{
    // codes considered as "success" for the operation
    ACCOUNT_MERGE_SUCCESS = 0,
    // codes considered as "failure" for the operation
    ACCOUNT_MERGE_MALFORMED = -1,           // can't merge onto itself
    ACCOUNT_MERGE_NO_ACCOUNT = -2,          // destination does not exist
    ACCOUNT_MERGE_IMMUTABLE_SET = -3,        // source account has AUTH_IMMUTABLE set
    ACCOUNT_MERGE_HAS_SUB_ENTRIES = -4,      // account has trust lines/offers
    ACCOUNT_MERGE_SEQNUM_TOO_FAR = -5,       // sequence number is over max allowed
    ACCOUNT_MERGE_DEST_FULL = -6,            // can't add source balance to
                                            // destination balance
    ACCOUNT_MERGE_IS_SPONSOR = -7           // can't merge account that is a sponsor
};
```

AllowTrustOp

```
class stellar_sdk.xdr.allow_trust_op.AllowTrustOp(trustor, asset, authorize)
```

XDR Source Code:

```
struct AllowTrustOp
{
    AccountID trustor;
    AssetCode asset;

    // One of 0, AUTHORIZED_FLAG, or AUTHORIZED_TO_MAINTAIN LIABILITY_FLAG
    uint32 authorize;
};
```

AllowTrustResult

```
class stellar_sdk.xdr.allow_trust_result.AllowTrustResult(code)
```

XDR Source Code:

```
union AllowTrustResult switch (AllowTrustresultCode code)
{
    case ALLOW_TRUST_SUCCESS:
        void;
    default:
        void;
};
```

AllowTrustresultCode

```
class stellar_sdk.xdr.allow_trust_result_code.AllowTrustresultCode(value)
```

XDR Source Code:

```
enum AllowTrustresultCode
{
    // codes considered as "success" for the operation
    ALLOW_TRUST_SUCCESS = 0,
    // codes considered as "failure" for the operation
    ALLOW_TRUST_MALFORMED = -1,           // asset is not ASSET_TYPE_ALPHANUM
    ALLOW_TRUST_NO_TRUST_LINE = -2,        // trustor does not have a trustline
                                         // source account does not require trust
    ALLOW_TRUST_TRUST_NOT_REQUIRED = -3,
    ALLOW_TRUST_CANT_REVOKE = -4,          // source account can't revoke trust,
    ALLOW_TRUST_SELF_NOT_ALLOWED = -5 // trusting self is not allowed
};
```

AlphaNum12

```
class stellar_sdk.xdr.alpha_num12.AlphaNum12(asset_code, issuer)
```

XDR Source Code:

```
struct AlphaNum12
{
    AssetCode12 assetCode;
    AccountID issuer;
};
```

AlphaNum4

```
class stellar_sdk.xdr.alpha_num4.AlphaNum4(asset_code, issuer)
```

XDR Source Code:

```
struct AlphaNum4
{
    AssetCode4 assetCode;
    AccountID issuer;
};
```

Asset

```
class stellar_sdk.xdr.asset.Asset(type, alpha_num4=None, alpha_num12=None)
```

XDR Source Code:

```
union Asset switch (AssetType type)
{
    case ASSET_TYPE_NATIVE: // Not credit
        void;

    case ASSET_TYPE_CREDIT_ALPHANUM4:
        AlphaNum4 alphaNum4;

    case ASSET_TYPE_CREDIT_ALPHANUM12:
        AlphaNum12 alphaNum12;

    // add other asset types here in the future
};
```

AssetCode

```
class stellar_sdk.xdr.asset_code.AssetCode(type, asset_code4=None, asset_code12=None)
```

XDR Source Code:

```
union AssetCode switch (AssetType type)
{
    case ASSET_TYPE_CREDIT_ALPHANUM4:
        AssetCode4 assetCode4;

    case ASSET_TYPE_CREDIT_ALPHANUM12:
        AssetCode12 assetCode12;

    // add other asset types here in the future
};
```

AssetCode12

```
class stellar_sdk.xdr.asset_code12.AssetCode12(asset_code12)
```

XDR Source Code:

```
typedef opaque AssetCode12[12];
```

AssetCode4

```
class stellar_sdk.xdr.asset_code4.AssetCode4(asset_code4)
```

XDR Source Code:

```
typedef opaque AssetCode4[4];
```

AssetType

```
class stellar_sdk.xdr.asset_type.AttributeSet(value)
```

XDR Source Code:

```
enum AssetType
{
    ASSET_TYPE_NATIVE = 0,
    ASSET_TYPE_CREDIT_ALPHANUM4 = 1,
    ASSET_TYPE_CREDIT_ALPHANUM12 = 2,
    ASSET_TYPE_POOL_SHARE = 3
};
```

Auth

```
class stellar_sdk.xdr.auth.Auth(unused)
```

XDR Source Code:

```
struct Auth
{
    // Empty message, just to confirm
    // establishment of MAC keys.
    int unused;
};
```

AuthCert

```
class stellar_sdk.xdr.auth_cert.AuthCert(pubkey, expiration, sig)
```

XDR Source Code:

```
struct AuthCert
{
    Curve25519Public pubkey;
    uint64 expiration;
    Signature sig;
};
```

AuthenticatedMessage

```
class stellar_sdk.xdr.authenticated_message.AuthenticatedMessage(v, v0=None)
```

XDR Source Code:

```
union AuthenticatedMessage switch (uint32 v)
{
    case 0:
        struct
        {
            uint64 sequence;
            StellarMessage message;
            HmacSha256Mac mac;
        } v0;
};
```

AuthenticatedMessageV0

```
class stellar_sdk.xdr.authenticated_message_v0.AuthenticatedMessageV0(sequence, message, mac)
```

XDR Source Code:

```
struct
{
    uint64 sequence;
    StellarMessage message;
```

(continues on next page)

(continued from previous page)

```
    HmacSha256Mac mac;  
}
```

BeginSponsoringFutureReservesOp

```
class stellar_sdk.xdr.begin_sponsoring_future_reserves_op.BeginSponsoringFutureReservesOp(sponsored_id)
```

XDR Source Code:

```
struct BeginSponsoringFutureReservesOp  
{  
    AccountID sponsoredID;  
};
```

BeginSponsoringFutureReservesResult

```
class stellar_sdk.xdr.begin_sponsoring_future_reserves_result.BeginSponsoringFutureReservesResult(code)
```

XDR Source Code:

```
union BeginSponsoringFutureReservesResult switch (  
    BeginSponsoringFutureReservesresultCode code)  
{  
    case BEGIN_SPONSORING_FUTURE_RESERVES_SUCCESS:  
        void;  
    default:  
        void;  
};
```

BeginSponsoringFutureReservesresultCode

```
class stellar_sdk.xdr.begin_sponsoring_future_reserves_result_code.BeginSponsoringFutureReservesResultC
```

XDR Source Code:

```
enum BeginSponsoringFutureReservesresultCode  
{  
    // codes considered as "success" for the operation  
    BEGIN_SPONSORING_FUTURE_RESERVES_SUCCESS = 0,  
  
    // codes considered as "failure" for the operation  
    BEGIN_SPONSORING_FUTURE_RESERVES_MALFORMED = -1,  
    BEGIN_SPONSORING_FUTURE_RESERVES_ALREADY_SPONSORED = -2,  
    BEGIN_SPONSORING_FUTURE_RESERVES_RECURSIVE = -3  
};
```

Boolean

```
class stellar_sdk.xdr.base.Boolean(value)
```

BucketEntry

```
class stellar_sdk.xdr.bucket_entry.BucketEntry(type, live_entry=None, dead_entry=None,
                                                meta_entry=None)
```

XDR Source Code:

```
union BucketEntry switch (BucketEntryType type)
{
    case LIVEENTRY:
    case INITENTRY:
        LedgerEntry liveEntry;

    case DEADENTRY:
        LedgerKey deadEntry;
    case METAENTRY:
        BucketMetadata metaEntry;
};
```

BucketEntryType

```
class stellar_sdk.xdr.bucket_entry_type.BucketEntryType(value)
```

XDR Source Code:

```
enum BucketEntryType
{
    METAENTRY = -1, // At-and-after protocol 11: bucket metadata, should come first.
    LIVEENTRY = 0, // Before protocol 11: created-or-updated;
                    // At-and-after protocol 11: only updated.
    DEADENTRY = 1,
    INITENTRY = 2 // At-and-after protocol 11: only created.
};
```

BucketMetadata

```
class stellar_sdk.xdr.bucket_metadata.BucketMetadata(ledger_version, ext)
```

XDR Source Code:

```
struct BucketMetadata
{
    // Indicates the protocol version used to create / merge this bucket.
    uint32 ledgerVersion;

    // reserved for future use
    union switch (int v)
    {
```

(continues on next page)

(continued from previous page)

```
case 0:
    void;
}
ext;
};
```

BucketMetadataExt

```
class stellar_sdk.xdr.bucket_metadata_ext.BucketMetadataExt(v)
```

XDR Source Code:

```
union switch (int v)
{
    case 0:
        void;
}
```

BumpSequenceOp

```
class stellar_sdk.xdr.bump_sequence_op.BumpSequenceOp(bump_to)
```

XDR Source Code:

```
struct BumpSequenceOp
{
    SequenceNumber bumpTo;
};
```

BumpSequenceResult

```
class stellar_sdk.xdr.bump_sequence_result.BumpSequenceResult(code)
```

XDR Source Code:

```
union BumpSequenceResult switch (BumpSequenceResultCode code)
{
    case BUMP_SEQUENCE_SUCCESS:
        void;
    default:
        void;
};
```

BumpSequenceResultCode

```
class stellar_sdk.xdr.bump_sequence_result_code.BumpSequenceResultCode(value)
```

XDR Source Code:

```
enum BumpSequenceResultCode
{
    // codes considered as "success" for the operation
    BUMP_SEQUENCE_SUCCESS = 0,
    // codes considered as "failure" for the operation
    BUMP_SEQUENCE_BAD_SEQ = -1 // `bumpTo` is not within bounds
};
```

ChangeTrustAsset

```
class stellar_sdk.xdr.change_trust_asset.ChangeTrustAsset(type, alpha_num4=None,
                                                               alpha_num12=None,
                                                               liquidity_pool=None)
```

XDR Source Code:

```
union ChangeTrustAsset switch (AssetType type)
{
    case ASSET_TYPE_NATIVE: // Not credit
        void;

    case ASSET_TYPE_CREDIT_ALPHANUM4:
        AlphaNum4 alphaNum4;

    case ASSET_TYPE_CREDIT_ALPHANUM12:
        AlphaNum12 alphaNum12;

    case ASSET_TYPE_POOL_SHARE:
        LiquidityPoolParameters liquidityPool;

    // add other asset types here in the future
};
```

ChangeTrustOp

```
class stellar_sdk.xdr.change_trust_op.ChangeTrustOp(line, limit)
```

XDR Source Code:

```
struct ChangeTrustOp
{
    ChangeTrustAsset line;

    // if limit is set to 0, deletes the trust line
    int64 limit;
};
```

ChangeTrustResult

```
class stellar_sdk.xdr.change_trust_result.ChangeTrustResult(code)
```

XDR Source Code:

```
union ChangeTrustResult switch (ChangeTrustResultCode code)
{
    case CHANGE_TRUST_SUCCESS:
        void;
    default:
        void;
};
```

ChangeTrustresultCode

```
class stellar_sdk.xdr.change_trust_result_code.ChangeTrustresultCode(value)
```

XDR Source Code:

```
enum ChangeTrustresultCode
{
    // codes considered as "success" for the operation
    CHANGE_TRUST_SUCCESS = 0,
    // codes considered as "failure" for the operation
    CHANGE_TRUST_MALFORMED = -1,           // bad input
    CHANGE_TRUST_NO_ISSUER = -2,            // could not find issuer
    CHANGE_TRUST_INVALID_LIMIT = -3,         // cannot drop limit below balance
                                            // cannot create with a limit of 0
    CHANGE_TRUST_LOW_RESERVE =
        -4, // not enough funds to create a new trust line,
    CHANGE_TRUST_SELF_NOT_ALLOWED = -5, // trusting self is not allowed
    CHANGE_TRUST_TRUST_LINE_MISSING = -6, // Asset trustline is missing for pool
    CHANGE_TRUST_CANNOT_DELETE = -7, // Asset trustline is still referenced in a
        ~pool
    CHANGE_TRUST_NOT_AUTH_MAINTAIN_LIABILITIES = -8 // Asset trustline is
        ~deauthorized
};
```

ClaimAtom

```
class stellar_sdk.xdr.claim_atom.ClaimAtom(type, v0=None, order_book=None, liquidity_pool=None)
```

XDR Source Code:

```
union ClaimAtom switch (ClaimAtomType type)
{
    case CLAIM_ATOM_TYPE_V0:
        ClaimOfferAtomV0 v0;
    case CLAIM_ATOM_TYPE_ORDER_BOOK:
        ClaimOfferAtom orderBook;
    case CLAIM_ATOM_TYPE_LIQUIDITY_POOL:
        ClaimLiquidityAtom liquidityPool;
};
```

ClaimAtomType

```
class stellar_sdk.xdr.claim_atom_type.ClaimAtomType(value)
```

XDR Source Code:

```
enum ClaimAtomType
{
    CLAIM_ATOM_TYPE_V0 = 0,
    CLAIM_ATOM_TYPE_ORDER_BOOK = 1,
    CLAIM_ATOM_TYPE_LIQUIDITY_POOL = 2
};
```

ClaimClaimableBalanceOp

```
class stellar_sdk.xdr.claim_claimable_balance_op.ClaimClaimableBalanceOp(balance_id)
```

XDR Source Code:

```
struct ClaimClaimableBalanceOp
{
    ClaimableBalanceID balanceID;
};
```

ClaimClaimableBalanceResult

```
class stellar_sdk.xdr.claim_claimable_balance_result.ClaimClaimableBalanceResult(code)
```

XDR Source Code:

```
union ClaimClaimableBalanceResult switch (ClaimClaimableBalanceresultCode code)
{
    case CLAIM_CLAIMABLE_BALANCE_SUCCESS:
        void;
    default:
        void;
};
```

ClaimClaimableBalanceresultCode

```
class stellar_sdk.xdr.claim_claimable_balance_result_code.ClaimClaimableBalanceresultCode(value)
```

XDR Source Code:

```
enum ClaimClaimableBalanceresultCode
{
    CLAIM_CLAIMABLE_BALANCE_SUCCESS = 0,
    CLAIM_CLAIMABLE_BALANCE_DOES_NOT_EXIST = -1,
    CLAIM_CLAIMABLE_BALANCE_CANNOT_CLAIM = -2,
    CLAIM_CLAIMABLE_BALANCE_LINE_FULL = -3,
    CLAIM_CLAIMABLE_BALANCE_NO_TRUST = -4,
    CLAIM_CLAIMABLE_BALANCE_NOT_AUTHORIZED = -5
};
```

ClaimLiquidityAtom

```
class stellar_sdk.xdr.claim_liquidity_atom.ClaimLiquidityAtom(liquidity_pool_id, asset_sold,  
                                                               amount_sold, asset_bought,  
                                                               amount_bought)
```

XDR Source Code:

```
struct ClaimLiquidityAtom  
{  
    PoolID liquidityPoolID;  
  
    // amount and asset taken from the pool  
    Asset assetSold;  
    int64 amountSold;  
  
    // amount and asset sent to the pool  
    Asset assetBought;  
    int64 amountBought;  
};
```

ClaimOfferAtom

```
class stellar_sdk.xdr.claim_offer_atom.ClaimOfferAtom(seller_id, offer_id, asset_sold, amount_sold,  
                                                       asset_bought, amount_bought)
```

XDR Source Code:

```
struct ClaimOfferAtom  
{  
    // emitted to identify the offer  
    AccountID sellerID; // Account that owns the offer  
    int64 offerID;  
  
    // amount and asset taken from the owner  
    Asset assetSold;  
    int64 amountSold;  
  
    // amount and asset sent to the owner  
    Asset assetBought;  
    int64 amountBought;  
};
```

ClaimOfferAtomV0

```
class stellar_sdk.xdr.claim_offer_atom_v0.ClaimOfferAtomV0(seller_ed25519, offer_id, asset_sold,  
                                                               amount_sold, asset_bought,  
                                                               amount_bought)
```

XDR Source Code:

```
struct ClaimOfferAtomV0  
{
```

(continues on next page)

(continued from previous page)

```
// emitted to identify the offer
uint256 sellerEd25519; // Account that owns the offer
int64 offerID;

// amount and asset taken from the owner
Asset assetSold;
int64 amountSold;

// amount and asset sent to the owner
Asset assetBought;
int64 amountBought;
};
```

ClaimPredicate

```
class stellar_sdk.xdr.claim_predicate.ClaimPredicate(type, and_predicates=None,
                                                      or_predicates=None, not_predicate=None,
                                                      abs_before=None, rel_before=None)
```

XDR Source Code:

```
union ClaimPredicate switch (ClaimPredicateType type)
{
    case CLAIM_PREDICATE_UNCONDITIONAL:
        void;
    case CLAIM_PREDICATE_AND:
        ClaimPredicate andPredicates<2>;
    case CLAIM_PREDICATE_OR:
        ClaimPredicate orPredicates<2>;
    case CLAIM_PREDICATE_NOT:
        ClaimPredicate* notPredicate;
    case CLAIM_PREDICATE_BEFORE_ABSOLUTE_TIME:
        int64 absBefore; // Predicate will be true if closeTime < absBefore
    case CLAIM_PREDICATE_BEFORE_RELATIVE_TIME:
        int64 relBefore; // Seconds since closeTime of the ledger in which the
                         // ClaimableBalanceEntry was created
};
```

ClaimPredicateType

```
class stellar_sdk.xdr.claim_predicate_type.ClaimPredicateType(value)
```

XDR Source Code:

```
enum ClaimPredicateType
{
    CLAIM_PREDICATE_UNCONDITIONAL = 0,
    CLAIM_PREDICATE_AND = 1,
    CLAIM_PREDICATE_OR = 2,
    CLAIM_PREDICATE_NOT = 3,
    CLAIM_PREDICATE_BEFORE_ABSOLUTE_TIME = 4,
```

(continues on next page)

(continued from previous page)

```
    CLAIM_PREDICATE_BEFORE_RELATIVE_TIME = 5  
};
```

ClaimableBalanceEntry

```
class stellar_sdk.xdr.claimable_balance_entry.ClaimableBalanceEntry(balance_id, claimants,  
asset, amount, ext)
```

XDR Source Code:

```
struct ClaimableBalanceEntry  
{  
    // Unique identifier for this ClaimableBalanceEntry  
    ClaimableBalanceID balanceID;  
  
    // List of claimants with associated predicate  
    Claimant claimants<10>;  
  
    // Any asset including native  
    Asset asset;  
  
    // Amount of asset  
    int64 amount;  
  
    // reserved for future use  
    union switch (int v)  
    {  
        case 0:  
            void;  
        case 1:  
            ClaimableBalanceEntryExtensionV1 v1;  
    }  
    ext;  
};
```

ClaimableBalanceEntryExt

```
class stellar_sdk.xdr.claimable_balance_entry_ext.ClaimableBalanceEntryExt(v, v1=None)
```

XDR Source Code:

```
union switch (int v)  
{  
    case 0:  
        void;  
    case 1:  
        ClaimableBalanceEntryExtensionV1 v1;  
}
```

ClaimableBalanceEntryExtensionV1

```
class stellar_sdk.xdr.claimable_balance_entry_extension_v1.ClaimableBalanceEntryExtensionV1(ext,
                                         flags)
```

XDR Source Code:

```
struct ClaimableBalanceEntryExtensionV1
{
    union switch (int v)
    {
        case 0:
            void;
        }
        ext;

        uint32 flags; // see ClaimableBalanceFlags
    };
}
```

ClaimableBalanceEntryExtensionV1Ext

```
class stellar_sdk.xdr.claimable_balance_entry_extension_v1_ext.ClaimableBalanceEntryExtensionV1Ext(v)
```

XDR Source Code:

```
union switch (int v)
{
    case 0:
        void;
    }
```

ClaimableBalanceFlags

```
class stellar_sdk.xdr.claimable_balance_flags.ClaimableBalanceFlags(value)
```

XDR Source Code:

```
enum ClaimableBalanceFlags
{
    // If set, the issuer account of the asset held by the claimable balance may
    // clawback the claimable balance
    CLAIMABLE_BALANCE_CLAWBACK_ENABLED_FLAG = 0x1
};
```

ClaimableBalanceID

```
class stellar_sdk.xdr.claimable_balance_id.ClaimableBalanceID(type, v0=None)
```

XDR Source Code:

```
union ClaimableBalanceID switch (ClaimableBalanceIDType type)
{
    case CLAIMABLE_BALANCE_ID_TYPE_V0:
        Hash v0;
};
```

ClaimableBalanceIDType

```
class stellar_sdk.xdr.claimable_balance_id_type.ClaimableBalanceIDType(value)
```

XDR Source Code:

```
enum ClaimableBalanceIDType
{
    CLAIMABLE_BALANCE_ID_TYPE_V0 = 0
};
```

Claimant

```
class stellar_sdk.xdr.claimant.Claimant(type, v0=None)
```

XDR Source Code:

```
union Claimant switch (ClaimantType type)
{
    case CLAIMANT_TYPE_V0:
        struct
        {
            AccountID destination; // The account that can use this condition
            ClaimPredicate predicate; // Claimable if predicate is true
        } v0;
};
```

ClaimantType

```
class stellar_sdk.xdr.claimant_type.ClaimantType(value)
```

XDR Source Code:

```
enum ClaimantType
{
    CLAIMANT_TYPE_V0 = 0
};
```

ClaimantV0

```
class stellar_sdk.xdr.claimant_v0.ClaimantV0(destination, predicate)
```

XDR Source Code:

```
struct
{
    AccountID destination;      // The account that can use this condition
    ClaimPredicate predicate;   // Claimable if predicate is true
}
```

ClawbackClaimableBalanceOp

```
class stellar_sdk.xdr.clawback_claimable_balance_op.ClawbackClaimableBalanceOp(balance_id)
```

XDR Source Code:

```
struct ClawbackClaimableBalanceOp
{
    ClaimableBalanceID balanceID;
};
```

ClawbackClaimableBalanceResult

```
class stellar_sdk.xdr.clawback_claimable_balance_result.ClawbackClaimableBalanceResult(code)
```

XDR Source Code:

```
union ClawbackClaimableBalanceResult switch (
    ClawbackClaimableBalanceresultCode code)
{
    case CLAWBACK_CLAIMABLE_BALANCE_SUCCESS:
        void;
    default:
        void;
};
```

ClawbackClaimableBalanceresultCode

```
class stellar_sdk.xdr.clawback_claimable_balance_result_code.ClawbackClaimableBalanceresultCode(value)
```

XDR Source Code:

```
enum ClawbackClaimableBalanceresultCode
{
    // codes considered as "success" for the operation
    CLAWBACK_CLAIMABLE_BALANCE_SUCCESS = 0,

    // codes considered as "failure" for the operation
    CLAWBACK_CLAIMABLE_BALANCE_DOES_NOT_EXIST = -1,
    CLAWBACK_CLAIMABLE_BALANCE_NOT_ISSUER = -2,
    CLAWBACK_CLAIMABLE_BALANCE_NOT_CLAWBACK_ENABLED = -3
};
```

ClawbackOp

```
class stellar_sdk.xdr.clawback_op.ClawbackOp(asset, from_, amount)
```

XDR Source Code:

```
struct ClawbackOp
{
    Asset asset;
    MuxedAccount from_;
    int64 amount;
};
```

ClawbackResult

```
class stellar_sdk.xdr.clawback_result.ClawbackResult(code)
```

XDR Source Code:

```
union ClawbackResult switch (ClawbackresultCode code)
{
    case CLAWBACK_SUCCESS:
        void;
    default:
        void;
};
```

ClawbackresultCode

```
class stellar_sdk.xdr.clawback_result_code.ClawbackresultCode(value)
```

XDR Source Code:

```
enum ClawbackresultCode
{
    // codes considered as "success" for the operation
    CLAWBACK_SUCCESS = 0,

    // codes considered as "failure" for the operation
    CLAWBACK_MALFORMED = -1,
    CLAWBACK_NOT_CLAWBACK_ENABLED = -2,
    CLAWBACK_NO_TRUST = -3,
    CLAWBACK_UNDERFUNDED = -4
};
```

CreateAccountOp

```
class stellar_sdk.xdr.create_account_op.CreateAccountOp(destination, starting_balance)
```

XDR Source Code:

```
struct CreateAccountOp
{
    AccountID destination; // account to create
    int64 startingBalance; // amount they end up with
};
```

CreateAccountResult

```
class stellar_sdk.xdr.create_account_result.CreateAccountResult(code)
```

XDR Source Code:

```
union CreateAccountResult switch (CreateAccountresultCode code)
{
    case CREATE_ACCOUNT_SUCCESS:
        void;
    default:
        void;
};
```

CreateAccountresultCode

```
class stellar_sdk.xdr.create_account_result_code.CreateAccountresultCode(value)
```

XDR Source Code:

```
enum CreateAccountresultCode
{
    // codes considered as "success" for the operation
    CREATE_ACCOUNT_SUCCESS = 0, // account was created

    // codes considered as "failure" for the operation
    CREATE_ACCOUNT_MALFORMED = -1, // invalid destination
    CREATE_ACCOUNT_UNDERFUNDED = -2, // not enough funds in source account
    CREATE_ACCOUNT_LOW_RESERVE =
        -3, // would create an account below the min reserve
    CREATE_ACCOUNT_ALREADY_EXIST = -4 // account already exists
};
```

CreateClaimableBalanceOp

```
class stellar_sdk.xdr.create_claimable_balance_op.CreateClaimableBalanceOp(asset, amount,  
                           claimants)
```

XDR Source Code:

```
struct CreateClaimableBalanceOp  
{  
    Asset asset;  
    int64 amount;  
    Claimant claimants<10>;  
};
```

CreateClaimableBalanceResult

```
class stellar_sdk.xdr.create_claimable_balance_result.CreateClaimableBalanceResult(code,  
                                    bal-  
                                    ance_id=None)
```

XDR Source Code:

```
union CreateClaimableBalanceResult switch (  
    CreateClaimableBalanceresultCode code)  
{  
    case CREATE_CLAIMABLE_BALANCE_SUCCESS:  
        ClaimableBalanceID balanceID;  
    default:  
        void;  
};
```

CreateClaimableBalanceresultCode

```
class stellar_sdk.xdr.create_claimable_balance_result_code.CreateClaimableBalanceresultCode(value)
```

XDR Source Code:

```
enum CreateClaimableBalanceresultCode  
{  
    CREATE_CLAIMABLE_BALANCE_SUCCESS = 0,  
    CREATE_CLAIMABLE_BALANCE_MALFORMED = -1,  
    CREATE_CLAIMABLE_BALANCE_LOW_RESERVE = -2,  
    CREATE_CLAIMABLE_BALANCE_NO_TRUST = -3,  
    CREATE_CLAIMABLE_BALANCE_NOTAUTHORIZED = -4,  
    CREATE_CLAIMABLE_BALANCE_UNDERFUNDED = -5  
};
```

CreatePassiveSellOfferOp

```
class stellar_sdk.xdr.create_passive_sell_offer_op.CreatePassiveSellOfferOp(selling, buying,
                                                                           amount, price)
```

XDR Source Code:

```
struct CreatePassiveSellOfferOp
{
    Asset selling; // A
    Asset buying; // B
    int64 amount; // amount taker gets
    Price price; // cost of A in terms of B
};
```

CryptoKeyType

```
class stellar_sdk.xdr.crypto_key_type.CryptoKeyType(value)
```

XDR Source Code:

```
enum CryptoKeyType
{
    KEY_TYPE_ED25519 = 0,
    KEY_TYPE_PRE_AUTH_TX = 1,
    KEY_TYPE_HASH_X = 2,
    // MUXED enum values for supported type are derived from the enum values
    // above by ORing them with 0x100
    KEY_TYPE_MUXED_ED25519 = 0x100
};
```

Curve25519Public

```
class stellar_sdk.xdr.curve25519_public.Curve25519Public(key)
```

XDR Source Code:

```
struct Curve25519Public
{
    opaque key[32];
};
```

Curve25519Secret

```
class stellar_sdk.xdr.curve25519_secret.Curve25519Secret(key)
```

XDR Source Code:

```
struct Curve25519Secret
{
    opaque key[32];
};
```

DataEntry

```
class stellar_sdk.xdr.data_entry.DataEntry(account_id, data_name, data_value, ext)
```

XDR Source Code:

```
struct DataEntry
{
    AccountID accountID; // account this data belongs to
    string64 dataName;
    DataValue dataValue;

    // reserved for future use
    union switch (int v)
    {
        case 0:
            void;
        }
        ext;
    };
```

DataEntryExt

```
class stellar_sdk.xdr.data_entry_ext.DataEntryExt(v)
```

XDR Source Code:

```
union switch (int v)
{
    case 0:
        void;
    }
```

DataProvider

```
class stellar_sdk.xdr.data_value.DataProvider(data_value)
```

XDR Source Code:

```
typedef opaque DataProvider<64>;
```

DecoratedSignature

```
class stellar_sdk.xdr.decorated_signature.DecoratedSignature(hint, signature)
```

XDR Source Code:

```
struct DecoratedSignature
{
    SignatureHint hint; // last 4 bytes of the public key, used as a hint
    Signature signature; // actual signature
};
```

DontHave

```
class stellar_sdk.xdr.dont_have.DontHave(type, req_hash)
```

XDR Source Code:

```
struct DontHave
{
    MessageType type;
    uint256 reqHash;
};
```

EncryptedBody

```
class stellar_sdk.xdr.encrypted_body.EncryptedBody(encrypted_body)
```

XDR Source Code:

```
typedef opaque EncryptedBody<64000>;
```

EndSponsoringFutureReservesResult

```
class stellar_sdk.xdr.end_sponsoring_future_reserves_result.EndSponsoringFutureReservesResult(code)
```

XDR Source Code:

```
union EndSponsoringFutureReservesResult switch (
    EndSponsoringFutureReservesresultCode code)
{
    case END_SPONSORING_FUTURE_RESERVES_SUCCESS:
        void;
    default:
        void;
};
```

EndSponsoringFutureReservesresultCode

```
class stellar_sdk.xdr.end_sponsoring_future_reserves_result_code.EndSponsoringFutureReservesresultCode()
```

XDR Source Code:

```
enum EndSponsoringFutureReservesresultCode
{
    // codes considered as "success" for the operation
    END_SPONSORING_FUTURE_RESERVES_SUCCESS = 0,

    // codes considered as "failure" for the operation
    END_SPONSORING_FUTURE_RESERVES_NOT_SPONSORED = -1
};
```

EnvelopeType

```
class stellar_sdk.xdr.envelope_type.EnvelopeType(value)
```

XDR Source Code:

```
enum EnvelopeType
{
    ENVELOPE_TYPE_TX_V0 = 0,
    ENVELOPE_TYPE_SCP = 1,
    ENVELOPE_TYPE_TX = 2,
    ENVELOPE_TYPE_AUTH = 3,
    ENVELOPE_TYPE SCPVALUE = 4,
    ENVELOPE_TYPE_TX_FEE_BUMP = 5,
    ENVELOPE_TYPE_OP_ID = 6
};
```

Error

```
class stellar_sdk.xdr.error.Error(code, msg)
```

XDR Source Code:

```
struct Error
{
    ErrorCode code;
    string msg<100>;
};
```

ErrorCode

```
class stellar_sdk.xdr.error_code.ErrorCode(value)
```

XDR Source Code:

```
enum ErrorCode
{
    ERR_MISC = 0, // Unspecific error
    ERR_DATA = 1, // Malformed data
    ERR_CONF = 2, // Misconfiguration error
    ERR_AUTH = 3, // Authentication failure
    ERR_LOAD = 4 // System overloaded
};
```

FeeBumpTransaction

```
class stellar_sdk.xdr.fee_bump_transaction.FeeBumpTransaction(fee_source, fee, inner_tx, ext)
```

XDR Source Code:

```
struct FeeBumpTransaction
{
    MuxedAccount feeSource;
    int64 fee;
    union switch (EnvelopeType type)
    {
        case ENVELOPE_TYPE_TX:
            TransactionV1Envelope v1;
        }
        innerTx;
        union switch (int v)
        {
            case 0:
                void;
            }
        ext;
};
```

FeeBumpTransactionEnvelope

```
class stellar_sdk.xdr.fee_bump_transaction_envelope.FeeBumpTransactionEnvelope(tx,
                                                               signatures)
```

XDR Source Code:

```
struct FeeBumpTransactionEnvelope
{
    FeeBumpTransaction tx;
    /* Each decorated signature is a signature over the SHA256 hash of
     * a TransactionSignaturePayload */
    DecoratedSignature signatures<20>;
};
```

FeeBumpTransactionExt

```
class stellar_sdk.xdr.fee_bump_transaction_ext.FeeBumpTransactionExt(v)
```

XDR Source Code:

```
union switch (int v)
{
    case 0:
        void;
}
```

FeeBumpTransactionInnerTx

```
class stellar_sdk.xdr.fee_bump_transaction_inner_tx.FeeBumpTransactionInnerTx(type,
    v1=None)
```

XDR Source Code:

```
union switch (EnvelopeType type)
{
    case ENVELOPE_TYPE_TX:
        TransactionV1Envelope v1;
}
```

Hash

```
class stellar_sdk.xdr.hash.Hash(hash)
```

XDR Source Code:

```
typedef opaque Hash[32];
```

Hello

```
class stellar_sdk.xdr.hello.Hello(ledger_version, overlay_version, overlay_min_version, network_id,
    version_str, listening_port, peer_id, cert, nonce)
```

XDR Source Code:

```
struct Hello
{
    uint32 ledgerVersion;
    uint32 overlayVersion;
    uint32 overlayMinVersion;
    Hash networkID;
    string versionStr<100>;
    int listeningPort;
    NodeID peerID;
    AuthCert cert;
    uint256 nonce;
};
```

HmacSha256Key

```
class stellar_sdk.xdr.hmac_sha256_key.HmacSha256Key(key)
```

XDR Source Code:

```
struct HmacSha256Key
{
    opaque key[32];
};
```

HmacSha256Mac

```
class stellar_sdk.xdr.hmac_sha256_mac.HmacSha256Mac(mac)
```

XDR Source Code:

```
struct HmacSha256Mac
{
    opaque mac[32];
};
```

Hyper

```
class stellar_sdk.xdr.base.Hyper(value)
```

IPAddrType

```
class stellar_sdk.xdr.ip_addr_type.IPAddrType(value)
```

XDR Source Code:

```
enum IPAddrType
{
    IPv4 = 0,
    IPv6 = 1
};
```

InflationPayout

```
class stellar_sdk.xdr.inflation_payout.InflationPayout(destination, amount)
```

XDR Source Code:

```
struct InflationPayout // or use PaymentResultAtom to limit types?
{
    AccountID destination;
    int64 amount;
};
```

InflationResult

```
class stellar_sdk.xdr.inflation_result.InflationResult(code, payouts=None)
```

XDR Source Code:

```
union InflationResult switch (InflationresultCode code)
{
    case INFLATION_SUCCESS:
        InflationPayout payouts<>;
    default:
        void;
};
```

InflationResultCode

```
class stellar_sdk.xdr.inflation_result_code.InflationResultCode(value)
```

XDR Source Code:

```
enum InflationResultCode
{
    // codes considered as "success" for the operation
    INFLATION_SUCCESS = 0,
    // codes considered as "failure" for the operation
    INFLATION_NOT_TIME = -1
};
```

InnerTransactionResult

```
class stellar_sdk.xdr.inner_transaction_result.InnerTransactionResult(fee_charged, result, ext)
```

XDR Source Code:

```
struct InnerTransactionResult
{
    // Always 0. Here for binary compatibility.
    int64 feeCharged;

    union switch (TransactionResultCode code)
    {
        // txFEE_BUMP_INNER_SUCCESS is not included
        case txSUCCESS:
        case txFAILED:
            OperationResult results<>;
        case txTOO_EARLY:
        case txTOO_LATE:
        case txMISSING_OPERATION:
        case txBAD_SEQ:
        case txBAD_AUTH:
        case txINSUFFICIENT_BALANCE:
        case txNO_ACCOUNT:
        case txINSUFFICIENT_FEE:
        case txBAD_AUTH_EXTRA:
        case txINTERNAL_ERROR:
        case txNOT_SUPPORTED:
        // txFEE_BUMP_INNER_FAILED is not included
        case txBAD_SPONSORSHIP:
            void;
    }
    result;

    // reserved for future use
    union switch (int v)
    {
        case 0:
            void;
    }
};
```

(continues on next page)

(continued from previous page)

```
    ext;
};
```

InnerTransactionResultExt

```
class stellar_sdk.xdr.inner_transaction_result_ext.InnerTransactionResultExt(v)
```

XDR Source Code:

```
union switch (int v)
{
    case 0:
        void;
}
```

InnerTransactionResultPair

```
class stellar_sdk.xdr.inner_transaction_result_pair.InnerTransactionResultPair(transaction_hash,
                                result)
```

XDR Source Code:

```
struct InnerTransactionResultPair
{
    Hash transactionHash;           // hash of the inner transaction
    InnerTransactionResult result; // result for the inner transaction
};
```

InnerTransactionResultResult

```
class stellar_sdk.xdr.inner_transaction_result_result.InnerTransactionResultResult(code,
                                    re-
                                    sults=None)
```

XDR Source Code:

```
union switch (TransactionResultCode code)
{
    // txFEED_BUMP_INNER_SUCCESS is not included
    case txSUCCESS:
    case txFAILED:
        OperationResult results<>;
    case txTOO_EARLY:
    case txTOO_LATE:
    case txMISSING_OPERATION:
    case txBAD_SEQ:
    case txBAD_AUTH:
    case txINSUFFICIENT_BALANCE:
    case txNO_ACCOUNT:
    case txINSUFFICIENT_FEE:
    case txBAD_AUTH_EXTRA:
```

(continues on next page)

(continued from previous page)

```
case txINTERNAL_ERROR:  
case txNOT_SUPPORTED:  
// txFEE_BUMP_INNER_FAILED is not included  
case txBAD_SPONSORSHIP:  
    void;  
}
```

Int32

```
class stellar_sdk.xdr.int32.Int32(int32)
```

XDR Source Code:

```
typedef int int32;
```

Int64

```
class stellar_sdk.xdr.int64.Int64(int64)
```

XDR Source Code:

```
typedef hyper int64;
```

Integer

```
class stellar_sdk.xdr.base.Integer(value)
```

LedgerCloseMeta

```
class stellar_sdk.xdr.ledger_close_meta.LedgerCloseMeta(v, v0=None)
```

XDR Source Code:

```
union LedgerCloseMeta switch (int v)  
{  
case 0:  
    LedgerCloseMetaV0 v0;  
};
```

LedgerCloseMetaV0

```
class stellar_sdk.xdr.ledger_close_meta_v0.LedgerCloseMetaV0(ledger_header, tx_set, tx_processing,  
upgrades_processing, scp_info)
```

XDR Source Code:

```
struct LedgerCloseMetaV0  
{  
    LedgerHeaderHistoryEntry ledgerHeader;  
    // NB: txSet is sorted in "Hash order"
```

(continues on next page)

(continued from previous page)

```

TransactionSet txSet;

// NB: transactions are sorted in apply order here
// fees for all transactions are processed first
// followed by applying transactions
TransactionResultMeta txProcessing<>;

// upgrades are applied last
UpgradeEntryMeta upgradesProcessing<>;

// other misc information attached to the ledger close
SCPHistoryEntry scpInfo<>;
};

```

LedgerCloseValueSignature

```
class stellar_sdk.xdr.ledger_close_value_signature.LedgerCloseValueSignature(node_id,  
                                signature)
```

XDR Source Code:

```

struct LedgerCloseValueSignature
{
    NodeID nodeID;          // which node introduced the value
    Signature signature; // nodeID's signature
};

```

LedgerEntry

```
class stellar_sdk.xdr.ledger_entry.LedgerEntry(last_modified_ledger_seq, data, ext)
```

XDR Source Code:

```

struct LedgerEntry
{
    uint32 lastModifiedLedgerSeq; // ledger the LedgerEntry was last changed

    union switch (LedgerEntryType type)
    {
        case ACCOUNT:
            AccountEntry account;
        case TRUSTLINE:
            TrustLineEntry trustLine;
        case OFFER:
            OfferEntry offer;
        case DATA:
            DataEntry data;
        case CLAIMABLE_BALANCE:
            ClaimableBalanceEntry claimableBalance;
        case LIQUIDITY_POOL:
            LiquidityPoolEntry liquidityPool;
    }
};

```

(continues on next page)

(continued from previous page)

```
    }

    data;

    // reserved for future use
    union switch (int v)
    {
        case 0:
            void;
        case 1:
            LedgerEntryExtensionV1 v1;
    }
    ext;
};
```

LedgerEntryChange

```
class stellar_sdk.xdr.ledger_entry_change.LedgerEntryChange(type, created=None, updated=None,
                                                               removed=None, state=None)
```

XDR Source Code:

```
union LedgerEntryChange switch (LedgerEntryChangeType type)
{
    case LEDGER_ENTRY_CREATED:
        LedgerEntry created;
    case LEDGER_ENTRY_UPDATED:
        LedgerEntry updated;
    case LEDGER_ENTRY_REMOVED:
        LedgerKey removed;
    case LEDGER_ENTRY_STATE:
        LedgerEntry state;
};
```

LedgerEntryChangeType

```
class stellar_sdk.xdr.ledger_entry_change_type.LedgerEntryChangeType(value)
```

XDR Source Code:

```
enum LedgerEntryChangeType
{
    LEDGER_ENTRY_CREATED = 0, // entry was added to the ledger
    LEDGER_ENTRY_UPDATED = 1, // entry was modified in the ledger
    LEDGER_ENTRY_REMOVED = 2, // entry was removed from the ledger
    LEDGER_ENTRY_STATE = 3   // value of the entry
};
```

LedgerEntryChanges

```
class stellar_sdk.xdr.ledger_entry_changes.LedgerEntryChanges(ledger_entry_changes)
```

XDR Source Code:

```
typedef LedgerEntryChange LedgerEntryChanges<>;
```

LedgerEntryData

```
class stellar_sdk.xdr.ledger_entry_data.LedgerEntryData(type, account=None, trust_line=None,
                                                       offer=None, data=None,
                                                       claimable_balance=None,
                                                       liquidity_pool=None)
```

XDR Source Code:

```
union switch (LedgerEntryType type)
{
    case ACCOUNT:
        AccountEntry account;
    case TRUSTLINE:
        TrustLineEntry trustLine;
    case OFFER:
        OfferEntry offer;
    case DATA:
        DataEntry data;
    case CLAIMABLE_BALANCE:
        ClaimableBalanceEntry claimableBalance;
    case LIQUIDITY_POOL:
        LiquidityPoolEntry liquidityPool;
}
```

LedgerEntryExt

```
class stellar_sdk.xdr.ledger_entry_ext.LedgerEntryExt(v, v1=None)
```

XDR Source Code:

```
union switch (int v)
{
    case 0:
        void;
    case 1:
        LedgerEntryExtensionV1 v1;
}
```

LedgerEntryExtensionV1

```
class stellar_sdk.xdr.ledger_entry_extension_v1.LedgerEntryExtensionV1(sponsoring_id, ext)
XDR Source Code:
```

```
struct LedgerEntryExtensionV1
{
    SponsorshipDescriptor sponsoringID;

    union switch (int v)
    {
        case 0:
            void;
        }
        ext;
};
```

LedgerEntryExtensionV1Ext

```
class stellar_sdk.xdr.ledger_entry_extension_v1_ext.LedgerEntryExtensionV1Ext(v)
XDR Source Code:
```

```
union switch (int v)
{
    case 0:
        void;
}
```

LedgerEntryType

```
class stellar_sdk.xdr.ledger_entry_type.LedgerEntryType(value)
XDR Source Code:
```

```
enum LedgerEntryType
{
    ACCOUNT = 0,
    TRUSTLINE = 1,
    OFFER = 2,
    DATA = 3,
    CLAIMABLE_BALANCE = 4,
    LIQUIDITY_POOL = 5
};
```

LedgerHeader

```
class stellar_sdk.xdr.ledger_header.LedgerHeader(ledger_version, previous_ledger_hash, scp_value,
                                                tx_set_result_hash, bucket_list_hash, ledger_seq,
                                                total_coins, fee_pool, inflation_seq, id_pool,
                                                base_fee, base_reserve, max_tx_set_size, skip_list,
                                                ext)
```

XDR Source Code:

```
struct LedgerHeader
{
    uint32 ledgerVersion; // the protocol version of the ledger
    Hash previousLedgerHash; // hash of the previous ledger header
    StellarValue scpValue; // what consensus agreed to
    Hash txSetResultHash; // the TransactionResultSet that led to this ledger
    Hash bucketListHash; // hash of the ledger state

    uint32 ledgerSeq; // sequence number of this ledger

    int64 totalCoins; // total number of stroops in existence.
                      // 10,000,000 stroops in 1 XLM

    int64 feePool; // fees burned since last inflation run
    uint32 inflationSeq; // inflation sequence number

    uint64 idPool; // last used global ID, used for generating objects

    uint32 baseFee; // base fee per operation in stroops
    uint32 baseReserve; // account base reserve in stroops

    uint32 maxTxSetSize; // maximum size a transaction set can be

    Hash skipList[4]; // hashes of ledgers in the past. allows you to jump back
                      // in time without walking the chain back ledger by ledger
                      // each slot contains the oldest ledger that is mod of
                      // either 50 5000 50000 or 500000 depending on index
                      // skipList[0] mod(50), skipList[1] mod(5000), etc

    // reserved for future use
    union switch (int v)
    {
        case 0:
            void;
        }
        ext;
    };
}
```

LedgerHeaderExt

```
class stellar_sdk.xdr.ledger_header_ext.LedgerHeaderExt(v)
```

XDR Source Code:

```
union switch (int v)
{
    case 0:
        void;
}
```

LedgerHeaderHistoryEntry

```
class stellar_sdk.xdr.ledger_header_history_entry.LedgerHeaderHistoryEntry(hash, header, ext)
```

XDR Source Code:

```
struct LedgerHeaderHistoryEntry
{
    Hash hash;
    LedgerHeader header;

    // reserved for future use
    union switch (int v)
    {
        case 0:
            void;
    }
    ext;
};
```

LedgerHeaderHistoryEntryExt

```
class stellar_sdk.xdr.ledger_header_history_entry_ext.LedgerHeaderHistoryEntryExt(v)
```

XDR Source Code:

```
union switch (int v)
{
    case 0:
        void;
}
```

LedgerKey

```
class stellar_sdk.xdr.ledger_key.LedgerKey(type, account=None, trust_line=None, offer=None,
                                            data=None, claimable_balance=None,
                                            liquidity_pool=None)
```

XDR Source Code:

```
union LedgerKey switch (LedgerEntryType type)
{
    case ACCOUNT:
        struct
        {
            AccountID accountID;
        } account;

    case TRUSTLINE:
        struct
        {
            AccountID accountID;
            TrustLineAsset asset;
        } trustLine;

    case OFFER:
        struct
        {
            AccountID sellerID;
            int64 offerID;
        } offer;

    case DATA:
        struct
        {
            AccountID accountID;
            string64 dataName;
        } data;

    case CLAIMABLE_BALANCE:
        struct
        {
            ClaimableBalanceID balanceID;
        } claimableBalance;

    case LIQUIDITY_POOL:
        struct
        {
            PoolID liquidityPoolID;
        } liquidityPool;
};
```

LedgerKeyAccount

```
class stellar_sdk.xdr.ledger_key_account.LedgerKeyAccount(account_id)
```

XDR Source Code:

```
struct
{
    AccountID accountID;
}
```

LedgerKeyClaimableBalance

```
class stellar_sdk.xdr.ledger_key_claimable_balance.LedgerKeyClaimableBalance(balance_id)
```

XDR Source Code:

```
struct
{
    ClaimableBalanceID balanceID;
}
```

LedgerKeyData

```
class stellar_sdk.xdr.ledger_key_data.LedgerKeyData(account_id, data_name)
```

XDR Source Code:

```
struct
{
    AccountID accountID;
    string64 dataName;
}
```

LedgerKeyLiquidityPool

```
class stellar_sdk.xdr.ledger_key_liquidity_pool.LedgerKeyLiquidityPool(liquidity_pool_id)
```

XDR Source Code:

```
struct
{
    PoolID liquidityPoolID;
}
```

LedgerKeyOffer

```
class stellar_sdk.xdr.ledger_key_offer.LedgerKeyOffer(seller_id, offer_id)
```

XDR Source Code:

```
struct
{
    AccountID sellerID;
    int64 offerID;
}
```

LedgerKeyTrustLine

```
class stellar_sdk.xdr.ledger_key_trust_line.LedgerKeyTrustLine(account_id, asset)
```

XDR Source Code:

```
struct
{
    AccountID accountID;
    TrustLineAsset asset;
}
```

LedgerSCPMessages

```
class stellar_sdk.xdr.ledger_scp_messages.LedgerSCPMessages(ledger_seq, messages)
```

XDR Source Code:

```
struct LedgerSCPMessages
{
    uint32 ledgerSeq;
    SCPEnvelope messages<>;
};
```

LedgerUpgrade

```
class stellar_sdk.xdr.ledger_upgrade.LedgerUpgrade(type, new_ledger_version=None,
                                                    new_base_fee=None,
                                                    new_max_tx_set_size=None,
                                                    new_base_reserve=None)
```

XDR Source Code:

```
union LedgerUpgrade switch (LedgerUpgradeType type)
{
    case LEDGER_UPGRADE_VERSION:
        uint32 newLedgerVersion; // update ledgerVersion
    case LEDGER_UPGRADE_BASE_FEE:
        uint32 newBaseFee; // update baseFee
    case LEDGER_UPGRADE_MAX_TX_SET_SIZE:
        uint32 newMaxTxSetSize; // update maxTxSetSize
```

(continues on next page)

(continued from previous page)

```
case LEDGER_UPGRADE_BASE_RESERVE:  
    uint32 newBaseReserve; // update baseReserve  
};
```

LedgerUpgradeType

```
class stellar_sdk.xdr.ledger_upgrade_type.LedgerUpgradeType(value)
```

XDR Source Code:

```
enum LedgerUpgradeType  
{  
    LEDGER_UPGRADE_VERSION = 1,  
    LEDGER_UPGRADE_BASE_FEE = 2,  
    LEDGER_UPGRADE_MAX_TX_SET_SIZE = 3,  
    LEDGER_UPGRADE_BASE_RESERVE = 4  
};
```

Liabilities

```
class stellar_sdk.xdr.liabilities.Liabilities(buying, selling)
```

XDR Source Code:

```
struct Liabilities  
{  
    int64 buying;  
    int64 selling;  
};
```

LiquidityPoolConstantProductParameters

```
class stellar_sdk.xdr.liquidity_pool_constant_product_parameters.LiquidityPoolConstantProductParameters
```

XDR Source Code:

```
struct LiquidityPoolConstantProductParameters  
{  
    Asset assetA; // assetA < assetB  
    Asset assetB;  
    int32 fee; // Fee is in basis points, so the actual rate is (fee/100)%  
};
```

LiquidityPoolDepositOp

```
class stellar_sdk.xdr.liquidity_pool_deposit_op.LiquidityPoolDepositOp(liquidity_pool_id,
                                                                      max_amount_a,
                                                                      max_amount_b,
                                                                      min_price, max_price)
```

XDR Source Code:

```
struct LiquidityPoolDepositOp
{
    PoolID liquidityPoolID;
    int64 maxAmountA;      // maximum amount of first asset to deposit
    int64 maxAmountB;      // maximum amount of second asset to deposit
    Price minPrice;        // minimum depositA/depositB
    Price maxPrice;        // maximum depositA/depositB
};
```

LiquidityPoolDepositResult

```
class stellar_sdk.xdr.liquidity_pool_deposit_result.LiquidityPoolDepositResult(code)
```

XDR Source Code:

```
union LiquidityPoolDepositResult switch (
    LiquidityPoolDepositResultCode code)
{
    case LIQUIDITY_POOL_DEPOSIT_SUCCESS:
        void;
    default:
        void;
};
```

LiquidityPoolDepositResultCode

```
class stellar_sdk.xdr.liquidity_pool_deposit_result_code.LiquidityPoolDepositResultCode(value)
```

XDR Source Code:

```
enum LiquidityPoolDepositResultCode
{
    // codes considered as "success" for the operation
    LIQUIDITY_POOL_DEPOSIT_SUCCESS = 0,

    // codes considered as "failure" for the operation
    LIQUIDITY_POOL_DEPOSIT_MALFORMED = -1,           // bad input
    LIQUIDITY_POOL_DEPOSIT_NO_TRUST = -2,             // no trust line for one of the
                                                       // assets
    LIQUIDITY_POOL_DEPOSIT_NOTAUTHORIZED = -3,         // not authorized for one of the
                                                       // assets
    LIQUIDITY_POOL_DEPOSIT_UNDERFUNDED = -4,           // not enough balance for one of
                                                       // the assets
    LIQUIDITY_POOL_DEPOSIT_LINE_FULL = -5,             // pool share trust line doesn't
                                                       // have sufficient limit
}
```

(continues on next page)

(continued from previous page)

```

LIQUIDITY_POOL_DEPOSIT_BAD_PRICE = -6,      // deposit price outside bounds
LIQUIDITY_POOL_DEPOSIT_POOL_FULL = -7       // pool reserves are full
};

```

LiquidityPoolEntry

```
class stellar_sdk.xdr.liquidity_pool_entry.LiquidityPoolEntry(liquidity_pool_id, body)
```

XDR Source Code:

```

struct LiquidityPoolEntry
{
    PoolID liquidityPoolID;

    union switch (LiquidityPoolType type)
    {
        case LIQUIDITY_POOL_CONSTANT_PRODUCT:
            struct
            {
                LiquidityPoolConstantProductParameters params;

                int64 reserveA;          // amount of A in the pool
                int64 reserveB;          // amount of B in the pool
                int64 totalPoolShares;   // total number of pool shares issued
                int64 poolSharesTrustLineCount; // number of trust lines for the ↵
                ↵associated pool shares
            } constantProduct;
        }
        body;
    };
}

```

LiquidityPoolEntryBody

```
class stellar_sdk.xdr.liquidity_pool_entry_body.LiquidityPoolEntryBody(type, constant_product=None)
```

XDR Source Code:

```

union switch (LiquidityPoolType type)
{
    case LIQUIDITY_POOL_CONSTANT_PRODUCT:
        struct
        {
            LiquidityPoolConstantProductParameters params;

            int64 reserveA;          // amount of A in the pool
            int64 reserveB;          // amount of B in the pool
            int64 totalPoolShares;   // total number of pool shares issued
            int64 poolSharesTrustLineCount; // number of trust lines for the ↵
            ↵associated pool shares
        } constantProduct;
}

```

LiquidityPoolEntryConstantProduct

```
class stellar_sdk.xdr.liquidity_pool_entry_constant_product.LiquidityPoolEntryConstantProduct(params,
    re-
    serve_a,
    re-
    serve_b,
    to-
    tal_pool_sh-
    pool_shares)
```

XDR Source Code:

```
struct
{
    LiquidityPoolConstantProductParameters params;

    int64 reserveA;          // amount of A in the pool
    int64 reserveB;          // amount of B in the pool
    int64 totalPoolShares;   // total number of pool shares issued
    int64 poolSharesTrustLineCount; // number of trust lines for the
    ↵associated pool shares
}
```

LiquidityPoolParameters

```
class stellar_sdk.xdr.liquidity_pool_parameters.LiquidityPoolParameters(type, con-
    stant_product=None)
```

XDR Source Code:

```
union LiquidityPoolParameters switch (LiquidityPoolType type)
{
    case LIQUIDITY_POOL_CONSTANT_PRODUCT:
        LiquidityPoolConstantProductParameters constantProduct;
};
```

LiquidityPoolType

```
class stellar_sdk.xdr.liquidity_pool_type.LiquidityPoolType(value)
```

XDR Source Code:

```
enum LiquidityPoolType
{
    LIQUIDITY_POOL_CONSTANT_PRODUCT = 0
};
```

LiquidityPoolWithdrawOp

```
class stellar_sdk.xdr.liquidity_pool_withdraw_op.LiquidityPoolWithdrawOp(liquidity_pool_id,
                                                               amount,
                                                               min_amount_a,
                                                               min_amount_b)
```

XDR Source Code:

```
struct LiquidityPoolWithdrawOp
{
    PoolID liquidityPoolID;
    int64 amount;           // amount of pool shares to withdraw
    int64 minAmountA;      // minimum amount of first asset to withdraw
    int64 minAmountB;      // minimum amount of second asset to withdraw
};
```

LiquidityPoolWithdrawResult

```
class stellar_sdk.xdr.liquidity_pool_withdraw_result.LiquidityPoolWithdrawResult(code)
```

XDR Source Code:

```
union LiquidityPoolWithdrawResult switch (
    LiquidityPoolWithdrawResultCode code)
{
    case LIQUIDITY_POOL_WITHDRAW_SUCCESS:
        void;
    default:
        void;
};
```

LiquidityPoolWithdrawresultCode

```
class stellar_sdk.xdr.liquidity_pool_withdraw_result_code.LiquidityPoolWithdrawresultCode(value)
```

XDR Source Code:

```
enum LiquidityPoolWithdrawresultCode
{
    // codes considered as "success" for the operation
    LIQUIDITY_POOL_WITHDRAW_SUCCESS = 0,

    // codes considered as "failure" for the operation
    LIQUIDITY_POOL_WITHDRAW_MALFORMED = -1,           // bad input
    LIQUIDITY_POOL_WITHDRAW_NO_TRUST = -2,             // no trust line for one of the
                                                       // assets
    LIQUIDITY_POOL_WITHDRAW_UNDERFUNDED = -3,          // not enough balance of the
                                                       // pool share
    LIQUIDITY_POOL_WITHDRAW_LINE_FULL = -4,            // would go above limit for one
                                                       // of the assets
    LIQUIDITY_POOL_WITHDRAW_UNDER_MINIMUM = -5         // didn't withdraw enough
};
```

ManageBuyOfferOp

```
class stellar_sdk.xdr.manage_buy_offer_op.ManageBuyOfferOp(selling, buying, buy_amount, price,
                                                               offer_id)
```

XDR Source Code:

```
struct ManageBuyOfferOp
{
    Asset selling;
    Asset buying;
    int64 buyAmount; // amount being bought. if set to 0, delete the offer
    Price price;     // price of thing being bought in terms of what you are
                     // selling

    // 0=create a new offer, otherwise edit an existing offer
    int64 offerID;
};
```

ManageBuyOfferResult

```
class stellar_sdk.xdr.manage_buy_offer_result.ManageBuyOfferResult(code, success=None)
```

XDR Source Code:

```
union ManageBuyOfferResult switch (ManageBuyOfferresultCode code)
{
    case MANAGE_BUY_OFFER_SUCCESS:
        ManageOfferSuccessResult success;
    default:
        void;
};
```

ManageBuyOfferresultCode

```
class stellar_sdk.xdr.manage_buy_offer_result_code.ManageBuyOfferresultCode(value)
```

XDR Source Code:

```
enum ManageBuyOfferresultCode
{
    // codes considered as "success" for the operation
    MANAGE_BUY_OFFER_SUCCESS = 0,

    // codes considered as "failure" for the operation
    MANAGE_BUY_OFFER_MALFORMED = -1,           // generated offer would be invalid
    MANAGE_BUY_OFFER_SELL_NO_TRUST = -2,        // no trust line for what we're selling
    MANAGE_BUY_OFFER_BUY_NO_TRUST = -3,          // no trust line for what we're buying
    MANAGE_BUY_OFFER_SELL_NOTAUTHORIZED = -4,    // not authorized to sell
    MANAGE_BUY_OFFER_BUY_NOTAUTHORIZED = -5,     // not authorized to buy
    MANAGE_BUY_OFFER_LINE_FULL = -6,             // can't receive more of what it's buying
    MANAGE_BUY_OFFER_UNDERFUNDED = -7,            // doesn't hold what it's trying to sell
    MANAGE_BUY_OFFER_CROSS_SELF = -8,             // would cross an offer from the same user
    MANAGE_BUY_OFFER_SELL_NO_ISSUER = -9,         // no issuer for what we're selling
};
```

(continues on next page)

(continued from previous page)

```
MANAGE_BUY_OFFER_BUY_NO_ISSUER = -10, // no issuer for what we're buying

// update errors
MANAGE_BUY_OFFER_NOT_FOUND =
    -11, // offerID does not match an existing offer

MANAGE_BUY_OFFER_LOW_RESERVE = -12 // not enough funds to create a new Offer
};
```

ManageDataOp

```
class stellar_sdk.xdr.manage_data_op.ManageDataOp(data_name, data_value)
```

XDR Source Code:

```
struct ManageDataOp
{
    string64 dataName;
    DataValue* dataValue; // set to null to clear
};
```

ManageDataResult

```
class stellar_sdk.xdr.manage_data_result.ManageDataResult(code)
```

XDR Source Code:

```
union ManageDataResult switch (ManageDataresultCode code)
{
    case MANAGE_DATA_SUCCESS:
        void;
    default:
        void;
};
```

ManageDataresultCode

```
class stellar_sdk.xdr.manage_data_result_code.ManageDataresultCode(value)
```

XDR Source Code:

```
enum ManageDataresultCode
{
    // codes considered as "success" for the operation
    MANAGE_DATA_SUCCESS = 0,
    // codes considered as "failure" for the operation
    MANAGE_DATA_NOT_SUPPORTED_YET =
        -1, // The network hasn't moved to this protocol change yet
    MANAGE_DATA_NAME_NOT_FOUND =
        -2, // Trying to remove a Data Entry that isn't there
    MANAGE_DATA_LOW_RESERVE = -3, // not enough funds to create a new Data Entry
};
```

(continues on next page)

(continued from previous page)

```
MANAGE_DATA_INVALID_NAME = -4 // Name not a valid string
};
```

ManageOfferEffect

```
class stellar_sdk.xdr.manage_offer_effect.ManageOfferEffect(value)
```

XDR Source Code:

```
enum ManageOfferEffect
{
    MANAGE_OFFER_CREATED = 0,
    MANAGE_OFFER_UPDATED = 1,
    MANAGE_OFFER_DELETED = 2
};
```

ManageOfferSuccessResult

```
class stellar_sdk.xdr.manage_offer_success_result.ManageOfferSuccessResult(offers_claimed,
                                                                           offer)
```

XDR Source Code:

```
struct ManageOfferSuccessResult
{
    // offers that got claimed while creating this offer
    ClaimAtom offersClaimed<>;

    union switch (ManageOfferEffect effect)
    {
        case MANAGE_OFFER_CREATED:
        case MANAGE_OFFER_UPDATED:
            OfferEntry offer;
        default:
            void;
    }
    offer;
};
```

ManageOfferSuccessResultOffer

```
class stellar_sdk.xdr.manage_offer_success_result_offer.ManageOfferSuccessResultOffer(effect,
                                                                                      of-
                                                                                      fer=None)
```

XDR Source Code:

```
union switch (ManageOfferEffect effect)
{
    case MANAGE_OFFER_CREATED:
    case MANAGE_OFFER_UPDATED:
```

(continues on next page)

(continued from previous page)

```
OfferEntry offer;
default:
    void;
}
```

ManageSellOfferOp

```
class stellar_sdk.xdr.manage_sell_offer_op.ManageSellOfferOp(selling, buying, amount, price,
                                                               offer_id)
```

XDR Source Code:

```
struct ManageSellOfferOp
{
    Asset selling;
    Asset buying;
    int64 amount; // amount being sold. if set to 0, delete the offer
    Price price; // price of thing being sold in terms of what you are buying

    // 0=create a new offer, otherwise edit an existing offer
    int64 offerID;
};
```

ManageSellOfferResult

```
class stellar_sdk.xdr.manage_sell_offer_result.ManageSellOfferResult(code, success=None)
```

XDR Source Code:

```
union ManageSellOfferResult switch (ManageSellOfferresultCode code)
{
    case MANAGE_SELL_OFFER_SUCCESS:
        ManageOfferSuccessResult success;
    default:
        void;
};
```

ManageSellOfferresultCode

```
class stellar_sdk.xdr.manage_sell_offer_result_code.ManageSellOfferresultCode(value)
```

XDR Source Code:

```
enum ManageSellOfferresultCode
{
    // codes considered as "success" for the operation
    MANAGE_SELL_OFFER_SUCCESS = 0,

    // codes considered as "failure" for the operation
    MANAGE_SELL_OFFER_MALFORMED = -1, // generated offer would be invalid
    MANAGE_SELL_OFFER_SELL_NO_TRUST =
```

(continues on next page)

(continued from previous page)

```

-2, // no trust line for what we're selling
MANAGE_SELL_OFFER_BUY_NO_TRUST = -3, // no trust line for what we're buying
MANAGE_SELL_OFFER_SELL_NOTAUTHORIZED = -4, // not authorized to sell
MANAGE_SELL_OFFER_BUY_NOTAUTHORIZED = -5, // not authorized to buy
MANAGE_SELL_OFFER_LINE_FULL = -6, // can't receive more of what it's buying
MANAGE_SELL_OFFER_UNDERFUNDED = -7, // doesn't hold what it's trying to sell
MANAGE_SELL_OFFER_CROSS_SELF =
    -8, // would cross an offer from the same user
MANAGE_SELL_OFFER_SELL_NO_ISSUER = -9, // no issuer for what we're selling
MANAGE_SELL_OFFER_BUY_NO_ISSUER = -10, // no issuer for what we're buying

// update errors
MANAGE_SELL_OFFER_NOT_FOUND =
    -11, // offerID does not match an existing offer

MANAGE_SELL_OFFER_LOW_RESERVE =
    -12 // not enough funds to create a new Offer
};
```

Memo

`class stellar_sdk.xdr.memo.Memo(type, text=None, id=None, hash=None, ret_hash=None)`

XDR Source Code:

```

union Memo switch (MemoType type)
{
    case MEMO_NONE:
        void;
    case MEMO_TEXT:
        string text<28>;
    case MEMO_ID:
        uint64 id;
    case MEMO_HASH:
        Hash hash; // the hash of what to pull from the content server
    case MEMO_RETURN:
        Hash retHash; // the hash of the tx you are rejecting
};
```

MemoType

`class stellar_sdk.xdr.memo_type.MemoType(value)`

XDR Source Code:

```

enum MemoType
{
    MEMO_NONE = 0,
    MEMO_TEXT = 1,
    MEMO_ID = 2,
    MEMO_HASH = 3,
```

(continues on next page)

(continued from previous page)

```
    MEMO_RETURN = 4  
};
```

MessageType

```
class stellar_sdk.xdr.message_type.MessageType(value)
```

XDR Source Code:

```
enum MessageType  
{  
    ERROR_MSG = 0,  
    AUTH = 2,  
    DONT_HAVE = 3,  
  
    GET_PEERS = 4, // gets a list of peers this guy knows about  
    PEERS = 5,  
  
    GET_TX_SET = 6, // gets a particular txset by hash  
    TX_SET = 7,  
  
    TRANSACTION = 8, // pass on a tx you have heard about  
  
    // SCP  
    GET_SCP_QUORUMSET = 9,  
    SCP_QUORUMSET = 10,  
    SCP_MESSAGE = 11,  
    GET_SCP_STATE = 12,  
  
    // new messages  
    HELLO = 13,  
  
    SURVEY_REQUEST = 14,  
    SURVEY_RESPONSE = 15  
};
```

MuxedAccount

```
class stellar_sdk.xdr.muxed_account.MuxedAccount(type, ed25519=None, med25519=None)
```

XDR Source Code:

```
union MuxedAccount switch (CryptoKeyType type)  
{  
    case KEY_TYPE_ED25519:  
        uint256 ed25519;  
    case KEY_TYPE_MUXED_ED25519:  
        struct  
        {  
            uint64 id;  
            uint256 ed25519;
```

(continues on next page)

(continued from previous page)

```
    } med25519;
};
```

MuxedAccountMed25519**class stellar_sdk.xdr.muxed_account_med25519.MuxedAccountMed25519(id, ed25519)**

XDR Source Code:

```
struct
{
    uint64 id;
    uint256 ed25519;
}
```

NodeID**class stellar_sdk.xdr.node_id.NodeID(node_id)**

XDR Source Code:

```
typedef PublicKey NodeID;
```

OfferEntry**class stellar_sdk.xdr.offer_entry.OfferEntry(seller_id, offer_id, selling, buying, amount, price, flags, ext)**

XDR Source Code:

```
struct OfferEntry
{
    AccountID sellerID;
    int64 offerID;
    Asset selling; // A
    Asset buying; // B
    int64 amount; // amount of A

    /* price for this offer:
       price of A in terms of B
       price=AmountB/AmountA=priceNumerator/priceDenominator
       price is after fees
    */
    Price price;
    uint32 flags; // see OfferEntryFlags

    // reserved for future use
    union switch (int v)
    {
        case 0:
            void;
    }
}
```

(continues on next page)

(continued from previous page)

```
    }
    ext;
};
```

OfferEntryExt

```
class stellar_sdk.xdr.offer_entry_ext.OfferEntryExt(v)
```

XDR Source Code:

```
union switch (int v)
{
    case 0:
        void;
}
```

OfferEntryFlags

```
class stellar_sdk.xdr.offer_entry_flags.OfferEntryFlags(value)
```

XDR Source Code:

```
enum OfferEntryFlags
{
    // issuer has authorized account to perform transactions with its credit
    PASSIVE_FLAG = 1
};
```

Opaque

```
class stellar_sdk.xdr.base.Opaque(value, size, fixed)
```

Operation

```
class stellar_sdk.xdr.operation.Operation(source_account, body)
```

XDR Source Code:

```
struct Operation
{
    // sourceAccount is the account used to run the operation
    // if not set, the runtime defaults to "sourceAccount" specified at
    // the transaction level
    MuxedAccount* sourceAccount;

    union switch (OperationType type)
    {
        case CREATE_ACCOUNT:
            CreateAccountOp createAccountOp;
        case PAYMENT:
```

(continues on next page)

(continued from previous page)

```

PaymentOp paymentOp;
case PATH_PAYMENT_STRICT_RECEIVE:
    PathPaymentStrictReceiveOp pathPaymentStrictReceiveOp;
case MANAGE_SELL_OFFER:
    ManageSellOfferOp manageSellOfferOp;
case CREATE_PASSIVE_SELL_OFFER:
    CreatePassiveSellOfferOp createPassiveSellOfferOp;
case SET_OPTIONS:
    SetOptionsOp setOptionsOp;
case CHANGE_TRUST:
    ChangeTrustOp changeTrustOp;
case ALLOW_TRUST:
    AllowTrustOp allowTrustOp;
case ACCOUNT_MERGE:
    MuxedAccount destination;
case INFLATION:
    void;
case MANAGE_DATA:
    ManageDataOp manageDataOp;
case BUMP_SEQUENCE:
    BumpSequenceOp bumpSequenceOp;
case MANAGE_BUY_OFFER:
    ManageBuyOfferOp manageBuyOfferOp;
case PATH_PAYMENT_STRICT_SEND:
    PathPaymentStrictSendOp pathPaymentStrictSendOp;
case CREATE_CLAIMABLE_BALANCE:
    CreateClaimableBalanceOp createClaimableBalanceOp;
case CLAIM_CLAIMABLE_BALANCE:
    ClaimClaimableBalanceOp claimClaimableBalanceOp;
case BEGIN_SPONSORING_FUTURE_RESERVES:
    BeginSponsoringFutureReservesOp beginSponsoringFutureReservesOp;
case END_SPONSORING_FUTURE_RESERVES:
    void;
case REVOKE_SPONSORSHIP:
    RevokeSponsorshipOp revokeSponsorshipOp;
case CLAWBACK:
    ClawbackOp clawbackOp;
case CLAWBACK_CLAIMABLE_BALANCE:
    ClawbackClaimableBalanceOp clawbackClaimableBalanceOp;
case SET_TRUST_LINE_FLAGS:
    SetTrustLineFlagsOp setTrustLineFlagsOp;
case LIQUIDITY_POOL_DEPOSIT:
    LiquidityPoolDepositOp liquidityPoolDepositOp;
case LIQUIDITY_POOL_WITHDRAW:
    LiquidityPoolWithdrawOp liquidityPoolWithdrawOp;
}
body;
};

```

OperationBody

```
class stellar_sdk.xdr.operation_body.OperationBody(type, create_account_op=None,
                                                    payment_op=None,
                                                    path_payment_strict_receive_op=None,
                                                    manage_sell_offer_op=None,
                                                    create_passive_sell_offer_op=None,
                                                    set_options_op=None, change_trust_op=None,
                                                    allow_trust_op=None, destination=None,
                                                    manage_data_op=None,
                                                    bump_sequence_op=None,
                                                    manage_buy_offer_op=None,
                                                    path_payment_strict_send_op=None,
                                                    create_claimable_balance_op=None,
                                                    claim_claimable_balance_op=None,
                                                    begin_sponsoring_future_reserves_op=None,
                                                    revoke_sponsorship_op=None,
                                                    clawback_op=None,
                                                    clawback_claimable_balance_op=None,
                                                    set_trust_line_flags_op=None,
                                                    liquidity_pool_deposit_op=None,
                                                    liquidity_pool_withdraw_op=None)
```

XDR Source Code:

```
union switch (OperationType type)
{
    case CREATE_ACCOUNT:
        CreateAccountOp createAccountOp;
    case PAYMENT:
        PaymentOp paymentOp;
    case PATH_PAYMENT_STRICT_RECEIVE:
        PathPaymentStrictReceiveOp pathPaymentStrictReceiveOp;
    case MANAGE_SELL_OFFER:
        ManageSellOfferOp manageSellOfferOp;
    case CREATE_PASSIVE_SELL_OFFER:
        CreatePassiveSellOfferOp createPassiveSellOfferOp;
    case SET_OPTIONS:
        SetOptionsOp setOptionsOp;
    case CHANGE_TRUST:
        ChangeTrustOp changeTrustOp;
    case ALLOW_TRUST:
        AllowTrustOp allowTrustOp;
    case ACCOUNT_MERGE:
        MuxedAccount destination;
    case INFLATION:
        void;
    case MANAGE_DATA:
        ManageDataOp manageDataOp;
    case BUMP_SEQUENCE:
        BumpSequenceOp bumpSequenceOp;
    case MANAGE_BUY_OFFER:
        ManageBuyOfferOp manageBuyOfferOp;
    case PATH_PAYMENT_STRICT_SEND:
}
```

(continues on next page)

(continued from previous page)

```

PathPaymentStrictSendOp pathPaymentStrictSendOp;
case CREATE_CLAIMABLE_BALANCE:
    CreateClaimableBalanceOp createClaimableBalanceOp;
case CLAIM_CLAIMABLE_BALANCE:
    ClaimClaimableBalanceOp claimClaimableBalanceOp;
case BEGIN_SPONSORING_FUTURE_RESERVES:
    BeginSponsoringFutureReservesOp beginSponsoringFutureReservesOp;
case END_SPONSORING_FUTURE_RESERVES:
    void;
case REVOKE_SPONSORSHIP:
    RevokeSponsorshipOp revokeSponsorshipOp;
case CLAWBACK:
    ClawbackOp clawbackOp;
case CLAWBACK_CLAIMABLE_BALANCE:
    ClawbackClaimableBalanceOp clawbackClaimableBalanceOp;
case SET_TRUST_LINE_FLAGS:
    SetTrustLineFlagsOp setTrustLineFlagsOp;
case LIQUIDITY_POOL_DEPOSIT:
    LiquidityPoolDepositOp liquidityPoolDepositOp;
case LIQUIDITY_POOL_WITHDRAW:
    LiquidityPoolWithdrawOp liquidityPoolWithdrawOp;
}

```

OperationID

```
class stellar_sdk.xdr.operation_id.OperationID(type, id=None)
```

XDR Source Code:

```

union OperationID switch (EnvelopeType type)
{
case ENVELOPE_TYPE_OP_ID:
    struct
    {
        AccountID sourceAccount;
        SequenceNumber seqNum;
        uint32 opNum;
    } id;
};

```

OperationIDId

```
class stellar_sdk.xdr.operation_id_id.OperationIDId(source_account, seq_num, op_num)
```

XDR Source Code:

```

struct
{
    AccountID sourceAccount;
    SequenceNumber seqNum;
    uint32 opNum;
}

```

OperationMeta

```
class stellar_sdk.xdr.operation_meta.OperationMeta(changes)
```

XDR Source Code:

```
struct OperationMeta
{
    LedgerEntryChanges changes;
};
```

OperationResult

```
class stellar_sdk.xdr.operation_result.OperationResult(code, tr=None)
```

XDR Source Code:

```
union OperationResult switch (OperationResultCode code)
{
    case opINNER:
        union switch (OperationType type)
        {
            case CREATE_ACCOUNT:
                CreateAccountResult createAccountResult;
            case PAYMENT:
                PaymentResult paymentResult;
            case PATH_PAYMENT_STRICT_RECEIVE:
                PathPaymentStrictReceiveResult pathPaymentStrictReceiveResult;
            case MANAGE_SELL_OFFER:
                ManageSellOfferResult manageSellOfferResult;
            case CREATE_PASSIVE_SELL_OFFER:
                ManageSellOfferResult createPassiveSellOfferResult;
            case SET_OPTIONS:
                SetOptionsResult setOptionsResult;
            case CHANGE_TRUST:
                ChangeTrustResult changeTrustResult;
            case ALLOW_TRUST:
                AllowTrustResult allowTrustResult;
            case ACCOUNT_MERGE:
                AccountMergeResult accountMergeResult;
            case INFLATION:
                InflationResult inflationResult;
            case MANAGE_DATA:
                ManageDataResult manageDataResult;
            case BUMP_SEQUENCE:
                BumpSequenceResult bumpSeqResult;
            case MANAGE_BUY_OFFER:
                ManageBuyOfferResult manageBuyOfferResult;
            case PATH_PAYMENT_STRICT_SEND:
                PathPaymentStrictSendResult pathPaymentStrictSendResult;
            case CREATE_CLAIMABLE_BALANCE:
                CreateClaimableBalanceResult createClaimableBalanceResult;
            case CLAIM_CLAIMABLE_BALANCE:
                ClaimClaimableBalanceResult claimClaimableBalanceResult;
        };
}
```

(continues on next page)

(continued from previous page)

```

case BEGIN_SPONSORING_FUTURE_RESERVES:
    BeginSponsoringFutureReservesResult beginSponsoringFutureReservesResult;
case END_SPONSORING_FUTURE_RESERVES:
    EndSponsoringFutureReservesResult endSponsoringFutureReservesResult;
case REVOKE_SPONSORSHIP:
    RevokeSponsorshipResult revokeSponsorshipResult;
case CLAWBACK:
    ClawbackResult clawbackResult;
case CLAWBACK_CLAIMABLE_BALANCE:
    ClawbackClaimableBalanceResult clawbackClaimableBalanceResult;
case SET_TRUST_LINE_FLAGS:
    SetTrustLineFlagsResult setTrustLineFlagsResult;
case LIQUIDITY_POOL_DEPOSIT:
    LiquidityPoolDepositResult liquidityPoolDepositResult;
case LIQUIDITY_POOL_WITHDRAW:
    LiquidityPoolWithdrawResult liquidityPoolWithdrawResult;
}
tr;
default:
    void;
};

```

OperationResultCode

```
class stellar_sdk.xdr.operation_result_code.OperationResultCode(value)
```

XDR Source Code:

```

enum OperationResultCode
{
    opINNER = 0, // inner object result is valid

    opBAD_AUTH = -1, // too few valid signatures / wrong network
    opNO_ACCOUNT = -2, // source account was not found
    opNOT_SUPPORTED = -3, // operation not supported at this time
    opTOO_MANY_SUBENTRIES = -4, // max number of subentries already reached
    opEXCEEDED_WORK_LIMIT = -5, // operation did too much work
    opTOO_MANY_SPONSORING = -6 // account is sponsoring too many entries
};

```

OperationResultTr

```
class stellar_sdk.xdr.operation_result_tr.OperationResultTr(type, create_account_result=None,
                                                               payment_result=None,
                                                               path_payment_strict_receive_result=None,
                                                               manage_sell_offer_result=None, cre-
                                                               ate_passive_sell_offer_result=None,
                                                               set_options_result=None,
                                                               change_trust_result=None,
                                                               allow_trust_result=None,
                                                               account_merge_result=None,
                                                               inflation_result=None,
                                                               manage_data_result=None,
                                                               bump_seq_result=None,
                                                               manage_buy_offer_result=None,
                                                               path_payment_strict_send_result=None,
                                                               cre-
                                                               ate_claimable_balance_result=None,
                                                               claim_claimable_balance_result=None,
                                                               be-
                                                               gin_sponsoring_future_reserves_result=None,
                                                               end_sponsoring_future_reserves_result=None,
                                                               revoke_sponsorship_result=None,
                                                               clawback_result=None, claw-
                                                               back_claimable_balance_result=None,
                                                               set_trust_line_flags_result=None,
                                                               liquidity_pool_deposit_result=None,
                                                               liquid-
                                                               ity_pool_withdraw_result=None)
```

XDR Source Code:

```
union switch (OperationType type)
{
    case CREATE_ACCOUNT:
        CreateAccountResult createAccountResult;
    case PAYMENT:
        PaymentResult paymentResult;
    case PATH_PAYMENT_STRICT_RECEIVE:
        PathPaymentStrictReceiveResult pathPaymentStrictReceiveResult;
    case MANAGE_SELL_OFFER:
        ManageSellOfferResult manageSellOfferResult;
    case CREATE_PASSIVE_SELL_OFFER:
        ManageSellOfferResult createPassiveSellOfferResult;
    case SET_OPTIONS:
        SetOptionsResult setOptionsResult;
    case CHANGE_TRUST:
        ChangeTrustResult changeTrustResult;
    case ALLOW_TRUST:
        AllowTrustResult allowTrustResult;
    case ACCOUNT_MERGE:
        AccountMergeResult accountMergeResult;
    case INFLATION:
        InflationResult inflationResult;
```

(continues on next page)

(continued from previous page)

```

case MANAGE_DATA:
    ManageDataResult manageDataResult;
case BUMP_SEQUENCE:
    BumpSequenceResult bumpSeqResult;
case MANAGE_BUY_OFFER:
    ManageBuyOfferResult manageBuyOfferResult;
case PATH_PAYMENT_STRICT_SEND:
    PathPaymentStrictSendResult pathPaymentStrictSendResult;
case CREATE_CLAIMABLE_BALANCE:
    CreateClaimableBalanceResult createClaimableBalanceResult;
case CLAIM_CLAIMABLE_BALANCE:
    ClaimClaimableBalanceResult claimClaimableBalanceResult;
case BEGIN_SPONSORING_FUTURE_RESERVES:
    BeginSponsoringFutureReservesResult beginSponsoringFutureReservesResult;
case END_SPONSORING_FUTURE_RESERVES:
    EndSponsoringFutureReservesResult endSponsoringFutureReservesResult;
case REVOKE_SPONSORSHIP:
    RevokeSponsorshipResult revokeSponsorshipResult;
case CLAWBACK:
    ClawbackResult clawbackResult;
case CLAWBACK_CLAIMABLE_BALANCE:
    ClawbackClaimableBalanceResult clawbackClaimableBalanceResult;
case SET_TRUST_LINE_FLAGS:
    SetTrustLineFlagsResult setTrustLineFlagsResult;
case LIQUIDITY_POOL_DEPOSIT:
    LiquidityPoolDepositResult liquidityPoolDepositResult;
case LIQUIDITY_POOL_WITHDRAW:
    LiquidityPoolWithdrawResult liquidityPoolWithdrawResult;
}

```

OperationType

```
class stellar_sdk.xdr.operation_type.OperationType(value)
```

XDR Source Code:

```

enum OperationType
{
    CREATE_ACCOUNT = 0,
    PAYMENT = 1,
    PATH_PAYMENT_STRICT_RECEIVE = 2,
    MANAGE_SELL_OFFER = 3,
    CREATE_PASSIVE_SELL_OFFER = 4,
    SET_OPTIONS = 5,
    CHANGE_TRUST = 6,
    ALLOW_TRUST = 7,
    ACCOUNT_MERGE = 8,
    INFLATION = 9,
    MANAGE_DATA = 10,
    BUMP_SEQUENCE = 11,
    MANAGE_BUY_OFFER = 12,
    PATH_PAYMENT_STRICT_SEND = 13,
}

```

(continues on next page)

(continued from previous page)

```

CREATE_CLAIMABLE_BALANCE = 14,
CLAIM_CLAIMABLE_BALANCE = 15,
BEGIN_SPONSORING_FUTURE_RESERVES = 16,
END_SPONSORING_FUTURE_RESERVES = 17,
REVOKE_SPONSORSHIP = 18,
CLAWBACK = 19,
CLAWBACK_CLAIMABLE_BALANCE = 20,
SET_TRUST_LINE_FLAGS = 21,
LIQUIDITY_POOL_DEPOSIT = 22,
LIQUIDITY_POOL_WITHDRAW = 23
};
```

PathPaymentStrictReceiveOp

```
class stellar_sdk.xdr.path_payment_strict_receive_op.PathPaymentStrictReceiveOp(send_asset,
                                send_max,
                                destination,
                                dest_asset,
                                dest_amount,
                                path)
```

XDR Source Code:

```

struct PathPaymentStrictReceiveOp
{
    Asset sendAsset; // asset we pay with
    int64 sendMax; // the maximum amount of sendAsset to
                    // send (excluding fees).
                    // The operation will fail if can't be met

    MuxedAccount destination; // recipient of the payment
    Asset destAsset; // what they end up with
    int64 destAmount; // amount they end up with

    Asset path<5>; // additional hops it must go through to get there
};
```

PathPaymentStrictReceiveResult

```
class stellar_sdk.xdr.path_payment_strict_receive_result.PathPaymentStrictReceiveResult(code,
                                         success=None,
                                         no_issuer=None)
```

XDR Source Code:

```

union PathPaymentStrictReceiveResult switch (
    PathPaymentStrictReceiveresultCode code)
{
    case PATH_PAYMENT_STRICT_RECEIVE_SUCCESS:
        struct
```

(continues on next page)

(continued from previous page)

```

{
    ClaimAtom offers<>;
    SimplePaymentResult last;
} success;
case PATH_PAYMENT_STRICT_RECEIVE_NO_ISSUER:
    Asset noIssuer; // the asset that caused the error
default:
    void;
};

```

PathPaymentStrictReceiveResultCode

class stellar_sdk.xdr.path_payment_strict_receive_result_code.PathPaymentStrictReceiveResultCode(*value*)
XDR Source Code:

```

enum PathPaymentStrictReceiveresultCode
{
    // codes considered as "success" for the operation
    PATH_PAYMENT_STRICT_RECEIVE_SUCCESS = 0, // success

    // codes considered as "failure" for the operation
    PATH_PAYMENT_STRICT_RECEIVE_MALFORMED = -1, // bad input
    PATH_PAYMENT_STRICT_RECEIVE_UNDERFUNDED =
        -2, // not enough funds in source account
    PATH_PAYMENT_STRICT_RECEIVE_SRC_NO_TRUST =
        -3, // no trust line on source account
    PATH_PAYMENT_STRICT_RECEIVE_SRC_NOTAUTHORIZED =
        -4, // source not authorized to transfer
    PATH_PAYMENT_STRICT_RECEIVE_NO_DESTINATION =
        -5, // destination account does not exist
    PATH_PAYMENT_STRICT_RECEIVE_NO_TRUST =
        -6, // dest missing a trust line for asset
    PATH_PAYMENT_STRICT_RECEIVE_NOTAUTHORIZED =
        -7, // dest not authorized to hold asset
    PATH_PAYMENT_STRICT_RECEIVE_LINE_FULL =
        -8, // dest would go above their limit
    PATH_PAYMENT_STRICT_RECEIVE_NO_ISSUER = -9, // missing issuer on one asset
    PATH_PAYMENT_STRICT_RECEIVE_TOO_FEW_OFFERS =
        -10, // not enough offers to satisfy path
    PATH_PAYMENT_STRICT_RECEIVE_OFFER_CROSS_SELF =
        -11, // would cross one of its own offers
    PATH_PAYMENT_STRICT_RECEIVE_OVER_SENDMAX = -12 // could not satisfy sendmax
};

```

PathPaymentStrictReceiveResultSuccess

```
class stellar_sdk.xdr.path_payment_strict_receive_result_success.PathPaymentStrictReceiveResultSuccess(
```

XDR Source Code:

```
struct
{
    ClaimAtom offers<>;
    SimplePaymentResult last;
}
```

PathPaymentStrictSendOp

```
class stellar_sdk.xdr.path_payment_strict_send_op.PathPaymentStrictSendOp(send_asset,
                           send_amount,
                           destination,
                           dest_asset,
                           dest_min, path)
```

XDR Source Code:

```
struct PathPaymentStrictSendOp
{
    Asset sendAsset; // asset we pay with
    int64 sendAmount; // amount of sendAsset to send (excluding fees)

    MuxedAccount destination; // recipient of the payment
    Asset destAsset; // what they end up with
    int64 destMin; // the minimum amount of dest asset to
                   // be received
                   // The operation will fail if it can't be met

    Asset path<5>; // additional hops it must go through to get there
};
```

PathPaymentStrictSendResult

```
class stellar_sdk.xdr.path_payment_strict_send_result.PathPaymentStrictSendResult(code,
                                     success=None,
                                     no_issuer=None)
```

XDR Source Code:

```
union PathPaymentStrictSendResult switch (PathPaymentStrictSendresultCode code)
{
    case PATH_PAYMENT_STRICT_SEND_SUCCESS:
        struct
        {
            ClaimAtom offers<>;
            SimplePaymentResult last;
        }
}
```

(continues on next page)

(continued from previous page)

```

    } success;
case PATH_PAYMENT_STRICT_SEND_NO_ISSUER:
    Asset noIssuer; // the asset that caused the error
default:
    void;
};
```

PathPaymentStrictSendResultCode

```
class stellar_sdk.xdr.path_payment_strict_send_result_code.PathPaymentStrictSendResultCode(value)
```

XDR Source Code:

```

enum PathPaymentStrictSendResultCode
{
    // codes considered as "success" for the operation
    PATH_PAYMENT_STRICT_SEND_SUCCESS = 0, // success

    // codes considered as "failure" for the operation
    PATH_PAYMENT_STRICT_SEND_MALFORMED = -1, // bad input
    PATH_PAYMENT_STRICT_SEND_UNDERFunded =
        -2, // not enough funds in source account
    PATH_PAYMENT_STRICT_SEND_SRC_NO_TRUST =
        -3, // no trust line on source account
    PATH_PAYMENT_STRICT_SEND_SRC_NOT_AUTHORIZED =
        -4, // source not authorized to transfer
    PATH_PAYMENT_STRICT_SEND_NO_DESTINATION =
        -5, // destination account does not exist
    PATH_PAYMENT_STRICT_SEND_NO_TRUST =
        -6, // dest missing a trust line for asset
    PATH_PAYMENT_STRICT_SEND_NOT_AUTHORIZED =
        -7, // dest not authorized to hold asset
    PATH_PAYMENT_STRICT_SEND_LINE_FULL = -8, // dest would go above their limit
    PATH_PAYMENT_STRICT_SEND_NO_ISSUER = -9, // missing issuer on one asset
    PATH_PAYMENT_STRICT_SEND_TOO_FEW_OFFERS =
        -10, // not enough offers to satisfy path
    PATH_PAYMENT_STRICT_SEND_OFFER_CROSS_SELF =
        -11, // would cross one of its own offers
    PATH_PAYMENT_STRICT_SEND_UNDER_DESTMIN = -12 // could not satisfy destMin
};
```

PathPaymentStrictSendResultSuccess

```
class stellar_sdk.xdr.path_payment_strict_send_result_success.PathPaymentStrictSendResultSuccess(offers,
last)
```

XDR Source Code:

```

struct
{
    ClaimAtom offers<>;
```

(continues on next page)

(continued from previous page)

```
    SimplePaymentResult last;  
}
```

PaymentOp

```
class stellar_sdk.xdr.payment_op.PaymentOp(destination, asset, amount)
```

XDR Source Code:

```
struct PaymentOp  
{  
    MuxedAccount destination; // recipient of the payment  
    Asset asset;           // what they end up with  
    int64 amount;          // amount they end up with  
};
```

PaymentResult

```
class stellar_sdk.xdr.payment_result.PaymentResult(code)
```

XDR Source Code:

```
union PaymentResult switch (PaymentresultCode code)  
{  
    case PAYMENT_SUCCESS:  
        void;  
    default:  
        void;  
};
```

PaymentresultCode

```
class stellar_sdk.xdr.payment_result_code.PaymentresultCode(value)
```

XDR Source Code:

```
enum PaymentresultCode  
{  
    // codes considered as "success" for the operation  
    PAYMENT_SUCCESS = 0, // payment successfully completed  
  
    // codes considered as "failure" for the operation  
    PAYMENT_MALFORMED = -1,           // bad input  
    PAYMENT_UNDERFUNDED = -2,         // not enough funds in source account  
    PAYMENT_SRC_NO_TRUST = -3,        // no trust line on source account  
    PAYMENT_SRC_NOTAUTHORIZED = -4,   // source not authorized to transfer  
    PAYMENT_NO_DESTINATION = -5,      // destination account does not exist  
    PAYMENT_NO_TRUST = -6,            // destination missing a trust line for asset  
    PAYMENT_NOTAUTHORIZED = -7,       // destination not authorized to hold asset  
    PAYMENT_LINE_FULL = -8,           // destination would go above their limit  
    PAYMENT_NO_ISSUER = -9,           // missing issuer on asset  
};
```

PeerAddress

```
class stellar_sdk.xdr.peer_address.PeerAddress(ip, port, num_failures)
```

XDR Source Code:

```
struct PeerAddress
{
    union switch (IPAddrType type)
    {
        case IPv4:
            opaque ipv4[4];
        case IPv6:
            opaque ipv6[16];
    }
    ip;
    uint32 port;
    uint32 numFailures;
};
```

PeerAddressIp

```
class stellar_sdk.xdr.peer_address_ip.PeerAddressIp(type, ipv4=None, ipv6=None)
```

XDR Source Code:

```
union switch (IPAddrType type)
{
    case IPv4:
        opaque ipv4[4];
    case IPv6:
        opaque ipv6[16];
}
```

PeerStatList

```
class stellar_sdk.xdr.peer_stat_list.PeerStatList(peer_stat_list)
```

XDR Source Code:

```
typedef PeerStats PeerStatList<25>;
```

PeerStats

```
class stellar_sdk.xdr.peer_stats.PeerStats(id, version_str, messages_read, messages_written,
                                            bytes_read, bytes_written, seconds_connected,
                                            unique_flood_bytes_recv, duplicate_flood_bytes_recv,
                                            unique_fetch_bytes_recv, duplicate_fetch_bytes_recv,
                                            unique_flood_message_recv, duplicate_flood_message_recv,
                                            unique_fetch_message_recv, duplicate_fetch_message_recv)
```

XDR Source Code:

```
struct PeerStats
{
    NodeID id;
    string versionStr<100>;
    uint64 messagesRead;
    uint64 messagesWritten;
    uint64 bytesRead;
    uint64 bytesWritten;
    uint64 secondsConnected;

    uint64 uniqueFloodBytesRecv;
    uint64 duplicateFloodBytesRecv;
    uint64 uniqueFetchBytesRecv;
    uint64 duplicateFetchBytesRecv;

    uint64 uniqueFloodMessageRecv;
    uint64 duplicateFloodMessageRecv;
    uint64 uniqueFetchMessageRecv;
    uint64 duplicateFetchMessageRecv;
};
```

PoolID

```
class stellar_sdk.xdr.pool_id.PoolID(pool_id)
```

XDR Source Code:

```
typedef Hash PoolID;
```

Price

```
class stellar_sdk.xdr.price.Price(n, d)
```

XDR Source Code:

```
struct Price
{
    int32 n; // numerator
    int32 d; // denominator
};
```

PublicKey

```
class stellar_sdk.xdr.public_key.PublicKey(type, ed25519=None)
```

XDR Source Code:

```
union PublicKey switch (PublicKeyType type)
{
    case PUBLIC_KEY_TYPE_ED25519:
        uint256 ed25519;
};
```

PublicKeyType

```
class stellar_sdk.xdr.public_key_type.PublicKeyType(value)
```

XDR Source Code:

```
enum PublicKeyType
{
    PUBLIC_KEY_TYPE_ED25519 = KEY_TYPE_ED25519
};
```

RevokeSponsorshipOp

```
class stellar_sdk.xdr.revoke_sponsorship_op.RevokeSponsorshipOp(type, ledger_key=None,
                                                               signer=None)
```

XDR Source Code:

```
union RevokeSponsorshipOp switch (RevokeSponsorshipType type)
{
    case REVOKE_SPONSORSHIP_LEDGER_ENTRY:
        LedgerKey ledgerKey;
    case REVOKE_SPONSORSHIP_SIGNER:
        struct
        {
            AccountID accountID;
            SignerKey signerKey;
        } signer;
};
```

RevokeSponsorshipOpSigner

```
class stellar_sdk.xdr.revoke_sponsorship_op_signer.RevokeSponsorshipOpSigner(account_id,
                                                               signer_key)
```

XDR Source Code:

```
struct
{
    AccountID accountID;
    SignerKey signerKey;
}
```

RevokeSponsorshipResult

```
class stellar_sdk.xdr.revoke_sponsorship_result.RevokeSponsorshipResult(code)
```

XDR Source Code:

```
union RevokeSponsorshipResult switch (RevokeSponsorshipresultCode code)
{
    case REVOKE_SPONSORSHIP_SUCCESS:
        void;
```

(continues on next page)

(continued from previous page)

```
default:  
    void;  
};
```

RevokeSponsorshipResultCode

```
class stellar_sdk.xdr.revoke_sponsorship_result_code.RevokeSponsorshipResultCode(value)
```

XDR Source Code:

```
enum RevokeSponsorshipResultCode  
{  
    // codes considered as "success" for the operation  
    REVOKE_SPONSORSHIP_SUCCESS = 0,  
  
    // codes considered as "failure" for the operation  
    REVOKE_SPONSORSHIP_DOES_NOT_EXIST = -1,  
    REVOKE_SPONSORSHIP_NOT_SPONSOR = -2,  
    REVOKE_SPONSORSHIP_LOW_RESERVE = -3,  
    REVOKE_SPONSORSHIP_ONLY_TRANSFERABLE = -4,  
    REVOKE_SPONSORSHIP_MALFORMED = -5  
};
```

RevokeSponsorshipType

```
class stellar_sdk.xdr.revoke_sponsorship_type.RevokeSponsorshipType(value)
```

XDR Source Code:

```
enum RevokeSponsorshipType  
{  
    REVOKE_SPONSORSHIP_LEDGER_ENTRY = 0,  
    REVOKE_SPONSORSHIP_SIGNER = 1  
};
```

SCPBallot

```
class stellar_sdk.xdr.scp_ballot.SCPBallot(counter, value)
```

XDR Source Code:

```
struct SCPBallot  
{  
    uint32 counter; // n  
    Value value; // x  
};
```

SCPEnvelope

```
class stellar_sdk.xdr.scp_envelope.SCPEnvelope(statement, signature)
```

XDR Source Code:

```
struct SCPEnvelope
{
    SCPStatement statement;
    Signature signature;
};
```

SCPHistoryEntry

```
class stellar_sdk.xdr.scp_history_entry.SCPHistoryEntry(v, v0=None)
```

XDR Source Code:

```
union SCPHistoryEntry switch (int v)
{
    case 0:
        SCPHistoryEntryV0 v0;
};
```

SCPHistoryEntryV0

```
class stellar_sdk.xdr.scp_history_entry_v0.SCPHistoryEntryV0(quorum_sets, ledger_messages)
```

XDR Source Code:

```
struct SCPHistoryEntryV0
{
    SCPQuorumSet quorumSets<>; // additional quorum sets used by ledgerMessages
    LedgerSCPMessages ledgerMessages;
};
```

SCPNomination

```
class stellar_sdk.xdr.scp_nomination.SCPNomination(quorum_set_hash, votes, accepted)
```

XDR Source Code:

```
struct SCPNomination
{
    Hash quorumSetHash; // D
    Value votes<>; // X
    Value accepted<>; // Y
};
```

SCPQuorumSet

```
class stellar_sdk.xdr.scp_quorum_set.SCQuorumSet(threshold, validators, inner_sets)
```

XDR Source Code:

```
struct SCPQuorumSet
{
    uint32 threshold;
    NodeID validators<>;
    SCPQuorumSet innerSets<>;
};
```

SCPStatement

```
class stellar_sdk.xdr.scp_statement.SCStatement(node_id, slot_index, pledges)
```

XDR Source Code:

```
struct SCPStatement
{
    NodeID nodeID;      // v
    uint64 slotIndex;  // i

    union switch (SCPStatementType type)
    {
        case SCP_ST_PREPARE:
            struct
            {
                Hash quorumSetHash;          // D
                SCPBallot ballot;           // b
                SCPBallot* prepared;        // p
                SCPBallot* preparedPrime;   // p'
                uint32 nC;                  // c.n
                uint32 nH;                  // h.n
            } prepare;
        case SCP_ST_CONFIRM:
            struct
            {
                SCPBallot ballot;         // b
                uint32 nPrepared;        // p.n
                uint32 nCommit;          // c.n
                uint32 nH;                // h.n
                Hash quorumSetHash;       // D
            } confirm;
        case SCP_ST_EXTERNALIZE:
            struct
            {
                SCPBallot commit;          // c
                uint32 nH;                 // h.n
                Hash commitQuorumSetHash; // D used before EXTERNALIZE
            } externalize;
        case SCP_ST NOMINATE:
            SCPNomination nominate;
    };
}
```

(continues on next page)

(continued from previous page)

```

    }
    pledges;
};
```

SCPStatementConfirm

```
class stellar_sdk.xdr.scp_statement_confirm.SCPStatementConfirm(ballot, n_prepared, n_commit,
                                                               n_h, quorum_set_hash)
```

XDR Source Code:

```

struct
{
    SCPBallot ballot;      // b
    uint32 nPrepared;     // p.n
    uint32 nCommit;        // c.n
    uint32 nH;              // h.n
    Hash quorumSetHash; // D
}
```

SCPStatementExternalize

```
class stellar_sdk.xdr.scp_statement_externalize.SCPStatementExternalize(commit, n_h, com-
                                                               mit_quorum_set_hash)
```

XDR Source Code:

```

struct
{
    SCPBallot commit;          // c
    uint32 nH;                  // h.n
    Hash commitQuorumSetHash; // D used before EXTERNALIZE
}
```

SCPStatementPledges

```
class stellar_sdk.xdr.scp_statement_pledges.SCPStatementPledges(type, prepare=None,
                                                               confirm=None,
                                                               externalize=None,
                                                               nominate=None)
```

XDR Source Code:

```

union switch (SCPStatementType type)
{
    case SCP_ST_PREPARE:
        struct
        {
            Hash quorumSetHash;      // D
            SCPBallot ballot;        // b
            SCPBallot* prepared;    // p
        }
```

(continues on next page)

(continued from previous page)

```
    SCPBallot* preparedPrime; // p'  
    uint32 nC; // c.n  
    uint32 nH; // h.n  
} prepare;  
case SCP_ST_CONFIRM:  
    struct  
    {  
        SCPBallot ballot; // b  
        uint32 nPrepared; // p.n  
        uint32 nCommit; // c.n  
        uint32 nH; // h.n  
        Hash quorumSetHash; // D  
    } confirm;  
case SCP_ST_EXTERNALIZE:  
    struct  
    {  
        SCPBallot commit; // c  
        uint32 nH; // h.n  
        Hash commitQuorumSetHash; // D used before EXTERNALIZE  
    } externalize;  
case SCP_ST NOMINATE:  
    SCPNomination nominate;  
}
```

SCPStatementPrepare

```
class stellar_sdk.xdr.scp_statement_prepare.SCPStatementPrepare(quorum_set_hash, ballot,  
                                                               prepared, prepared_prime, n_c,  
                                                               n_h)
```

XDR Source Code:

```
struct  
{  
    Hash quorumSetHash; // D  
    SCPBallot ballot; // b  
    SCPBallot* prepared; // p  
    SCPBallot* preparedPrime; // p'  
    uint32 nC; // c.n  
    uint32 nH; // h.n  
}
```

SCPStatementType

```
class stellar_sdk.xdr.scp_statement_type.SCPStatementType(value)
```

XDR Source Code:

```
enum SCPStatementType
{
    SCP_ST_PREPARE = 0,
    SCP_ST_CONFIRM = 1,
    SCP_ST_EXTERNALIZE = 2,
    SCP_ST NOMINATE = 3
};
```

SequenceNumber

```
class stellar_sdk.xdr.sequence_number.SequenceNumber(sequence_number)
```

XDR Source Code:

```
typedef int64 SequenceNumber;
```

SetOptionsOp

```
class stellar_sdk.xdr.set_options_op.SetOptionsOp(inflation_dest, clear_flags, set_flags,
                                                    master_weight, low_threshold, med_threshold,
                                                    high_threshold, home_domain, signer)
```

XDR Source Code:

```
struct SetOptionsOp
{
    AccountID* inflationDest; // sets the inflation destination

    uint32* clearFlags; // which flags to clear
    uint32* setFlags; // which flags to set

    // account threshold manipulation
    uint32* masterWeight; // weight of the master account
    uint32* lowThreshold;
    uint32* medThreshold;
    uint32* highThreshold;

    string32* homeDomain; // sets the home domain

    // Add, update or remove a signer for the account
    // signer is deleted if the weight is 0
    Signer* signer;
};
```

SetOptionsResult

```
class stellar_sdk.xdr.set_options_result.SetOptionsResult(code)
```

XDR Source Code:

```
union SetOptionsResult switch (SetOptionsresultCode code)
{
    case SET_OPTIONS_SUCCESS:
        void;
    default:
        void;
};
```

SetOptionsresultCode

```
class stellar_sdk.xdr.set_options_result_code.SetOptionsresultCode(value)
```

XDR Source Code:

```
enum SetOptionsresultCode
{
    // codes considered as "success" for the operation
    SET_OPTIONS_SUCCESS = 0,
    // codes considered as "failure" for the operation
    SET_OPTIONS_LOW_RESERVE = -1,           // not enough funds to add a signer
    SET_OPTIONS_TOO_MANY_SIGNERS = -2,       // max number of signers already reached
    SET_OPTIONS_BAD_FLAGS = -3,              // invalid combination of clear/set flags
    SET_OPTIONS_INVALID_INFLATION = -4,      // inflation account does not exist
    SET_OPTIONS_CANT_CHANGE = -5,             // can no longer change this option
    SET_OPTIONS_UNKNOWN_FLAG = -6,            // can't set an unknown flag
    SET_OPTIONS_THRESHOLD_OUT_OF_RANGE = -7,   // bad value for weight/threshold
    SET_OPTIONS_BAD_SIGNER = -8,              // signer cannot be masterkey
    SET_OPTIONS_INVALID_HOME_DOMAIN = -9,     // malformed home domain
    SET_OPTIONS_AUTH_REVOCABLE_REQUIRED =
        -10 // auth revocable is required for clawback
};
```

SetTrustLineFlagsOp

```
class stellar_sdk.xdr.set_trust_line_flags_op.SetTrustLineFlagsOp(trustor, asset, clear_flags,
                                                               set_flags)
```

XDR Source Code:

```
struct SetTrustLineFlagsOp
{
    AccountID trustor;
    Asset asset;

    uint32 clearFlags; // which flags to clear
    uint32 setFlags;   // which flags to set
};
```

SetTrustLineFlagsResult

```
class stellar_sdk.xdr.set_trust_line_flags_result.SetTrustLineFlagsResult(code)
```

XDR Source Code:

```
union SetTrustLineFlagsResult switch (SetTrustLineFlagsresultCode code)
{
    case SET_TRUST_LINE_FLAGS_SUCCESS:
        void;
    default:
        void;
};
```

SetTrustLineFlagsresultCode

```
class stellar_sdk.xdr.set_trust_line_flags_result_code.SetTrustLineFlagsresultCode(value)
```

XDR Source Code:

```
enum SetTrustLineFlagsresultCode
{
    // codes considered as "success" for the operation
    SET_TRUST_LINE_FLAGS_SUCCESS = 0,

    // codes considered as "failure" for the operation
    SET_TRUST_LINE_FLAGS_MALFORMED = -1,
    SET_TRUST_LINE_FLAGS_NO_TRUST_LINE = -2,
    SET_TRUST_LINE_FLAGS_CANT_REVOKE = -3,
    SET_TRUST_LINE_FLAGS_INVALID_STATE = -4
};
```

Signature

```
class stellar_sdk.xdr.signature.Signature(signature)
```

XDR Source Code:

```
typedef opaque Signature<64>;
```

SignatureHint

```
class stellar_sdk.xdr.signature_hint.SignatureHint(signature_hint)
```

XDR Source Code:

```
typedef opaque SignatureHint[4];
```

SignedSurveyRequestMessage

```
class stellar_sdk.xdr.signed_survey_request_message.SignedSurveyRequestMessage(request_signature,  
                                request)
```

XDR Source Code:

```
struct SignedSurveyRequestMessage  
{  
    Signature requestSignature;  
    SurveyRequestMessage request;  
};
```

SignedSurveyResponseMessage

```
class stellar_sdk.xdr.signed_survey_response_message.SignedSurveyResponseMessage(response_signature,  
                                response)
```

XDR Source Code:

```
struct SignedSurveyResponseMessage  
{  
    Signature responseSignature;  
    SurveyResponseMessage response;  
};
```

Signer

```
class stellar_sdk.xdr.signer.Signer(key, weight)
```

XDR Source Code:

```
struct Signer  
{  
    SignerKey key;  
    uint32 weight; // really only need 1 byte  
};
```

SignerKey

```
class stellar_sdk.xdr.signer_key.SignerKey(type, ed25519=None, pre_auth_tx=None, hash_x=None)
```

XDR Source Code:

```
union SignerKey switch (SignerKeyType type)  
{  
    case SIGNER_KEY_TYPE_ED25519:  
        uint256 ed25519;  
    case SIGNER_KEY_TYPE_PRE_AUTH_TX:  
        /* SHA-256 Hash of TransactionSignaturePayload structure */  
        uint256 preAuthTx;  
    case SIGNER_KEY_TYPE_HASH_X:  
        /* Hash of random 256 bit preimage X */  
}
```

(continues on next page)

(continued from previous page)

```
    uint256 hashX;
};
```

SignerKeyType

```
class stellar_sdk.xdr.signer_key_type.SignerKeyType(value)
```

XDR Source Code:

```
enum SignerKeyType
{
    SIGNER_KEY_TYPE_ED25519 = KEY_TYPE_ED25519,
    SIGNER_KEY_TYPE_PRE_AUTH_TX = KEY_TYPE_PRE_AUTH_TX,
    SIGNER_KEY_TYPE_HASH_X = KEY_TYPE_HASH_X
};
```

SimplePaymentResult

```
class stellar_sdk.xdr.simple_payment_result.SimplePaymentResult(destination, asset, amount)
```

XDR Source Code:

```
struct SimplePaymentResult
{
    AccountID destination;
    Asset asset;
    int64 amount;
};
```

SponsorshipDescriptor

```
class stellar_sdk.xdr.sponsorship_descriptor.SponsorshipDescriptor(sponsorship_descriptor)
```

XDR Source Code:

```
typedef AccountID* SponsorshipDescriptor;
```

StellarMessage

```
class stellar_sdk.xdr.stellar_message.StellarMessage(type, error=None, hello=None, auth=None,
                                                      dont_have=None, peers=None,
                                                      tx_set_hash=None, tx_set=None,
                                                      transaction=None,
                                                      signed_survey_request_message=None,
                                                      signed_survey_response_message=None,
                                                      q_set_hash=None, q_set=None,
                                                      envelope=None, get_scp_ledger_seq=None)
```

XDR Source Code:

```
union StellarMessage switch (MessageType type)
{
    case ERROR_MSG:
        Error error;
    case HELLO:
        Hello hello;
    case AUTH:
        Auth auth;
    case DONT_HAVE:
        DontHave dontHave;
    case GET_PEERS:
        void;
    case PEERS:
        PeerAddress peers<100>;
    case GET_TX_SET:
        uint256 txSetHash;
    case TX_SET:
        TransactionSet txSet;
    case TRANSACTION:
        TransactionEnvelope transaction;
    case SURVEY_REQUEST:
        SignedSurveyRequestMessage signedSurveyRequestMessage;
    case SURVEY_RESPONSE:
        SignedSurveyResponseMessage signedSurveyResponseMessage;
    // SCP
    case GET_SCP_QUORUMSET:
        uint256 qSetHash;
    case SCP_QUORUMSET:
        SCPQuorumSet qSet;
    case SCP_MESSAGE:
        SCPEnvelope envelope;
    case GET_SCP_STATE:
        uint32 getSCPLedgerSeq; // ledger seq requested ; if 0, requests the latest
};
```

StellarValue

```
class stellar_sdk.xdr.stellar_value.StellarValue(tx_set_hash, close_time, upgrades, ext)
```

XDR Source Code:

```
struct StellarValue
{
    Hash txSetHash;      // transaction set to apply to previous ledger
    TimePoint closeTime; // network close time

    // upgrades to apply to the previous ledger (usually empty)
```

(continues on next page)

(continued from previous page)

```
// this is a vector of encoded 'LedgerUpgrade' so that nodes can drop
// unknown steps during consensus if needed.
// see notes below on 'LedgerUpgrade' for more detail
// max size is dictated by number of upgrade types (+ room for future)
UpgradeType upgrades<6>;
```

```
// reserved for future use
union switch (StellarValueType v)
{
    case STELLAR_VALUE_BASIC:
        void;
    case STELLAR_VALUE_SIGNED:
        LedgerCloseValueSignature lcValueSignature;
}
ext;
};
```

StellarValueExt

```
class stellar_sdk.xdr.stellar_value_ext.StellarValueExt(v, lc_value_signature=None)
```

XDR Source Code:

```
union switch (StellarValueType v)
{
    case STELLAR_VALUE_BASIC:
        void;
    case STELLAR_VALUE_SIGNED:
        LedgerCloseValueSignature lcValueSignature;
}
```

StellarValueType

```
class stellar_sdk.xdr.stellar_value_type.StellarValueType(value)
```

XDR Source Code:

```
enum StellarValueType
{
    STELLAR_VALUE_BASIC = 0,
    STELLAR_VALUE_SIGNED = 1
};
```

String

```
class stellar_sdk.xdr.base.String(value, size)
```

String32

```
class stellar_sdk.xdr.string32.String32(string32)
```

XDR Source Code:

```
typedef string string32<32>;
```

String64

```
class stellar_sdk.xdr.string64.String64(string64)
```

XDR Source Code:

```
typedef string string64<64>;
```

SurveyMessageCommandType

```
class stellar_sdk.xdr.survey_message_command_type.SurveyMessageCommandType(value)
```

XDR Source Code:

```
enum SurveyMessageCommandType
{
    SURVEY_TOPOLOGY = 0
};
```

SurveyRequestMessage

```
class stellar_sdk.xdr.survey_request_message.SurveyRequestMessage(surveyor_peer_id,
                                                                    surveyed_peer_id,
                                                                    ledger_num, encryption_key,
                                                                    command_type)
```

XDR Source Code:

```
struct SurveyRequestMessage
{
    NodeID surveyorPeerID;
    NodeID surveyedPeerID;
    uint32 ledgerNum;
    Curve25519Public encryptionKey;
    SurveyMessageCommandType commandType;
};
```

SurveyResponseBody

```
class stellar_sdk.xdr.survey_response_body.SurveyResponseBody(type,
                                                               topology_response_body=None)
```

XDR Source Code:

```
union SurveyResponseBody switch (SurveyMessageCommandType type)
{
    case SURVEY_TOPOLOGY:
        TopologyResponseBody topologyResponseBody;
};
```

SurveyResponseMessage

```
class stellar_sdk.xdr.survey_response_message.SurveyResponseMessage(surveyor_peer_id,
                                                                    surveyed_peer_id,
                                                                    ledger_num,
                                                                    command_type,
                                                                    encrypted_body)
```

XDR Source Code:

```
struct SurveyResponseMessage
{
    NodeID surveyorPeerID;
    NodeID surveyedPeerID;
    uint32 ledgerNum;
    SurveyMessageCommandType commandType;
    EncryptedBody encryptedBody;
};
```

ThresholdIndexes

```
class stellar_sdk.xdr.threshold_indexes.ThresholdIndexes(value)
```

XDR Source Code:

```
enum ThresholdIndexes
{
    THRESHOLD_MASTER_WEIGHT = 0,
    THRESHOLD_LOW = 1,
    THRESHOLD_MED = 2,
    THRESHOLD_HIGH = 3
};
```

Thresholds

```
class stellar_sdk.xdr.thresholds.Thresholds(thresholds)
```

XDR Source Code:

```
typedef opaque Thresholds[4];
```

TimeBounds

```
class stellar_sdk.xdr.time_bounds.TimeBounds(min_time, max_time)
```

XDR Source Code:

```
struct TimeBounds
{
    TimePoint minTime;
    TimePoint maxTime; // 0 here means no maxTime
};
```

TimePoint

```
class stellar_sdk.xdr.time_point.TimePoint(time_point)
```

XDR Source Code:

```
typedef uint64 TimePoint;
```

TopologyResponseBody

```
class stellar_sdk.xdr.topology_response_body.TopologyResponseBody(inbound_peers,
                                                                    outbound_peers,
                                                                    total_inbound_peer_count,
                                                                    total_outbound_peer_count)
```

XDR Source Code:

```
struct TopologyResponseBody
{
    PeerStatList inboundPeers;
    PeerStatList outboundPeers;

    uint32 totalInboundPeerCount;
    uint32 totalOutboundPeerCount;
};
```

Transaction

```
class stellar_sdk.xdr.transaction.Transaction(source_account, fee, seq_num, time_bounds, memo,
                                              operations, ext)
```

XDR Source Code:

```
struct Transaction
{
    // account used to run the transaction
    MuxedAccount sourceAccount;

    // the fee the sourceAccount will pay
    uint32 fee;

    // sequence number to consume in the account
    SequenceNumber seqNum;

    // validity range (inclusive) for the last ledger close time
    TimeBounds* timeBounds;

    Memo memo;

    Operation operations<MAX_OPS_PER_TX>;

    // reserved for future use
    union switch (int v)
    {
        case 0:
            void;
        }
        ext;
    };
}
```

TransactionEnvelope

```
class stellar_sdk.xdr.transaction_envelope.TransactionEnvelope(type, v0=None, v1=None,
                                                               fee_bump=None)
```

XDR Source Code:

```
union TransactionEnvelope switch (EnvelopeType type)
{
    case ENVELOPE_TYPE_TX_V0:
        TransactionV0Envelope v0;
    case ENVELOPE_TYPE_TX:
        TransactionV1Envelope v1;
    case ENVELOPE_TYPE_TX_FEE_BUMP:
        FeeBumpTransactionEnvelope feeBump;
};
```

TransactionExt

```
class stellar_sdk.xdr.transaction_ext.TransactionExt(v)
```

XDR Source Code:

```
union switch (int v)
{
    case 0:
        void;
}
```

TransactionHistoryEntry

```
class stellar_sdk.xdr.transaction_history_entry.TransactionHistoryEntry(ledger_seq, tx_set,
                                                                           ext)
```

XDR Source Code:

```
struct TransactionHistoryEntry
{
    uint32 ledgerSeq;
    TransactionSet txSet;

    // reserved for future use
    union switch (int v)
    {
        case 0:
            void;
    }
    ext;
};
```

TransactionHistoryEntryExt

```
class stellar_sdk.xdr.transaction_history_entry_ext.TransactionHistoryEntryExt(v)
```

XDR Source Code:

```
union switch (int v)
{
    case 0:
        void;
}
```

TransactionHistoryResultEntry

```
class stellar_sdk.xdr.transaction_history_result_entry.TransactionHistoryResultEntry(ledger_seq,
                                                                                      tx_result_set,
                                                                                      ext)
```

XDR Source Code:

```
struct TransactionHistoryResultEntry
{
    uint32 ledgerSeq;
    TransactionResultSet txResultSet;

    // reserved for future use
    union switch (int v)
    {
        case 0:
            void;
    }
    ext;
};
```

TransactionHistoryResultEntryExt

```
class stellar_sdk.xdr.transaction_history_result_entry_ext.TransactionHistoryResultEntryExt(v)
```

XDR Source Code:

```
union switch (int v)
{
    case 0:
        void;
}
```

TransactionMeta

```
class stellar_sdk.xdr.transaction_meta.TransactionMeta(v, operations=None, v1=None, v2=None)
```

XDR Source Code:

```
union TransactionMeta switch (int v)
{
    case 0:
        OperationMeta operations<>;
    case 1:
        TransactionMetaV1 v1;
    case 2:
        TransactionMetaV2 v2;
};
```

TransactionMetaV1

```
class stellar_sdk.xdr.transaction_meta_v1.TransactionMetaV1(tx_changes, operations)
```

XDR Source Code:

```
struct TransactionMetaV1
{
    LedgerEntryChanges txChanges; // tx level changes if any
    OperationMeta operations<>; // meta for each operation
};
```

TransactionMetaV2

```
class stellar_sdk.xdr.transaction_meta_v2.TransactionMetaV2(tx_changes_before, operations,
                                                               tx_changes_after)
```

XDR Source Code:

```
struct TransactionMetaV2
{
    LedgerEntryChanges txChangesBefore; // tx level changes before operations
                                         // are applied if any
    OperationMeta operations<>; // meta for each operation
    LedgerEntryChanges txChangesAfter; // tx level changes after operations are
                                       // applied if any
};
```

TransactionResult

```
class stellar_sdk.xdr.transaction_result.TransactionResult(fee_charged, result, ext)
```

XDR Source Code:

```
struct TransactionResult
{
    int64 feeCharged; // actual fee charged for the transaction

    union switch (TransactionResultCode code)
    {
        case txFEE_BUMP_INNER_SUCCESS:
        case txFEE_BUMP_INNER_FAILED:
            InnerTransactionResultPair innerResultPair;
        case txSUCCESS:
        case txFAILED:
            OperationResult results<>;
        default:
            void;
    }
    result;

    // reserved for future use
    union switch (int v)
    {
```

(continues on next page)

(continued from previous page)

```

case 0:
    void;
}
ext;
};
```

TransactionResultCode

```
class stellar_sdk.xdr.transaction_result_code.TransactionResultCode(value)
```

XDR Source Code:

```

enum TransactionResultCode
{
    txFEE_BUMP_INNER_SUCCESS = 1, // fee bump inner transaction succeeded
    txSUCCESS = 0, // all operations succeeded

    txFAILED = -1, // one of the operations failed (none were applied)

    txTOO_EARLY = -2, // ledger closeTime before minTime
    txTOO_LATE = -3, // ledger closeTime after maxTime
    txMISSING_OPERATION = -4, // no operation was specified
    txBAD_SEQ = -5, // sequence number does not match source account

    txBAD_AUTH = -6, // too few valid signatures / wrong network
    txINSUFFICIENT_BALANCE = -7, // fee would bring account below reserve
    txNO_ACCOUNT = -8, // source account not found
    txINSUFFICIENT_FEE = -9, // fee is too small
    txBAD_AUTH_EXTRA = -10, // unused signatures attached to transaction
    txINTERNAL_ERROR = -11, // an unknown error occurred

    txNOT_SUPPORTED = -12, // transaction type not supported
    txFEE_BUMP_INNER_FAILED = -13, // fee bump inner transaction failed
    txBAD_SPONSORSHIP = -14 // sponsorship not confirmed
};
```

TransactionResultExt

```
class stellar_sdk.xdr.transaction_result_ext.TransactionResultExt(v)
```

XDR Source Code:

```

union switch (int v)
{
    case 0:
        void;
}
```

TransactionResultMeta

```
class stellar_sdk.xdr.transaction_result_meta.TransactionResultMeta(result, fee_processing,
                                                                    tx_apply_processing)
```

XDR Source Code:

```
struct TransactionResultMeta
{
    TransactionResultPair result;
    LedgerEntryChanges feeProcessing;
    TransactionMeta txApplyProcessing;
};
```

TransactionResultPair

```
class stellar_sdk.xdr.transaction_result_pair.TransactionResultPair(transaction_hash, result)
```

XDR Source Code:

```
struct TransactionResultPair
{
    Hash transactionHash;
    TransactionResult result; // result for the transaction
};
```

TransactionResultResult

```
class stellar_sdk.xdr.transaction_result_result.TransactionResultResult(code, inner_result_pair=None,
                                                                       results=None)
```

XDR Source Code:

```
union switch (TransactionResultCode code)
{
    case txFEE_BUMP_INNER_SUCCESS:
    case txFEE_BUMP_INNER_FAILED:
        InnerTransactionResultPair innerResultPair;
    case txSUCCESS:
    case txFAILED:
        OperationResult results<>;
    default:
        void;
}
```

TransactionResultSet

```
class stellar_sdk.xdr.transaction_result_set.TransactionResultSet(results)
```

XDR Source Code:

```
struct TransactionResultSet
{
    TransactionResultPair results<>;
};
```

TransactionSet

```
class stellar_sdk.xdr.transaction_set.TransactionSet(previous_ledger_hash, txs)
```

XDR Source Code:

```
struct TransactionSet
{
    Hash previousLedgerHash;
    TransactionEnvelope txs<>;
};
```

TransactionSignaturePayload

```
class stellar_sdk.xdr.transaction_signature_payload.TransactionSignaturePayload(network_id,
tagged_transaction)
```

XDR Source Code:

```
struct TransactionSignaturePayload
{
    Hash networkId;
    union switch (EnvelopeType type)
    {
        // Backwards Compatibility: Use ENVELOPE_TYPE_TX to sign ENVELOPE_TYPE_TX_V0
        case ENVELOPE_TYPE_TX:
            Transaction tx;
        case ENVELOPE_TYPE_TX_FEE_BUMP:
            FeeBumpTransaction feeBump;
    }
    taggedTransaction;
};
```

TransactionSignaturePayloadTaggedTransaction

```
class stellar_sdk.xdr.transaction_signature_payload_tagged_transaction.TransactionSignaturePayloadTagged
```

XDR Source Code:

```
union switch (EnvelopeType type)
{
    // Backwards Compatibility: Use ENVELOPE_TYPE_TX to sign ENVELOPE_TYPE_TX_V0
    case ENVELOPE_TYPE_TX:
        Transaction tx;
    case ENVELOPE_TYPE_TX_FEE_BUMP:
        FeeBumpTransaction feeBump;
}
```

TransactionV0

```
class stellar_sdk.xdr.transaction_v0.TransactionV0(source_account_ed25519,fee,seq_num,
time_bounds,memo,operations,ext)
```

XDR Source Code:

```
struct TransactionV0
{
    uint256 sourceAccountEd25519;
    uint32 fee;
    SequenceNumber seqNum;
    TimeBounds* timeBounds;
    Memo memo;
    Operation operations<MAX_OPS_PER_TX>;
    union switch (int v)
    {
        case 0:
            void;
        }
        ext;
};
```

TransactionV0Envelope

```
class stellar_sdk.xdr.transaction_v0_envelope.TransactionV0Envelope(tx,signatures)
```

XDR Source Code:

```
struct TransactionV0Envelope
{
    TransactionV0 tx;
    /* Each decorated signature is a signature over the SHA256 hash of
     * a TransactionSignaturePayload */
    DecoratedSignature signatures<20>;
};
```

TransactionV0Ext

```
class stellar_sdk.xdr.transaction_v0_ext.TransactionV0Ext(v)
```

XDR Source Code:

```
union switch (int v)
{
    case 0:
        void;
}
```

TransactionV1Envelope

```
class stellar_sdk.xdr.transaction_v1_envelope.TransactionV1Envelope(tx, signatures)
```

XDR Source Code:

```
struct TransactionV1Envelope
{
    Transaction tx;
    /* Each decorated signature is a signature over the SHA256 hash of
     * a TransactionSignaturePayload */
    Deco
```

TrustLineAsset

```
class stellar_sdk.xdr.trust_line_asset.TrustLineAsset(type, alpha_num4=None,
                                                       alpha_num12=None,
                                                       liquidity_pool_id=None)
```

XDR Source Code:

```
union TrustLineAsset switch (AssetType type)
{
    case ASSET_TYPE_NATIVE: // Not credit
        void;

    case ASSET_TYPE_CREDIT_ALPHANUM4:
        AlphaNum4 alphaNum4;

    case ASSET_TYPE_CREDIT_ALPHANUM12:
        AlphaNum12 alphaNum12;

    case ASSET_TYPE_POOL_SHARE:
        PoolID liquidityPoolID;

    // add other asset types here in the future
};
```

TrustLineEntry

```
class stellar_sdk.xdr.trust_line_entry.TrustLineEntry(account_id, asset, balance, limit, flags, ext)
```

XDR Source Code:

```
struct TrustLineEntry
{
    AccountID accountID; // account this trustline belongs to
    TrustLineAsset asset;           // type of asset (with issuer)
    int64 balance;             // how much of this asset the user has.
                                // Asset defines the unit for this;

    int64 limit;   // balance cannot be above this
    uint32 flags;  // see TrustLineFlags

    // reserved for future use
    union switch (int v)
    {
        case 0:
            void;
        case 1:
            struct
            {
                Liabilities liabilities;

                union switch (int v)
                {
                    case 0:
                        void;
                    case 2:
                        TrustLineEntryExtensionV2 v2;
                }
                ext;
            } v1;
        }
        ext;
    };
};
```

TrustLineEntryExt

```
class stellar_sdk.xdr.trust_line_entry_ext.TrustLineEntryExt(v, v1=None)
```

XDR Source Code:

```
union switch (int v)
{
    case 0:
        void;
    case 1:
        struct
        {
            Liabilities liabilities;
```

(continues on next page)

(continued from previous page)

```
union switch (int v)
{
    case 0:
        void;
    case 2:
        TrustLineEntryExtensionV2 v2;
    }
    ext;
} v1;
}
```

TrustLineEntryExtensionV2

```
class stellar_sdk.xdr.trust_line_entry_extension_v2.TrustLineEntryExtensionV2(liquidity_pool_use_count,
ext)
```

XDR Source Code:

```
struct TrustLineEntryExtensionV2
{
    int32 liquidityPoolUseCount;

    union switch (int v)
    {
        case 0:
            void;
    }
    ext;
};
```

TrustLineEntryExtensionV2Ext

```
class stellar_sdk.xdr.trust_line_entry_extension_v2_ext.TrustLineEntryExtensionV2Ext(v)
```

XDR Source Code:

```
union switch (int v)
{
    case 0:
        void;
}
```

TrustLineEntryV1

```
class stellar_sdk.xdr.trust_line_entry_v1.TrustLineEntryV1(liabilities, ext)
```

XDR Source Code:

```
struct
{
    Liabilities liabilities;

    union switch (int v)
    {
        case 0:
            void;
        case 2:
            TrustLineEntryExtensionV2 v2;
    }
    ext;
}
```

TrustLineEntryV1Ext

```
class stellar_sdk.xdr.trust_line_entry_v1_ext.TrustLineEntryV1Ext(v, v2=None)
```

XDR Source Code:

```
union switch (int v)
{
    case 0:
        void;
    case 2:
        TrustLineEntryExtensionV2 v2;
}
```

TrustLineFlags

```
class stellar_sdk.xdr.trust_line_flags.TrustLineFlags(value)
```

XDR Source Code:

```
enum TrustLineFlags
{
    // issuer has authorized account to perform transactions with its credit
    AUTHORIZED_FLAG = 1,
    // issuer has authorized account to maintain and reduce liabilities for its
    // credit
    AUTHORIZED_TO_MAINTAIN LIABILITYES_FLAG = 2,
    // issuer has specified that it may clawback its credit, and that claimable
    // balances created with its credit may also be clawed back
    TRUSTLINE_CLAWBACK_ENABLED_FLAG = 4
};
```

Uint256

```
class stellar_sdk.xdr.uint256.Uint256(uint256)
```

XDR Source Code:

```
typedef opaque uint256[32];
```

Uint32

```
class stellar_sdk.xdr.uint32.Uint32(uint32)
```

XDR Source Code:

```
typedef unsigned int uint32;
```

Uint64

```
class stellar_sdk.xdr.uint64.Uint64(uint64)
```

XDR Source Code:

```
typedef unsigned hyper uint64;
```

UnsignedHyper

```
class stellar_sdk.xdr.base.UnsignedHyper(value)
```

UnsignedInteger

```
class stellar_sdk.xdr.base.UnsignedInteger(value)
```

UpgradeEntryMeta

```
class stellar_sdk.xdr.upgrade_entry_meta.UpgradeEntryMeta(upgrade, changes)
```

XDR Source Code:

```
struct UpgradeEntryMeta
{
    LedgerUpgrade upgrade;
    LedgerEntryChanges changes;
};
```

UpgradeType

```
class stellar_sdk.xdr.upgrade_type.UpgradeType(upgrade_type)
```

XDR Source Code:

```
typedef opaque UpgradeType<128>;
```

Value

```
class stellar_sdk.xdr.value.Value(value)
```

XDR Source Code:

```
typedef opaque Value<>;
```

Constants

```
stellar_sdk.xdr.constants.LIQUIDITY_POOL_FEE_V18: int = 30
const LIQUIDITY_POOL_FEE_V18 = 30;
stellar_sdk.xdr.constants.MASK_ACCOUNT_FLAGS: int = 7
const MASK_ACCOUNT_FLAGS = 0x7;
stellar_sdk.xdr.constants.MASK_ACCOUNT_FLAGS_V17: int = 15
const MASK_ACCOUNT_FLAGS_V17 = 0xF;
stellar_sdk.xdr.constants.MASK_CLAIMABLE_BALANCE_FLAGS: int = 1
const MASK_CLAIMABLE_BALANCE_FLAGS = 0x1;
stellar_sdk.xdr.constants.MASK_OFFERENTRY_FLAGS: int = 1
const MASK_OFFERENTRY_FLAGS = 1;
stellar_sdk.xdr.constants.MASK_TRUSTLINE_FLAGS: int = 1
const MASK_TRUSTLINE_FLAGS = 1;
stellar_sdk.xdr.constants.MASK_TRUSTLINE_FLAGS_V13: int = 3
const MASK_TRUSTLINE_FLAGS_V13 = 3;
stellar_sdk.xdr.constants.MASK_TRUSTLINE_FLAGS_V17: int = 7
const MASK_TRUSTLINE_FLAGS_V17 = 7;
stellar_sdk.xdr.constants.MAX_OPS_PER_TX: int = 100
const MAX_OPS_PER_TX = 100;
stellar_sdk.xdr.constants.MAX_SIGNERS: int = 20
const MAX_SIGNERS = 20;
```

**CHAPTER
THREE**

STELLAR-MODEL

stellar-model allows you to parse the JSON returned by Stellar Horizon into the Python models, click [here](#) for more information.

**CHAPTER
FOUR**

LINKS

- Document: <https://stellar-sdk.readthedocs.io>
- Code: <https://github.com/StellarCN/py-stellar-base>
- Examples: <https://github.com/StellarCN/py-stellar-base/tree/v7/examples>
- Issue tracker: <https://github.com/StellarCN/py-stellar-base/issues>
- License: Apache License 2.0
- Releases: <https://pypi.org/project/stellar-sdk/>

CHAPTER

FIVE

THANKS

This document is based on [Stellar JavaScript SDK](#) documentation. Thank you to all the people who have already contributed to Stellar ecosystem!

**CHAPTER
SIX**

GENINDEX

PYTHON MODULE INDEX

S

[stellar_sdk](#), 21

INDEX

A

Account (*class in stellar_sdk.account*), 21
account_id() (*stellar_sdk.call_builder.call_builder_async.AccountsCallBuilder method*), 54
account_id() (*stellar_sdk.call_builder.call_builder_sync.AccountsCallBuilder method*), 24
account_muxed (*stellar_sdk.muxed_account.MuxedAccount property*), 99
AccountEntry (*class in stellar_sdk.xdr.account_entry*), 162
AccountEntryExt (*class in stellar_sdk.xdr.account_entry_ext*), 163
AccountEntryExtensionV1 (*class in stellar_sdk.xdr.account_entry_extension_v1*), 163
AccountEntryExtensionV1Ext (*class in stellar_sdk.xdr.account_entry_extension_v1_ext*), 163
AccountEntryExtensionV2 (*class in stellar_sdk.xdr.account_entry_extension_v2*), 164
AccountEntryExtensionV2Ext (*class in stellar_sdk.xdr.account_entry_extension_v2_ext*), 164
AccountFlags (*class in stellar_sdk.xdr.account_flags*), 164
AccountID (*class in stellar_sdk.xdr.account_id*), 165
AccountMerge (*class in stellar_sdk.operation*), 101
AccountMergeResult (*class in stellar_sdk.xdr.account_merge_result*), 165
AccountMergeResultCode (*class in stellar_sdk.xdr.account_merge_result_code*), 165
AccountRequiresMemoError (*class in stellar_sdk.sep.exceptions*), 162
accounts() (*stellar_sdk.server.Server method*), 119
accounts() (*stellar_sdk.server_async.ServerAsync method*), 123
AccountsCallBuilder (*class in stellar_sdk.call_builder.call_builder_async*), 54
AccountsCallBuilder (*class in stellar_sdk.call_builder.call_builder_sync*), 24
add_hash_memo() (*stellar_sdk.transaction_builder.TransactionBuilder method*), 139
add_id_memo() (*stellar_sdk.transaction_builder.TransactionBuilder method*), 139
add_memo() (*stellar_sdk.transaction_builder.TransactionBuilder method*), 139
add_return_hash_memo() (*stellar_sdk.transaction_builder.TransactionBuilder method*), 139
add_text_memo() (*stellar_sdk.transaction_builder.TransactionBuilder method*), 139
add_time_bounds() (*stellar_sdk.transaction_builder.TransactionBuilder method*), 139
AiohttpClient (*class in stellar_sdk.client.aiohttp_client*), 86
AllowTrust (*class in stellar_sdk.operation*), 102
AllowTrustOp (*class in stellar_sdk.xdr.allow_trust_op*), 166
AllowTrustResult (*class in stellar_sdk.xdr.allow_trust_result*), 166
AllowTrustResultCode (*class in stellar_sdk.xdr.allow_trust_result_code*), 166
AlphaNum12 (*class in stellar_sdk.xdr.alpha_num12*), 167
AlphaNum4 (*class in stellar_sdk.xdr.alpha_num4*), 167
append_account_merge_op() (*stellar_sdk.transaction_builder.TransactionBuilder method*), 140
append_allow_trust_op() (*stellar_sdk.transaction_builder.TransactionBuilder method*), 140
append_begin_sponsoring_future_reserves_op() (*stellar_sdk.transaction_builder.TransactionBuilder method*), 140
append_bump_sequence_op() (*stellar_sdk.transaction_builder.TransactionBuilder method*), 141
append_change_trust_op() (*stellar_sdk.transaction_builder.TransactionBuilder method*), 141

`lar_sdk.transaction_builder.TransactionBuilder
 method), 141`

`append_claim_claimable_balance_op() (stel-
 lar_sdk.transaction_builder.TransactionBuilder
 method), 141`

`append_clawback_claimable_balance_op() (stel-
 lar_sdk.transaction_builder.TransactionBuilder
 method), 141`

`append_clawback_op() (stel-
 lar_sdk.transaction_builder.TransactionBuilder
 method), 141`

`append_create_account_op() (stel-
 lar_sdk.transaction_builder.TransactionBuilder
 method), 142`

`append_create_claimable_balance_op() (stel-
 lar_sdk.transaction_builder.TransactionBuilder
 method), 142`

`append_create_passive_sell_offer_op() (stel-
 lar_sdk.transaction_builder.TransactionBuilder
 method), 142`

`append_ed25519_public_key_signer() (stel-
 lar_sdk.transaction_builder.TransactionBuilder
 method), 142`

`append_end_sponsoring_future_reserves_op() (stel-
 lar_sdk.transaction_builder.TransactionBuilder
 method), 143`

`append_hashx_signer() (stel-
 lar_sdk.transaction_builder.TransactionBuilder
 method), 143`

`append_inflation_op() (stel-
 lar_sdk.transaction_builder.TransactionBuilder
 method), 143`

`append_liquidity_pool_deposit_op() (stel-
 lar_sdk.transaction_builder.TransactionBuilder
 method), 143`

`append_liquidity_pool_withdraw_op() (stel-
 lar_sdk.transaction_builder.TransactionBuilder
 method), 144`

`append_manage_buy_offer_op() (stel-
 lar_sdk.transaction_builder.TransactionBuilder
 method), 144`

`append_manage_data_op() (stel-
 lar_sdk.transaction_builder.TransactionBuilder
 method), 144`

`append_manage_sell_offer_op() (stel-
 lar_sdk.transaction_builder.TransactionBuilder
 method), 145`

`append_operation() (stel-
 lar_sdk.transaction_builder.TransactionBuilder
 method), 145`

`append_path_payment_strict_receive_op() (stel-
 lar_sdk.transaction_builder.TransactionBuilder
 method), 145`

`append_path_payment_strict_send_op() (stel-`

`lar_sdk.transaction_builder.TransactionBuilder
 method), 145`

`append_payment_op() (stel-
 lar_sdk.transaction_builder.TransactionBuilder
 method), 146`

`append_pre_auth_tx_signer() (stel-
 lar_sdk.transaction_builder.TransactionBuilder
 method), 146`

`append_revoke_account_sponsorship_op() (stel-
 lar_sdk.transaction_builder.TransactionBuilder
 method), 146`

`append_revoke_claimable_balance_sponsorship_op()
 (stellar_sdk.transaction_builder.TransactionBuilder
 method), 147`

`append_revoke_data_sponsorship_op() (stel-
 lar_sdk.transaction_builder.TransactionBuilder
 method), 147`

`append_revoke_ed25519_public_key_signer_sponsorship_op()
 (stellar_sdk.transaction_builder.TransactionBuilder
 method), 147`

`append_revoke_hashx_signer_sponsorship_op()
 (stellar_sdk.transaction_builder.TransactionBuilder
 method), 147`

`append_revoke_liquidity_pool_sponsorship_op()
 (stellar_sdk.transaction_builder.TransactionBuilder
 method), 148`

`append_revoke_offer_sponsorship_op() (stel-
 lar_sdk.transaction_builder.TransactionBuilder
 method), 148`

`append_revoke_pre_auth_tx_signer_sponsorship_op()
 (stellar_sdk.transaction_builder.TransactionBuilder
 method), 148`

`append_revoke_trustline_sponsorship_op()
 (stellar_sdk.transaction_builder.TransactionBuilder
 method), 148`

`append_set_options_op() (stel-
 lar_sdk.transaction_builder.TransactionBuilder
 method), 149`

`append_set_trust_line_flags_op() (stel-
 lar_sdk.transaction_builder.TransactionBuilder
 method), 149`

`Asset (class in stellar_sdk.asset), 22`

`Asset (class in stellar_sdk.xdr.asset), 167`

`AssetCode (class in stellar_sdk.xdr.asset_code), 168`

`AssetCode12 (class in stellar_sdk.xdr.asset_code12),
 168`

`AssetCode4 (class in stellar_sdk.xdr.asset_code4), 168`

`AssetCodeInvalidError (class in stel-
 lar_sdk.exceptions), 90`

`AssetIssuerInvalidError (class in stel-
 lar_sdk.exceptions), 90`

`assets() (stellar_sdk.server.Server method), 119`

`assets() (stellar_sdk.server_async.ServerAsync
 method), 123`

A

- AssetsCallBuilder (class in `stellar_sdk.call_builder.call_builder_async`), 56
- AssetsCallBuilder (class in `stellar_sdk.call_builder.call_builder_sync`), 26
- AssetType (class in `stellar_sdk.xdr.asset_type`), 168
- Auth (class in `stellar_sdk.xdr.auth`), 169
- AuthCert (class in `stellar_sdk.xdr.auth_cert`), 169
- AuthenticatedMessage (class in `stellar_sdk.xdr.authenticated_message`), 169
- AuthenticatedMessageV0 (class in `stellar_sdk.xdr.authenticated_message_v0`), 169
- AuthorizationFlag (class in `stellar_sdk.operation.set_options`), 111

B

- BadFederationResponseError (class in `stellar_sdk.sep.exceptions`), 161
- BadRequestError (class in `stellar_sdk.exceptions`), 91
- BadResponseError (class in `stellar_sdk.exceptions`), 91
- BadSignatureError (class in `stellar_sdk.exceptions`), 89
- BaseAsyncClient (class in `stellar_sdk.client.base_async_client`), 84
- BaseHorizonError (class in `stellar_sdk.exceptions`), 91
- BaseRequestError (class in `stellar_sdk.exceptions`), 90
- BaseSyncClient (class in `stellar_sdk.client.base_sync_client`), 85
- BeginSponsoringFutureReserves (class in `stellar_sdk.operation`), 114
- BeginSponsoringFutureReservesOp (class in `stellar_sdk.xdr.begin_sponsoring_future_reserves_op`), 170
- BeginSponsoringFutureReservesResult (class in `stellar_sdk.xdr.begin_sponsoring_future_reserves_result`), 170
- BeginSponsoringFutureReservesresultCode (class in `stellar_sdk.xdr.begin_sponsoring_future_reserves_result`), 170
- Boolean (class in `stellar_sdk.xdr.base`), 171
- BucketEntry (class in `stellar_sdk.xdr.bucket_entry`), 171
- BucketEntryType (class in `stellar_sdk.xdr.bucket_entry_type`), 171
- BucketMetadata (class in `stellar_sdk.xdr.bucket_metadata`), 171
- BucketMetadataExt (class in `stellar_sdk.xdr.bucket_metadata_ext`), 172
- build() (`stellar_sdk.transaction_builder.TransactionBuilder` method), 150
- build_challenge_transaction() (in module `stellar_sdk.sep.stellar_web_authentication`), 157
- build_fee_bump_transaction() (in module `stellar_sdk.transaction_builder.TransactionBuilder` static method), 150
- BumpSequence (class in `stellar_sdk.operation`), 102
- BumpSequenceOp (class in `stellar_sdk.xdr.bump_sequence_op`), 172
- BumpSequenceResult (class in `stellar_sdk.xdr.bump_sequence_result`), 172
- BumpSequenceResultCode (class in `stellar_sdk.xdr.bump_sequence_result_code`), 173

C

- call() (`stellar_sdk.call_builder.call_builder_async.AccountsCallBuilder` method), 54
- call() (`stellar_sdk.call_builder.call_builder_async.AssetsCallBuilder` method), 56
- call() (`stellar_sdk.call_builder.call_builder_async.ClaimableBalancesCallBuilder` method), 57
- call() (`stellar_sdk.call_builder.call_builder_async.DataCallBuilder` method), 59
- call() (`stellar_sdk.call_builder.call_builder_async.EffectsCallBuilder` method), 60
- call() (`stellar_sdk.call_builder.call_builder_async.FeeStatsCallBuilder` method), 62
- call() (`stellar_sdk.call_builder.call_builder_async.LedgersCallBuilder` method), 63
- call() (`stellar_sdk.call_builder.call_builder_async.LiquidityPoolsBuilder` method), 65
- call() (`stellar_sdk.call_builder.call_builder_async.OffersCallBuilder` method), 66
- call() (`stellar_sdk.call_builder.call_builder_async.OperationsCallBuilder` method), 68
- call() (`stellar_sdk.call_builder.call_builder_async.OrderbookCallBuilder` method), 71
- call() (`stellar_sdk.call_builder.call_builder_async.PaymentsCallBuilder` method), 72
- call() (`stellar_sdk.call_builder.call_builder_async.RootCallBuilder` method), 74
- call() (`stellar_sdk.call_builder.call_builder_async.StrictReceivePathsCallBuilder` method), 75
- call() (`stellar_sdk.call_builder.call_builder_async.StrictSendPathsCallBuilder` method), 77
- call() (`stellar_sdk.call_builder.call_builder_async.TradeAggregationsCallBuilder` method), 78
- call() (`stellar_sdk.call_builder.call_builder_async.TradesCallBuilder` method), 80
- call() (`stellar_sdk.call_builder.call_builder_async.TransactionsCallBuilder` method), 82
- call() (`stellar_sdk.call_builder.call_builder_sync.AccountsCallBuilder` method), 24

call() (*stellar_sdk.call_builder.call_builder_sync.AssetsCallBuilder*), 154
 method), 26
claimable_balance() (*stellar_sdk.call_builder.call_builder_sync.ClaimableBalancesCallBuilder*)
 (stellar_sdk.xdr.claimable_balance_entry), 57
call() (*stellar_sdk.call_builder.call_builder_sync.DataCallBuilder*), 29
 (stellar_sdk.xdr.claimable_balance_entry)
call() (*stellar_sdk.call_builder.call_builder_sync.EffectsCallBuilder*), 28
 (stellar_sdk.xdr.claimable_balances)
call() (*stellar_sdk.call_builder.call_builder_sync.FeeStatsCallBuilder*), 119
 (stellar_sdk.xdr.claimable_balances)
call() (*stellar_sdk.call_builder.call_builder_sync.LedgersCallBuilder*), 123
 (stellar_sdk.xdr.claimable_balances)
call() (*stellar_sdk.call_builder.call_builder_sync.LiquidityCallBuilder*), 178
 (stellar_sdk.xdr.claimable_balance_entry), 178
call() (*stellar_sdk.call_builder.call_builder_sync.OffersCallBuilder*), 178
 (stellar_sdk.xdr.claimable_balance_entry_ext),
call() (*stellar_sdk.call_builder.call_builder_sync.OperationsCallBuilder*), 178
 (ClaimableBalanceEntryExtensionV1 (class in stellar_sdk.xdr.claimable_balance_entry_extension_v1)),
call() (*stellar_sdk.call_builder.call_builder_sync.OrderbookCallBuilder*), 179
 (stellar_sdk.xdr.claimable_balance_entry_extension_v1),
call() (*stellar_sdk.call_builder.call_builder_sync.PaymentsCallBuilder*), 179
 (ClaimableBalanceEntryExtensionV1Ext (class in stellar_sdk.xdr.claimable_balance_entry_extension_v1_ext)),
call() (*stellar_sdk.call_builder.call_builder_sync.RootCallBuilder*), 179
 (stellar_sdk.xdr.claimable_balance_entry_extension_v1_ext),
call() (*stellar_sdk.call_builder.call_builder_sync.StrictReclaimableBalanceFlags*), 179
 (stellar_sdk.xdr.claimable_balance_flags), 179
call() (*stellar_sdk.call_builder.call_builder_sync.StrictSendCallBuilder*), 180
 (ClaimableBalanceID (class in stellar_sdk.xdr.claimable_balance_id), 180
call() (*stellar_sdk.call_builder.call_builder_sync.TradeAgreementCallBuilder*), 180
 (ClaimableBalanceIDType (class in stellar_sdk.xdr.claimable_balance_id_type),
call() (*stellar_sdk.call_builder.call_builder_sync.TradesCallBuilder*), 180
 (ClaimableBalancesCallBuilder (class in stellar_sdk.xdr.claimable_balances)),
call() (*stellar_sdk.call_builder.call_builder_sync.TransactionsCallBuilder*), 57
 (stellar_sdk.xdr.claimable_balance_op),
can_sign() (*stellar_sdk.keypair.Keypair* method), 92
ChallengeTransaction (class in stellar_sdk.sep.stellar_web_authentication), 160
ChangeTrust (class in stellar_sdk.operation), 103
ChangeTrustAsset (class in stellar_sdk.xdr.change_trust_asset), 173
ChangeTrustOp (class in stellar_sdk.xdr.change_trust_op), 173
ChangeTrustResult (class in stellar_sdk.xdr.change_trust_result), 174
ChangeTrustresultCode (class in stellar_sdk.xdr.change_trust_result_code), 174
check_if_asset_code_is_valid() (stellar_sdk.asset static method), 22
CHINESE_SIMPLIFIED (stellar_sdk.sep.mnemonic.Language attribute), 154
CHINESE_TRADITIONAL (stellar_sdk.sep.mnemonic.Language attribute),
Claimant (class in stellar_sdk.operation), 112
Claimant (class in stellar_sdk.xdr.claimant), 180
ClaimantType (class in stellar_sdk.xdr.claimant_type), 180
ClaimantV0 (class in stellar_sdk.xdr.claimant_v0), 181
ClaimAtom (class in stellar_sdk.xdr.claim_atom), 174
ClaimAtomType (class in stellar_sdk.xdr.claim_atom_type), 175
ClaimClaimableBalance (class in stellar_sdk.operation), 113
ClaimClaimableBalanceOp (class in stellar_sdk.xdr.claim_claimable_balance_op), 175
ClaimClaimableBalanceResult (class in stellar_sdk.xdr.claim_claimable_balance_result), 175
ClaimClaimableBalanceresultCode (class in stellar_sdk.xdr.claim_claimable_balance_result_code),

175		CreateClaimableBalanceOp (class in stellar_sdk.xdr.create_claimable_balance_op), 184
ClaimLiquidityAtom (class in stellar_sdk.xdr.claim_liquidity_atom), 176	stel-	CreateClaimableBalanceResult (class in stellar_sdk.xdr.create_claimable_balance_result), 184
ClaimOfferAtom (class in stellar_sdk.xdr.claim_offer_atom), 176	stel-	CreateClaimableBalanceresultCode (class in stellar_sdk.xdr.create_claimable_balance_result_code), 184
ClaimOfferAtomV0 (class in stellar_sdk.xdr.claim_offer_atom_v0), 176	stel-	CreatePassiveSellOffer (class in stellar_sdk.operation), 104
ClaimPredicate (class in stellar_sdk.operation), 112		CreatePassiveSellOfferOp (class in stellar_sdk.xdr.create_passive_sell_offer_op), 185
ClaimPredicate (class in stellar_sdk.xdr.claim_predicate), 177	stel-	CryptoKeyType (class in stellar_sdk.xdr.crypto_key_type), 185
ClaimPredicateGroup (class in stellar_sdk.operation.create_claimable_balance), 113	stel-	cursor() (stellar_sdk.call_builder.call_builder_async.AccountsCallBuilder method), 54
ClaimPredicateType (class in stellar_sdk.operation.create_claimable_balance), 113	stel-	cursor() (stellar_sdk.call_builder.call_builder_async.AssetsCallBuilder method), 56
ClaimPredicateType (class in stellar_sdk.xdr.claim_predicate_type), 177	stel-	cursor() (stellar_sdk.call_builder.call_builder_async.ClaimableBalances method), 58
Clawback (class in stellar_sdk.operation), 116		cursor() (stellar_sdk.call_builder.call_builder_async.DataCallBuilder method), 59
ClawbackClaimableBalance (class in stellar_sdk.operation), 116	stel-	cursor() (stellar_sdk.call_builder.call_builder_async.EffectsCallBuilder method), 60
ClawbackClaimableBalanceOp (class in stellar_sdk.xdr.clawback_claimable_balance_op), 181	stel-	cursor() (stellar_sdk.call_builder.call_builder_async.FeeStatsCallBuilder method), 62
ClawbackClaimableBalanceResult (class in stellar_sdk.xdr.clawback_claimable_balance_result), 181	stel-	cursor() (stellar_sdk.call_builder.call_builder_async.LedgersCallBuilder method), 64
ClawbackClaimableBalanceresultCode (class in stellar_sdk.xdr.clawback_claimable_balance_result_code), 181	stel-	cursor() (stellar_sdk.call_builder.call_builder_async.LiquidityPoolsBuilder method), 65
ClawbackOp (class in stellar_sdk.xdr.clawback_op), 182		cursor() (stellar_sdk.call_builder.call_builder_async.OffersCallBuilder method), 67
ClawbackResult (class in stellar_sdk.xdr.clawback_result), 182	stel-	cursor() (stellar_sdk.call_builder.call_builder_async.OperationsCallBuilder method), 68
ClawbackResultCode (class in stellar_sdk.xdr.clawback_result_code), 182	stel-	cursor() (stellar_sdk.call_builder.call_builder_async.OrderbookCallBuilder method), 71
close() (stellar_sdk.client.aiohttp_client.AiohttpClient method), 86		cursor() (stellar_sdk.call_builder.call_builder_async.PaymentsCallBuilder method), 72
close() (stellar_sdk.client.requests_client.RequestsClient method), 87		cursor() (stellar_sdk.call_builder.call_builder_async.RootCallBuilder method), 74
close() (stellar_sdk.server.Server method), 119		cursor() (stellar_sdk.call_builder.call_builder_async.StrictReceivePathsCallBuilder method), 76
close() (stellar_sdk.server_async.ServerAsync method), 123		cursor() (stellar_sdk.call_builder.call_builder_async.StrictSendPathsCallBuilder method), 77
ConnectionError (class in stellar_sdk.exceptions), 91		cursor() (stellar_sdk.call_builder.call_builder_async.TradeAggregationsCallBuilder method), 79
CreateAccount (class in stellar_sdk.operation), 103		cursor() (stellar_sdk.call_builder.call_builder_async.TradesCallBuilder method), 80
CreateAccountOp (class in stellar_sdk.xdr.create_account_op), 183	stel-	cursor() (stellar_sdk.call_builder.call_builder_async.TransactionsCallBuilder method), 82
CreateAccountResult (class in stellar_sdk.xdr.create_account_result), 183	stel-	cursor() (stellar_sdk.call_builder.call_builder_sync.AccountsCallBuilder method), 24
CreateAccountresultCode (class in stellar_sdk.xdr.create_account_result_code), 183	stel-	
CreateClaimableBalance (class in stellar_sdk.operation), 111	stel-	

cursor() (*stellar_sdk.call_builder.call_builder_sync.AssetDataBuilder*(*class* in *stellar_sdk.xdr.data_value*), 186
 method), 26
 decode_ed25519_public_key() (stel-
cursor() (*stellar_sdk.call_builder.call_builder_sync.ClaimableBalanceCallBuilder*StrKey static method), 128
 method), 28
 decode_ed25519_secret_seed() (stel-
cursor() (*stellar_sdk.call_builder.call_builder_sync.DataCallBuilder*stellar.strkey.StrKey static method), 129
 method), 30
 decode_muxed_account() (stellar.sdk.strkey.StrKey
cursor() (*stellar_sdk.call_builder.call_builder_sync.EffectsCallBuilder*static method), 129
 method), 31
 decode_pre_auth_tx() (stellar.sdk.strkey.StrKey
cursor() (*stellar_sdk.call_builder.call_builder_sync.FeeStatsCallBuilder*ic method), 129
 method), 33
 decode_sha256_hash() (stellar.sdk.strkey.StrKey
cursor() (*stellar_sdk.call_builder.call_builder_sync.LedgersCallBuilder*tic method), 129
 method), 34
 DecoratedSignature (class in stel-
cursor() (*stellar_sdk.call_builder.call_builder_sync.LiquidityPoolsBuilder*decorated_signature), 131
 method), 35
 DecoratedSignature (class in stel-
cursor() (*stellar_sdk.call_builder.call_builder_sync.OffersCallBuilder*_sdk.xdr.decorated_signature), 186
 method), 37
 DontHave (*class* in *stellar_sdk.xdr.dont_have*), 187
cursor() (*stellar_sdk.call_builder.call_builder_sync.OperationsCallBuilder*
 method), 39
E
cursor() (*stellar_sdk.call_builder.call_builder_sync.OrderCallBuilder*public_key() (stellar.sdk.signer.Signer
 method), 41
 class method), 126
cursor() (*stellar_sdk.call_builder.call_builder_sync.PaymentCallBuilder*public_key() (stel-
 method), 42
 lar.sdk.signer_key.SignerKey class method),
cursor() (*stellar_sdk.call_builder.call_builder_sync.RootCallBuilder*27
 method), 44
 Ed25519PublicKeyInvalidError (class in stel-
cursor() (*stellar_sdk.call_builder.call_builder_sync.StrictReceivePathsCallBuilder*exceptions), 89
 method), 46
 Ed25519SecretSeedInvalidError (class in stel-
cursor() (*stellar_sdk.call_builder.call_builder_sync.StrictSendPathsCallBuilder*Exceptions), 90
 method), 47
 effects() (stellar.sdk.server.Server method), 119
cursor() (*stellar_sdk.call_builder.call_builder_sync.TradeAggregationsCallBuilder*stellar.sdk.server.async.ServerAsync
 method), 49
 EffectsCallBuilder (class in stel-
cursor() (*stellar_sdk.call_builder.call_builder_sync.TraderCallBuilder*EffectsCallBuilder
 method), 50
 lar.sdk.call_builder.call_builder_async),
cursor() (*stellar_sdk.call_builder.call_builder_sync.TransactionsCallBuilder*
 method), 52
Curve25519Public (class in stellar.sdk.curve25519_public), 185
Curve25519Secret (class in stellar.sdk.curve25519_secret), 185
D
Data (*class* in *stellar_sdk.operation.revoke_sponsorship*), 116
data() (stellar.sdk.server.Server method), 119
data() (stellar.sdk.server.async.ServerAsync method), 123
DataCallBuilder (class in stellar.sdk.call_builder.call_builder_async), 59
DataCallBuilder (class in stellar.sdk.call_builder.call_builder_sync), 29
DataEntry (*class* in *stellar_sdk.xdr.data_entry*), 186
DataEntryExt (*class* in *stellar_sdk.xdr.data_entry_ext*), 186
 EffectsCallBuilder (class in stellar.sdk.call_builder.call_builder_sync), 30
 lar.sdk.call_builder.call_builder_sync),
 encode_ed25519_public_key() (stel-
 lar.sdk.strkey.StrKey static method), 129
 encode_ed25519_secret_seed() (stel-
 lar.sdk.strkey.StrKey static method), 129
 encode_muxed_account() (stellar.sdk.strkey.StrKey
 static method), 130
 encode_pre_auth_tx() (stellar.sdk.strkey.StrKey
 static method), 130
 encode_sha256_hash() (stellar.sdk.strkey.StrKey
 static method), 130
 encoded_signer_key (stellar.sdk.signer_key.SignerKey
 property), 128
 EncryptedBody (class in stellar.sdk.xdr.encrypted_body), 187
 EndSponsoringFutureReserves (class in stellar.sdk.operation), 114

`EndSponsoringFutureReservesResult` (class in `stellar_sdk.xdr.end_sponsoring_future_reserves_result`), 187

`EndSponsoringFutureReservesResultCode` (class in `stellar_sdk.xdr.end_sponsoring_future_reserves_result_code`), 187

`ENGLISH` (`stellar_sdk.sep.mnemonic.Language` attribute), 154

`EnvelopeType` (class in `stellar_sdk.xdr.envelope_type`), 188

`Error` (class in `stellar_sdk.xdr.error`), 188

`ErrorCode` (class in `stellar_sdk.xdr.error_code`), 188

F

`FeatureNotEnabledError` (class in `stellar_sdk.exceptions`), 91

`FederationRecord` (class in `stellar_sdk.sep.federation`), 154

`FederationServerNotFoundError` (class in `stellar_sdk.sep.exceptions`), 161

`fee_stats()` (`stellar_sdk.server.Server` method), 119

`fee_stats()` (`stellar_sdk.server_async.ServerAsync` method), 123

`FeeBumpTransaction` (class in `stellar_sdk.fee_bump_transaction`), 135

`FeeBumpTransaction` (class in `stellar_sdk.xdr.fee_bump_transaction`), 189

`FeeBumpTransactionEnvelope` (class in `stellar_sdk.fee_bump_transaction_envelope`), 136

`FeeBumpTransactionEnvelope` (class in `stellar_sdk.xdr.fee_bump_transaction_envelope`), 189

`FeeBumpTransactionExt` (class in `stellar_sdk.xdr.fee_bump_transaction_ext`), 189

`FeeBumpTransactionInnerTx` (class in `stellar_sdk.xdr.fee_bump_transaction_inner_tx`), 190

`FeeStatsCallBuilder` (class in `stellar_sdk.call_builder.call_builder_async`), 62

`FeeStatsCallBuilder` (class in `stellar_sdk.call_builder.call_builder_sync`), 32

`fetch_base_fee()` (`stellar_sdk.server.Server` method), 119

`fetch_base_fee()` (`stellar_sdk.server_async.ServerAsync` method), 123

`fetch_stellar_toml()` (in module `stellar_sdk.sep.stellar_toml`), 152

`fetch_stellar_toml_async()` (in module `stellar_sdk.sep.stellar_toml`), 152

`for_account()` (`stellar_sdk.call_builder.call_builder_async.EffectsCallBuilder` method), 61

`for_account()` (`stellar_sdk.call_builder.call_builder_async.LiquidityPoolsCallBuilder` method), 65

`for_account()` (`stellar_sdk.call_builder.call_builder_async.OperationsCallBuilder` method), 69

`for_account()` (`stellar_sdk.call_builder.call_builder_async.PaymentsCallBuilder` method), 72

`for_account()` (`stellar_sdk.call_builder.call_builder_async.TradesCallBuilder` method), 80

`for_account()` (`stellar_sdk.call_builder.call_builder_async.TransactionsCallBuilder` method), 82

`for_account()` (`stellar_sdk.call_builder.call_builder_sync.EffectsCallBuilder` method), 31

`for_account()` (`stellar_sdk.call_builder.call_builder_sync.LiquidityPoolsCallBuilder` method), 35

`for_account()` (`stellar_sdk.call_builder.call_builder_sync.OperationsCallBuilder` method), 39

`for_account()` (`stellar_sdk.call_builder.call_builder_sync.PaymentsCallBuilder` method), 42

`for_account()` (`stellar_sdk.call_builder.call_builder_sync.TradesCallBuilder` method), 50

`for_account()` (`stellar_sdk.call_builder.call_builder_sync.TransactionsCallBuilder` method), 52

`for_asset()` (`stellar_sdk.call_builder.call_builder_async.AccountsCallBuilder` method), 54

`for_asset()` (`stellar_sdk.call_builder.call_builder_async.ClaimableBalanceCallBuilder` method), 58

`for_asset()` (`stellar_sdk.call_builder.call_builder_sync.AccountsCallBuilder` method), 25

`for_asset()` (`stellar_sdk.call_builder.call_builder_sync.ClaimableBalanceCallBuilder` method), 28

`for_asset_pair()` (`stellar_sdk.call_builder.call_builder_async.TradesCallBuilder` method), 80

`for_asset_pair()` (`stellar_sdk.call_builder.call_builder_sync.TradesCallBuilder` method), 50

`for_buying()` (`stellar_sdk.call_builder.call_builder_async.OffersCallBuilder` method), 67

`for_buying()` (`stellar_sdk.call_builder.call_builder_sync.OffersCallBuilder` method), 37

`for_claimable_balance()` (`stellar_sdk.call_builder.call_builder_async.OperationsCallBuilder` method), 69

`for_claimable_balance()` (`stellar_sdk.call_builder.call_builder_async.TransactionsCallBuilder` method), 82

`for_claimable_balance()` (`stellar_sdk.call_builder.call_builder_sync.OperationsCallBuilder` method), 39

`for_claimable_balance()` (`stellar_sdk.call_builder.call_builder_sync.TransactionsCallBuilder` method), 52

```
for_claimant() (stellar_sdk.call_builder.call_builder_async.ClaimableBalancesCallBuilder, method), 58
for_claimant() (stellar_sdk.call_builder.call_builder_sync.ClaimableBalancesCallBuilder, method), 28
for_code() (stellar_sdk.call_builder.call_builder_async.AccountsCallBuilder, method), 56
for_code() (stellar_sdk.call_builder.call_builder_sync.AccountsCallBuilder, method), 26
for_issuer() (stellar_sdk.call_builder.call_builder_async.AccountsCallBuilder, method), 56
for_issuer() (stellar_sdk.call_builder.call_builder_sync.AccountsCallBuilder, method), 27
for_ledger() (stellar_sdk.call_builder.call_builder_async.LedgersCallBuilder, method), 61
for_ledger() (stellar_sdk.call_builder.call_builder_sync.LedgersCallBuilder, method), 31
for_ledger() (stellar_sdk.call_builder.call_builder_async.LiquidityPoolsCallBuilder, method), 69
for_ledger() (stellar_sdk.call_builder.call_builder_async.LiquidityPoolsCallBuilder, method), 72
for_ledger() (stellar_sdk.call_builder.call_builder_async.TransactionsCallBuilder, method), 82
for_ledger() (stellar_sdk.call_builder.call_builder_sync.EffectsCallBuilder, method), 31
for_ledger() (stellar_sdk.call_builder.call_builder_sync.OffersCallBuilder, method), 39
for_ledger() (stellar_sdk.call_builder.call_builder_sync.PaymentsCallBuilder, method), 43
for_ledger() (stellar_sdk.call_builder.call_builder_sync.TransfersCallBuilder, method), 52
for_liquidity_pool() (stellar_sdk.call_builder.call_builder_async.AccountsCallBuilder, method), 55
for_liquidity_pool() (stellar_sdk.call_builder.call_builder_sync.AccountsCallBuilder, method), 25
for_liquidity_pool() (stellar_sdk.call_builder.call_builder_async.EffectsCallBuilder, method), 61
for_liquidity_pool() (stellar_sdk.call_builder.call_builder_async.OperationsCallBuilder, method), 69
for_liquidity_pool() (stellar_sdk.call_builder.call_builder_async.TradesCallBuilder, method), 80
for_liquidity_pool() (stellar_sdk.call_builder.call_builder_sync.AccountsCallBuilder, method), 28
for_liquidity_pool() (stellar_sdk.call_builder.call_builder_sync.ClaimableBalancesCallBuilder, method), 83
for_liquidity_pool() (stellar_sdk.call_builder.call_builder_sync.OffersCallBuilder, method), 37
for_liquidity_pool() (stellar_sdk.call_builder.call_builder_sync.TradesCallBuilder, method), 25
for_liquidity_pool() (stellar_sdk.call_builder.call_builder_sync.TradesCallBuilder, method), 31
for_liquidity_pool() (stellar_sdk.call_builder.call_builder_sync.TradesCallBuilder, method), 39
for_liquidity_pool() (stellar_sdk.call_builder.call_builder_sync.TradesCallBuilder, method), 51
for_liquidity_pool() (stellar_sdk.call_builder.call_builder_sync.TradesCallBuilder, method), 58
for_liquidity_pool() (stellar_sdk.call_builder.call_builder_sync.TradesCallBuilder, method), 81
for_liquidity_pool() (stellar_sdk.call_builder.call_builder_sync.TradesCallBuilder, method), 51
for_liquidity_pool() (stellar_sdk.call_builder.call_builder_sync.TradesCallBuilder, method), 39
```

```

        method), 61
for_transaction()                               from_xdr_object()          (stel-
                                                (stel-    lar_sdk.decorated_signature.DecoratedSignature
        lar_sdk.call_builder.call_builder_async.OperationsCallBuilder class method), 131
        method), 69
for_transaction()                               from_xdr_object()          (stel-
                                                (stel-    lar_sdk.fee_bump_transaction.FeeBumpTransaction
        lar_sdk.call_builder.call_builder_async.PaymentsCallBuilder class method), 135
        method), 72
for_transaction()                               from_xdr_object()          (stel-
                                                (stel-    lar_sdk.fee_bump_transaction_envelope.FeeBumpTransactionEnv
        lar_sdk.call_builder.call_builder_sync.EffectsCallBuilder class method), 136
        method), 32
for_transaction()                               from_xdr_object()          (stel-
                                                (stel-    lar_sdk.liquidity_pool_asset.LiquidityPoolAsset
        lar_sdk.call_builder.call_builder_sync.OperationsCallBuilder class method), 95
        method), 39
for_transaction()                               from_xdr_object()          (stel-
                                                (stel-    lar_sdk.liquidity_pool_id.LiquidityPoolId
        lar_sdk.call_builder.call_builder_sync.PaymentsCallBuilder class method), 95
        method), 43
FRENCH (stellar_sdk.sep.mnemonic.Language attribute), 154
from_account()                                from_xdr_object()          (stellar_sdk.memo.HashMemo
                                                class method), 97
                                                (stellar_sdk.memo.IdMemo class
                                                method), 97
from_mnemonic_phrase()                         from_xdr_object()          (stellar_sdk.memo.Memo static
                                                method), 96
                                                (stellar_sdk.memo.NoneMemo
                                                class method), 96
from_public_key()                            from_xdr_object()          (stellar_sdk.memo.ReturnHashMemo
                                                class method), 98
                                                (stellar_sdk.memo.TextMemo
                                                class method), 97
from_raw_ed25519_public_key()                 from_xdr_object()          (stellar_sdk.memo.TextMemo
                                                class method), 98
from_raw_ed25519_seed()                       from_xdr_object()          (stellar_sdk.memo.TextMemo
                                                class method), 99
from_raw_price()                             from_xdr_object()          (stellar_sdk.price.Price
                                                class method), 99
from_secret()                                from_xdr_object()          (stellar_sdk.operation.AccountMerge
                                                class method), 101
from_txrep() (in module stellar_sdk.sep.txrep), 161
from_uri() (stellar_sdk.sep.stellar_uri.PayStellarUri from_xdr_object()          (stellar_sdk.operation.AllowTrust
                                                class method), 102
                                                class method), 155
from_uri() (stellar_sdk.sep.stellar_uri.TransactionStellar from_xdr_object()          (stellar-
                                                class method), 156
                                                lar_sdk.operation.BeginSponsoringFutureReserves
from_xdr() (stellar_sdk.fee_bump_transaction.FeeBumpTransaction from_xdr_object()          (stel-
                                                class method), 114
                                                (stel-    lar_sdk.operation.BeginSponsoringFutureReserves
                                                class method), 135
from_xdr() (stellar_sdk.fee_bump_transaction_envelope.FeeBumpTransactionEnvelope from_xdr_object()          (stel-
                                                class method), 136
                                                (stel-    lar_sdk.operation.ClaimClaimableBalance
                                                class method), 103
from_xdr() (stellar_sdk.transaction.Transaction class from_xdr_object()          (stel-
                                                method), 132
                                                lar_sdk.operation.ChangeTrust class method),
from_xdr() (stellar_sdk.transaction_builder.TransactionBuilder from_xdr_object()          (stel-
                                                static method), 150
                                                (stel-    lar_sdk.operation.ClaimClaimableBalance
                                                class method), 103
from_xdr() (stellar_sdk.transaction_envelope.TransactionEnvelope from_xdr_object()          (stel-
                                                class method), 133
                                                lar_sdk.operation.ClaimClaimableBalance
                                                class method), 114
from_xdr_amount() (in module stellar_sdk.xdr.utils), 152 from_xdr_object()          (stellar_sdk.operation.Clawback
                                                class method), 116
from_xdr_amount() (stellar_sdk.operation.Operation static method), 100 from_xdr_object()          (stel-
                                                lar_sdk.operation.ClawbackClaimableBalance
                                                class method), 116
from_xdr_object() (stellar_sdk.asset.Asset class method), 22  from_xdr_object()          (stel-
```

<code>lar_sdk.operation.CreateAccount</code>	<code>class</code>	<code>method), 131</code>
<code>from_xdr_object()</code>	<code>(stel-</code>	<code>from_xdr_object()</code> <code>(stel-</code>
<code>lar_sdk.operation.CreateClaimableBalance</code>	<code>lar_sdk.transaction.Transaction class method),</code>	<code>lar_sdk.transaction.Transaction class method),</code>
<code>class method), 111</code>	<code>132</code>	<code>132</code>
<code>from_xdr_object()</code>	<code>(stel-</code>	<code>from_xdr_object()</code> <code>(stel-</code>
<code>lar_sdk.operation.CreatePassiveSellOffer</code>	<code>lar_sdk.transaction_envelope.TransactionEnvelope</code>	<code>lar_sdk.transaction_envelope.TransactionEnvelope</code>
<code>class method), 104</code>	<code>class method), 134</code>	
<code>from_xdr_object()</code>	<code>(stel-</code>	G
<code>lar_sdk.operation.EndSponsoringFutureReserves</code>	<code>generate_mnemonic_phrase()</code>	<code>(stel-</code>
<code>class method), 114</code>	<code>lar_sdk.keypair.Keypair</code>	<code>static</code>
<code>from_xdr_object()</code> <code>(stellar_sdk.operation.Inflation</code>	<code>93</code>	<code>method),</code>
<code>class method), 105</code>	<code>get()</code>	<code>stellar_sdk.client aiohttp_client.AiohttpClient</code>
<code>from_xdr_object()</code>	<code>(stel-</code>	<code>method), 86</code>
<code>lar_sdk.operation.LiquidityPoolDeposit</code>	<code>class</code>	<code>get()</code> <code>(stellar_sdk.client.base_async_client.BaseAsyncClient</code>
<code>method), 105</code>		<code>method), 84</code>
<code>from_xdr_object()</code>	<code>(stel-</code>	<code>get()</code> <code>(stellar_sdk.client.base_sync_client.BaseSyncClient</code>
<code>lar_sdk.operation.LiquidityPoolWithdraw</code>	<code>class</code>	<code>method), 85</code>
<code>class method), 106</code>		<code>get()</code> <code>(stellar_sdk.client.requests_client.RequestsClient</code>
<code>from_xdr_object()</code>	<code>(stel-</code>	<code>method), 87</code>
<code>lar_sdk.operation.ManageBuyOffer</code>	<code>class</code>	<code>get()</code> <code>(stellar_sdk.client.simple_requests_client.SimpleRequestsClient</code>
<code>method), 107</code>		<code>method), 88</code>
<code>from_xdr_object()</code>	<code>(stel-</code>	<code>get_claimable_balance_id()</code>
<code>lar_sdk.operation.ManageData</code>	<code>class</code>	<code>(stel-</code>
<code>class method), 107</code>		<code>lar_sdk.transaction.Transaction</code>
<code>from_xdr_object()</code>	<code>(stel-</code>	<code>method), 133</code>
<code>lar_sdk.operation.ManageSellOffer</code>	<code>class</code>	<code>get_source_from_xdr_obj()</code>
<code>method), 108</code>		<code>(stel-</code>
<code>from_xdr_object()</code> <code>(stellar_sdk.operation.Operation</code>	<code>lar_sdk.operation.Operation</code>	<code>lar_sdk.operation.Operation static method),</code>
<code>class method), 100</code>		<code>100</code>
<code>from_xdr_object()</code>	<code>(stel-</code>	<code>guess_asset_type()</code> <code>(stellar_sdk.asset.Asset method),</code>
<code>lar_sdk.operation.PathPaymentStrictReceive</code>	<code>class</code>	<code>23</code>
<code>class method), 108</code>		
<code>from_xdr_object()</code>	<code>(stel-</code>	H
<code>lar_sdk.operation.PathPaymentStrictSend</code>	<code>class</code>	<code>Hash (class in stellar_sdk.xdr.hash), 190</code>
<code>class method), 109</code>		<code>hash()</code> <code>(stellar_sdk.fee_bump_transaction_envelope.FeeBumpTransaction</code>
<code>from_xdr_object()</code> <code>(stellar_sdk.operation.Payment</code>	<code>method), 137</code>	<code>method), 137</code>
<code>class method), 110</code>		<code>hash()</code> <code>(stellar_sdk.transaction_envelope.TransactionEnvelope</code>
<code>from_xdr_object()</code>	<code>(stel-</code>	<code>method), 134</code>
<code>lar_sdk.operation.RevokeSponsorship</code>	<code>class</code>	<code>hash_hex()</code> <code>(stellar_sdk.fee_bump_transaction_envelope.FeeBumpTransac</code>
<code>method), 115</code>		<code>method), 137</code>
<code>from_xdr_object()</code> <code>(stellar_sdk.operation.SetOptions</code>	<code>method), 134</code>	<code>hash_hex()</code> <code>(stellar_sdk.transaction_envelope.TransactionEnvelope</code>
<code>class method), 111</code>		<code>method), 134</code>
<code>from_xdr_object()</code>	<code>(stel-</code>	<code>HashMemo (class in stellar_sdk.memo), 97</code>
<code>lar_sdk.operation.SetTrustLineFlags</code>	<code>class</code>	<code>Hello (class in stellar_sdk.xdr.hello), 190</code>
<code>method), 117</code>		<code>HmacSha256Key (class in stellar_sdk.xdr.hmac_sha256_key), 190</code>
<code>from_xdr_object()</code> <code>(stellar_sdk.price.Price</code>	<code>class</code>	<code>HmacSha256Mac (class in stellar_sdk.xdr.hmac_sha256_mac), 191</code>
<code>method), 118</code>		<code>Hyper (class in stellar_sdk.xdr.base), 191</code>
<code>from_xdr_object()</code> <code>(stellar_sdk.signer.Signer</code>	<code>class</code>	
<code>class method), 127</code>		I
<code>from_xdr_object()</code> <code>(stellar_sdk.signer_key.SignerKey</code>	<code>class</code>	<code>IdMemo (class in stellar_sdk.memo), 97</code>
<code>class method), 128</code>		<code>include_failed()</code> <code>(stel-</code>
<code>from_xdr_object()</code>	<code>(stel-</code>	<code>lar_sdk.call_builder.call_builder_async.OperationsCallBuilder</code>
<code>lar_sdk.time_bounds.TimeBounds</code>	<code>class</code>	<code>method), 69</code>

include_failed()	(stel-	static method), 130
lar_sdk.call_builder.call_builder_async.Payments	CALLBACK	(stellar_sdk.sep.mnemonic.Language attribute), 154
method), 73		
include_failed()	(stel-	
lar_sdk.call_builder.call_builder_async.Transactions	CALLBACK	JAPANESE (stellar_sdk.sep.mnemonic.Language attribute), 154
method), 83		
include_failed()	(stel-	
lar_sdk.call_builder.call_builder_sync.Operations	CALLBACK	KOREAN (stellar_sdk.sep.mnemonic.Language attribute), 154
method), 39		
include_failed()	(stel-	
lar_sdk.call_builder.call_builder_sync.Payments	CALLBACK	(stellar_sdk.call_builder.call_builder_async.PaymentsCallBuilder method), 73
method), 43		
include_failed()	(stel-	
lar_sdk.call_builder.call_builder_sync.Transactions	CALLBACK	(stellar_sdk.call_builder.call_builder_sync.OperationsCallBuilder method), 40
method), 53		
increment_sequence_number()	(stel-	join() (stellar_sdk.call_builder.call_builder_async.PaymentsCallBuilder method), 73
lar_sdk.account.Account method), 21		
Inflation (class in stellar_sdk.operation), 105		
InflationPayout (class in lar_sdk.xdr.inflation_payout), 191	stel-	
InflationResult (class in lar_sdk.xdr.inflation_result), 191	stel-	
InflationresultCode (class in lar_sdk.xdr.inflation_result_code), 192	stel-	
InnerTransactionResult (class in lar_sdk.xdr.inner_transaction_result), 192	stel-	
InnerTransactionResultExt (class in lar_sdk.xdr.inner_transaction_result_ext), 193	stel-	
InnerTransactionResultPair (class in lar_sdk.xdr.inner_transaction_result_pair), 193	stel-	
InnerTransactionResultResult (class in lar_sdk.xdr.inner_transaction_result_result), 193	stel-	
Int32 (class in stellar_sdk.xdr.int32), 194		
Int64 (class in stellar_sdk.xdr.int64), 194		
Integer (class in stellar_sdk.xdr.base), 194		
InvalidFederationAddress (class in stellar_sdk.sep.exceptions), 161	stel-	
InvalidSep10ChallengeError (class in stellar_sdk.sep.exceptions), 162	stel-	
IPAddrType (class in stellar_sdk.xdr.ip_addr_type), 191		
is_native() (stellar_sdk.asset.Asset method), 23		
is_valid_ed25519_public_key() (stellar_sdk.strkey.StrKey static method), 130	(stel-	
is_valid_ed25519_secret_seed() (stellar_sdk.strkey.StrKey static method), 130		
is_valid_lexicographic_order() (stellar_sdk.liquidity_pool_asset.LiquidityPoolAsset static method), 95	(stel-	
is_valid_pre_auth_tx() (stellar_sdk.strkey.StrKey static method), 130		
is_valid_sha256_hash() (stellar_sdk.strkey.StrKey		
		K
		Keypair (class in stellar_sdk.keypair), 91
		KOREAN (stellar_sdk.sep.mnemonic.Language attribute), 154
	L	
		Language (class in stellar_sdk.sep.mnemonic), 154
		ledger() (stellar_sdk.call_builder.call_builder_async.LedgersCallBuilder method), 64
		ledger() (stellar_sdk.call_builder.call_builder_sync.LedgersCallBuilder method), 34
		LedgerCloseMeta (class in stellar_sdk.xdr.ledger_close_meta), 194
		LedgerCloseMetaV0 (class in stellar_sdk.xdr.ledger_close_meta_v0), 194
		LedgerCloseValueSignature (class in stellar_sdk.xdr.ledger_close_value_signature), 195
		LedgerEntry (class in stellar_sdk.xdr.ledger_entry), 195
		LedgerEntryChange (class in stellar_sdk.xdr.ledger_entry_change), 196
		LedgerEntryChanges (class in stellar_sdk.xdr.ledger_entry_changes), 197
		LedgerEntryChangeType (class in stellar_sdk.xdr.ledger_entry_change_type), 196
		LedgerEntryData (class in stellar_sdk.xdr.ledger_entry_data), 197
		LedgerEntryExt (class in stellar_sdk.xdr.ledger_entry_ext), 197
		LedgerEntryExtensionV1 (class in stellar_sdk.xdr.ledger_entry_extension_v1), 198
		LedgerEntryExtensionV1Ext (class in stellar_sdk.xdr.ledger_entry_extension_v1_ext), 198

LedgerEntryType (class in `stellar_sdk.xdr.ledger_entry_type`), 198

LedgerHeader (class in `stellar_sdk.xdr.ledger_header`), 199

LedgerHeaderExt (class in `stellar_sdk.xdr.ledger_header_ext`), 200

LedgerHeaderHistoryEntry (class in `stellar_sdk.xdr.ledger_header_history_entry`), 200

LedgerHeaderHistoryEntryExt (class in `stellar_sdk.xdr.ledger_header_history_entry_ext`), 200

LedgerKey (class in `stellar_sdk.xdr.ledger_key`), 201

LedgerKeyAccount (class in `stellar_sdk.xdr.ledger_key_account`), 202

LedgerKeyClaimableBalance (class in `stellar_sdk.xdr.ledger_key_claimable_balance`), 202

LedgerKeyData (class in `stellar_sdk.xdr.ledger_key_data`), 202

LedgerKeyLiquidityPool (class in `stellar_sdk.xdr.ledger_key_liquidity_pool`), 202

LedgerKeyOffer (class in `stellar_sdk.xdr.ledger_key_offer`), 203

LedgerKeyTrustLine (class in `stellar_sdk.xdr.ledger_key_trust_line`), 203

ledgers() (`stellar_sdk.server.Server` method), 119

ledgers() (`stellar_sdk.server_async.ServerAsync` method), 123

LedgersCallBuilder (class in `stellar_sdk.call_builder.call_builder_async`), 63

LedgersCallBuilder (class in `stellar_sdk.call_builder.call_builder_sync`), 33

LedgerSCPMessages (class in `stellar_sdk.xdr.ledger_scp_messages`), 203

LedgerUpgrade (class in `stellar_sdk.xdr.ledger_upgrade`), 203

LedgerUpgradeType (class in `stellar_sdk.xdr.ledger_upgrade_type`), 204

Liabilities (class in `stellar_sdk.xdr.liabilities`), 204

limit() (`stellar_sdk.call_builder.call_builder_async.AccountsCallBuilder` method), 55

limit() (`stellar_sdk.call_builder.call_builder_async.AssetsCallBuilder` method), 56

limit() (`stellar_sdk.call_builder.call_builder_async.ClaimableBalancesCallBuilder` method), 58

limit() (`stellar_sdk.call_builder.call_builder_async.DataCallBuilder` method), 59

limit() (`stellar_sdk.call_builder.call_builder_async.EffectsCallBuilder` method), 61

limit() (`stellar_sdk.call_builder.call_builder_async.FeeStatsCallBuilder` method), 63

limit() (`stellar_sdk.call_builder.call_builder_async.LedgersCallBuilder` method), 64

limit() (`stellar_sdk.call_builder.call_builder_async.LiquidityPoolsBuilder` method), 65

limit() (`stellar_sdk.call_builder.call_builder_async.OffersCallBuilder` method), 67

limit() (`stellar_sdk.call_builder.call_builder_async.OperationsCallBuilder` method), 70

limit() (`stellar_sdk.call_builder.call_builder_async.OrderbookCallBuilder` method), 71

limit() (`stellar_sdk.call_builder.call_builder_async.PaymentsCallBuilder` method), 73

limit() (`stellar_sdk.call_builder.call_builder_async.RootCallBuilder` method), 74

limit() (`stellar_sdk.call_builder.call_builder_async.StrictReceivePathsCallBuilder` method), 76

limit() (`stellar_sdk.call_builder.call_builder_async.StrictSendPathsCallBuilder` method), 77

limit() (`stellar_sdk.call_builder.call_builder_async.TradeAggregationsCallBuilder` method), 79

limit() (`stellar_sdk.call_builder.call_builder_async.TradesCallBuilder` method), 81

limit() (`stellar_sdk.call_builder.call_builder_async.TransactionsCallBuilder` method), 83

limit() (`stellar_sdk.call_builder.call_builder_sync.AccountsCallBuilder` method), 25

limit() (`stellar_sdk.call_builder.call_builder_sync.AssetsCallBuilder` method), 27

limit() (`stellar_sdk.call_builder.call_builder_sync.ClaimableBalancesCallBuilder` method), 29

limit() (`stellar_sdk.call_builder.call_builder_sync.DataCallBuilder` method), 30

limit() (`stellar_sdk.call_builder.call_builder_sync.EffectsCallBuilder` method), 32

limit() (`stellar_sdk.call_builder.call_builder_sync.FeeStatsCallBuilder` method), 33

limit() (`stellar_sdk.call_builder.call_builder_sync.LedgersCallBuilder` method), 34

limit() (`stellar_sdk.call_builder.call_builder_sync.LiquidityPoolsBuilder` method), 36

limit() (`stellar_sdk.call_builder.call_builder_sync.OffersCallBuilder` method), 37

limit() (`stellar_sdk.call_builder.call_builder_sync.OperationsCallBuilder` method), 40

limit() (`stellar_sdk.call_builder.call_builder_sync.OrderbookCallBuilder` method), 41

limit() (`stellar_sdk.call_builder.call_builder_sync.PaymentsCallBuilder` method), 43

limit() (`stellar_sdk.call_builder.call_builder_sync.RootCallBuilder` method), 44

limit() (`stellar_sdk.call_builder.call_builder_sync.StrictReceivePathsCallBuilder` method), 46

limit() (`stellar_sdk.call_builder.call_builder_sync.StrictSendPathsCallBuilder` method), 48

limit() (*stellar_sdk.call_builder.call_builder_sync.TradeAggregation*⁶⁵*CallBuilder method*), 49
LiquidityPoolsBuilder (class in *stellar_sdk.call_builder.call_builder_sync.TradesCallBuilder*³⁵*stellar_sdk.call_builder.call_builder_sync*),
 limit() (*stellar_sdk.call_builder.call_builder_sync.TransactionBuilder*⁵³*stellar_sdk.call_builder.call_builder_async.LiquidityPoolsBuilderType* (class in *stellar_sdk.xdr.liquidity_pool_type*), 207
LiquidityPoolWithdraw (class in *stellar_sdk.call_builder.call_builder_async.LiquidityPoolsBuilder*¹⁰⁶*stellar_sdk.operation*), 106
LiquidityPoolWithdrawOp (class in *stellar_sdk.xdr.liquidity_pool_withdraw_op*),
LiquidityPoolWithdrawResult (class in *stellar_sdk.xdr.liquidity_pool_withdraw_result*),
LIQUIDITY_POOL_FEE_V18 (in module *stellar_sdk.liquidity_pool_asset*), 94
LIQUIDITY_POOL_FEE_V18 (in module *stellar_sdk.xdr.constants*), 260
liquidity_pool_id (in *stellar_sdk.liquidity_pool_asset.LiquidityPoolAsset* property), 95
liquidity_pools() (*stellar_sdk.server.Server* method), 120
liquidity_pools() (*stellar_sdk.server_async.ServerAsync* method), 124
LiquidityPoolAsset (class in *stellar_sdk.liquidity_pool_asset*), 94
LiquidityPoolConstantProductParameters (class in *stellar_sdk.xdr.liquidity_pool_constant_product_parameters*), 204
LiquidityPoolDeposit (class in *stellar_sdk.operation*), 105
LiquidityPoolDepositOp (class in *stellar_sdk.xdr.liquidity_pool_deposit_op*), 205
LiquidityPoolDepositResult (class in *stellar_sdk.xdr.liquidity_pool_deposit_result*), 205
LiquidityPoolDepositResultCode (class in *stellar_sdk.xdr.liquidity_pool_deposit_result_code*), 205
LiquidityPoolEntry (class in *stellar_sdk.xdr.liquidity_pool_entry*), 206
LiquidityPoolEntryBody (class in *stellar_sdk.xdr.liquidity_pool_entry_body*), 206
LiquidityPoolEntryConstantProduct (class in *stellar_sdk.xdr.liquidity_pool_entry_constant_product*), 207
LiquidityPoolId (class in *stellar_sdk.liquidity_pool_id*), 95
LiquidityPoolParameters (class in *stellar_sdk.xdr.liquidity_pool_parameters*), 207
LiquidityPoolsBuilder (class in *stellar_sdk.call_builder.call_builder_async*),
M
ManageBuyOffer (class in *stellar_sdk.operation*), 106
ManageBuyOfferOp (class in *stellar_sdk.xdr.manage_buy_offer_op*), 209
ManageBuyOfferResult (class in *stellar_sdk.xdr.manage_buy_offer_result*), 209
ManageBuyOfferResultCode (class in *stellar_sdk.xdr.manage_buy_offer_result_code*), 209
ManageData (class in *stellar_sdk.operation*), 107
ManageDataOp (class in *stellar_sdk.xdr.manage_data_op*), 210
ManageDataResult (class in *stellar_sdk.xdr.manage_data_result*), 210
ManageDataResultCode (class in *stellar_sdk.xdr.manage_data_result_code*), 210
ManageOfferEffect (class in *stellar_sdk.xdr.manage_offer_effect*), 211
ManageOfferSuccessResult (class in *stellar_sdk.xdr.manage_offer_success_result*), 211
ManageOfferSuccessResultOffer (class in *stellar_sdk.xdr.manage_offer_success_result_offer*), 211
ManageSellOffer (class in *stellar_sdk.operation*), 107
ManageSellOfferOp (class in *stellar_sdk.xdr.manage_sell_offer_op*), 212
ManageSellOfferResult (class in *stellar_sdk.xdr.manage_sell_offer_result*), 212

ManageSellOfferresultCode (class in stellar_sdk.xdr.manage_sell_offer_result_code), 212	offer() (stellar_sdk.call_builder.call_builder_sync.OffersCallBuilder method), 38
MASK_ACCOUNT_FLAGS (in module stellar_sdk.xdr.constants), 260	OfferEntry (class in stellar_sdk.xdr.offer_entry), 215
MASK_ACCOUNT_FLAGS_V17 (in module stellar_sdk.xdr.constants), 260	OfferEntryExt (class in stellar_sdk.xdr.offer_entry_ext), 216
MASK_CLAIMABLE_BALANCE_FLAGS (in module stellar_sdk.xdr.constants), 260	OfferEntryFlags (class in stellar_sdk.xdr.offer_entry_flags), 216
MASK_OFFERENTRY_FLAGS (in module stellar_sdk.xdr.constants), 260	offers() (stellar_sdk.server.Server method), 120
MASK_TRUSTLINE_FLAGS (in module stellar_sdk.xdr.constants), 260	offers() (stellar_sdk.server_async.ServerAsync method), 124
MASK_TRUSTLINE_FLAGS_V13 (in module stellar_sdk.xdr.constants), 260	OffersCallBuilder (class in stellar_sdk.call_builder.call_builder_async), 66
MASK_TRUSTLINE_FLAGS_V17 (in module stellar_sdk.xdr.constants), 260	OffersCallBuilder (class in stellar_sdk.call_builder.call_builder_sync), 36
MAX_OPS_PER_TX (in module stellar_sdk.xdr.constants), 260	Opaque (class in stellar_sdk.xdr.base), 216
MAX_SIGNERS (in module stellar_sdk.xdr.constants), 260	Operation (class in stellar_sdk.operation), 100
Memo (class in stellar_sdk.memo), 96	Operation (class in stellar_sdk.xdr.operation), 216
Memo (class in stellar_sdk.xdr.memo), 213	operation() (stellar_sdk.call_builder.call_builder_async.OperationsCallBuilder method), 70
MemoInvalidException (class in stellar_sdk.exceptions), 90	operation() (stellar_sdk.call_builder.call_builder_sync.OperationsCallBuilder method), 40
MemoType (class in stellar_sdk.xdr.memo_type), 213	OperationBody (class in stellar_sdk.xdr.operation_body), 218
MessageType (class in stellar_sdk.xdr.message_type), 214	OperationID (class in stellar_sdk.xdr.operation_id), 219
MissingEd25519SecretSeedError (class in stellar_sdk.exceptions), 90	OperationIDId (class in stellar_sdk.xdr.operation_id_id), 219
module stellar_sdk, 21	OperationMeta (class in stellar_sdk.xdr.operation_meta), 220
MuxedAccount (class in stellar_sdk.muxed_account), 98	OperationResult (class in stellar_sdk.xdr.operation_result), 220
MuxedAccount (class in stellar_sdk.xdr.muxed_account), 214	OperationResultCode (class in stellar_sdk.xdr.operation_result_code), 221
MuxedAccountMed25519 (class in stellar_sdk.xdr.muxed_account_med25519), 215	OperationResultTr (class in stellar_sdk.xdr.operation_result_tr), 222
N	operations() (stellar_sdk.server.Server method), 120
native() (stellar_sdk.asset.Asset class method), 23	operations() (stellar_sdk.server_async.ServerAsync method), 124
Network (class in stellar_sdk.network), 99	OperationsCallBuilder (class in stellar_sdk.call_builder.call_builder_async), 68
network_id() (stellar_sdk.network.Network method), 99	OperationsCallBuilder (class in stellar_sdk.call_builder.call_builder_sync), 38
NoApproximationError (class in stellar_sdk.exceptions), 90	OperationType (class in stellar_sdk.xdr.operation_type), 223
NodeID (class in stellar_sdk.xdr.node_id), 215	order() (stellar_sdk.call_builder.call_builder_async.AccountsCallBuilder method), 55
NoneMemo (class in stellar_sdk.memo), 96	order() (stellar_sdk.call_builder.call_builder_async.AssetsCallBuilder method), 57
NotFoundError (class in stellar_sdk.exceptions), 91	order() (stellar_sdk.call_builder.call_builder_async.ClaimableBalancesCallBuilder method), 58
O	
Offer (class in stellar_sdk.operation.revoke_sponsorship), 115	
offer() (stellar_sdk.call_builder.call_builder_async.OffersCallBuilder method), 68	

order() (stellar_sdk.call_builder.call_builder_async.DataCallBuilder (in stellar_sdk.call_builder_sync.RootCallBuilder method), 60
order() (stellar_sdk.call_builder.call_builder_async.EffectsCallBuilder (in stellar_sdk.call_builder_sync.StrictReceivePathsCallBuilder method), 62
order() (stellar_sdk.call_builder.call_builder_async.FeeStatsCallBuilder (in stellar_sdk.call_builder_sync.StrictSendPathsCallBuilder method), 63
order() (stellar_sdk.call_builder.call_builder_async.LedgersCallBuilder (in stellar_sdk.call_builder_sync.TradeAggregationsCallBuilder method), 64
order() (stellar_sdk.call_builder.call_builder_async.LiquidityPoolsCallBuilder (in stellar_sdk.call_builder_sync.TradesCallBuilder method), 66
order() (stellar_sdk.call_builder.call_builder_async.OffersCallBuilder (in stellar_sdk.call_builder_sync.TransactionsCallBuilder method), 68
order() (stellar_sdk.call_builder.call_builder_async.OperationsCallBuilder (in stellar_sdk.server.Server method), 70
orderbook() (stellar_sdk.server_async.ServerAsync (in stellar_sdk.call_builder.async.OrderbookCallBuilder), 124
method), 71
OrderbookCallBuilder (class in stellar_sdk.call_builder.async.OrderbookCallBuilder), 124
method), 73
order() (stellar_sdk.call_builder.call_builder_async.RootCallBuilder (in stellar_sdk.call_builder_sync.OrderbookCallBuilder), 74
method), 74
order() (stellar_sdk.call_builder.call_builder_async.StrictReceivePathsCallBuilder
method), 76
order() (stellar_sdk.call_builder.call_builder_async.StrictSendPathsCallBuilder
method), 78
parse_transaction_envelope_from_xdr() (in mod-
order() (stellar_sdk.call_builder.call_builder_async.TradeAggregationsCallBuilder (in stellar_sdk.call_builder_sync.PathPaymentStrictReceive class), 151
method), 79
PathPaymentStrictReceive (class in stellar_sdk.call_builder.sync.TradesCallBuilder), 108
method), 81
PathPaymentStrictReceiveOp (class in stellar_sdk.call_builder.async.TransactionsCallBuilder), 224
method), 83
PathPaymentStrictReceiveResult (class in stellar_sdk.call_builder.sync.AccountsCallBuilder), 25
method), 25
order() (stellar_sdk.call_builder.call_builder_sync.AssetsCallBuilder
method), 27
PathPaymentStrictReceiveResultCode
order() (stellar_sdk.call_builder.call_builder_sync.ClaimableBalanceCallBuilder (in stellar_sdk.xdr.path_payment_strict_receive_result_code), 29
method), 29
order() (stellar_sdk.call_builder.call_builder_sync.DataCallBuilder
method), 30
PathPaymentStrictReceiveResultSuccess
order() (stellar_sdk.call_builder.call_builder_sync.EffectsCallBuilder (class in stellar_sdk.xdr.path_payment_strict_receive_result_success), 32
method), 32
order() (stellar_sdk.call_builder.call_builder_sync.FeeStatsCallBuilder
method), 33
PathPaymentStrictSend (class in stellar_sdk.call_builder_sync.FeeStatsCallBuilder), 226
method), 33
order() (stellar_sdk.call_builder.call_builder_sync.LedgersCallBuilder (in stellar_sdk.xdr.path_payment_strict_send_op), 109
method), 34
PathPaymentStrictSendOp (class in stellar_sdk.call_builder_sync.LedgersCallBuilder), 226
method), 36
order() (stellar_sdk.call_builder.call_builder_sync.LiquidityPoolsBuilder (in stellar_sdk.xdr.path_payment_strict_send_op),
method), 36
PathPaymentStrictSendResult (class in stellar_sdk.call_builder_sync.LiquidityPoolsBuilder), 226
method), 38
PathPaymentStrictSendResult (class in stellar_sdk.call_builder_sync.OffersCallBuilder), 227
method), 38
PathPaymentStrictSendResultCode (class in stellar_sdk.call_builder_sync.OffersCallBuilder), 227
order() (stellar_sdk.call_builder.call_builder_sync.OperationsCallBuilder
method), 40
PathPaymentStrictSendResultCode (class in stellar_sdk.call_builder_sync.OperationsCallBuilder), 227
method), 40
order() (stellar_sdk.call_builder.call_builder_sync.OrderbookCallBuilder (in stellar_sdk.xdr.path_payment_strict_send_result_code),
method), 41
PathPaymentStrictSendResultSuccess (class in stellar_sdk.call_builder_sync.OrderbookCallBuilder), 227
method), 41
PathPaymentStrictSendResultSuccess (class in stellar_sdk.call_builder_sync.PaymentsCallBuilder), 227
method), 43

lar_sdk.xdr.path_payment_strict_send_result_success), class method), 113
227

Payment (*class in stellar_sdk.operation*), 109

PaymentOp (*class in stellar_sdk.xdr.payment_op*), 228

PaymentResult (*class in stellar_sdk.xdr.payment_result*), 228

PaymentResultCode (*class in stellar_sdk.xdr.payment_result_code*), 228

payments() (*stellar_sdk.server.Server method*), 120

payments() (*stellar_sdk.server_async.ServerAsync method*), 124

PaymentsCallBuilder (*class in stellar_sdk.call_builder.call_builder_async*), 72

PaymentsCallBuilder (*class in stellar_sdk.call_builder.call_builder_sync*), 42

PayStellarUri (*class in stellar_sdk.sep.stellar_uri*), 155

PeerAddress (*class in stellar_sdk.xdr.peer_address*), 229

PeerAddressIp (*class in stellar_sdk.xdr.peer_address_ip*), 229

PeerStatList (*class in stellar_sdk.xdr.peer_stat_list*), 229

PeerStats (*class in stellar_sdk.xdr.peer_stats*), 229

PoolID (*class in stellar_sdk.xdr.pool_id*), 230

post() (*stellar_sdk.client.aiohttp_client.AiohttpClient method*), 86

post() (*stellar_sdk.client.base_async_client.BaseAsyncClient method*), 84

post() (*stellar_sdk.client.base_sync_client.BaseSyncClient method*), 85

post() (*stellar_sdk.client.requests_client.RequestsClient method*), 87

post() (*stellar_sdk.client.simple_requests_client.SimpleRequestsClient method*), 88

pre_auth_tx() (*stellar_sdk.signer.Signer class method*), 127

pre_auth_tx() (*stellar_sdk.signer_key.SignerKey class method*), 128

predicate_and() (*stellar_sdk.operation.ClaimPredicate method*), 112

predicate_before_absolute_time() (*stellar_sdk.operation.ClaimPredicate method*), 112

predicate_before_relative_time() (*stellar_sdk.operation.ClaimPredicate method*), 112

predicate_not() (*stellar_sdk.operation.ClaimPredicate method*), 113

predicate_or() (*stellar_sdk.operation.ClaimPredicate*

class method), 113

predicate_unconditional() (*stellar_sdk.operation.ClaimPredicate method*), 113

Price (*class in stellar_sdk.price*), 118

Price (*class in stellar_sdk.xdr.price*), 230

public_key (*stellar_sdk.keypair.Keypair property*), 93

public_network() (*stellar_sdk.network.Network class method*), 99

PUBLIC_NETWORK_PASSPHRASE (*stellar_sdk.network.Network attribute*), 99

PublicKey (*class in stellar_sdk.xdr.public_key*), 230

PublicKeyType (*class in stellar_sdk.xdr.public_key_type*), 231

R

random() (*stellar_sdk.keypair.Keypair class method*), 93

raw_public_key() (*stellar_sdk.keypair.Keypair method*), 93

raw_secret_key() (*stellar_sdk.keypair.Keypair method*), 93

read_challenge_transaction() (*in module stellar_sdk.sep.stellar_web_authentication*), 157

Replacement (*class in stellar_sdk.sep.stellar_uri*), 156

RequestsClient (*class in stellar_sdk.client.requests_client*), 87

resolve_account_id() (*in module stellar_sdk.sep.federation*), 154

resolve_account_id_async() (*in module stellar_sdk.sep.federation*), 153

resolve_stellar_address() (*in module stellar_sdk.sep.federation*), 153

resolve_stellar_address_async() (*in module stellar_sdk.sep.federation*), 153

Response (*class in stellar_sdk.client.response*), 89

ReturnHashMemo (*class in stellar_sdk.memo*), 98

RevokeSponsorship (*class in stellar_sdk.operation*), 115

RevokeSponsorshipOp (*class in stellar_sdk.xdr.revoke_sponsorship_op*), 231

RevokeSponsorshipOpSigner (*class in stellar_sdk.xdr.revoke_sponsorship_op_signer*), 231

RevokeSponsorshipResult (*class in stellar_sdk.xdr.revoke_sponsorship_result*), 231

RevokeSponsorshipresultCode (*class in stellar_sdk.xdr.revoke_sponsorship_result_code*), 232

RevokeSponsorshipType (*class in stellar_sdk.operation.revoke_sponsorship*), 115

RevokeSponsorshipType (*class in stellar_sdk.xdr.revoke_sponsorship_type*), 232

root() (*stellar_sdk.server.Server method*), 120

<code>root()</code> (<i>stellar_sdk.server_async.ServerAsync</i> method), 124	<code>SetTrustLineFlagsResultCode</code> (class in <i>stellar_sdk.xdr.set_trust_line_flags_result_code</i>), 239
<code>RootCallBuilder</code> (class in <i>stellar_sdk.call_builder.call_builder_async</i>), 74	<code>sha256_hash()</code> (<i>stellar_sdk.signer.Signer</i> class method), 127
<code>RootCallBuilder</code> (class in <i>stellar_sdk.call_builder.call_builder_sync</i>), 44	<code>sha256_hash()</code> (<i>stellar_sdk.signer_key.SignerKey</i> class method), 128
	<code>sign()</code> (<i>stellar_sdk.fee_bump_transaction_envelope.FeeBumpTransaction</i> method), 137
	<code>sign()</code> (<i>stellar_sdk.keypair.Keypair</i> method), 93
	<code>sign()</code> (<i>stellar_sdk.sep.stellar_uri.PayStellarUri</i> method), 155
	<code>sign()</code> (<i>stellar_sdk.sep.stellar_uri.TransactionStellarUri</i> method), 156
	<code>sign()</code> (<i>stellar_sdk.transaction_envelope.TransactionEnvelope</i> method), 134
	<code>sign_decorated()</code> (<i>stellar_sdk.keypair.Keypair</i> method), 94
	<code>sign_hashx()</code> (<i>stellar_sdk.fee_bump_transaction_envelope.FeeBumpTransaction</i> method), 137
	<code>sign_hashx()</code> (<i>stellar_sdk.transaction_envelope.TransactionEnvelope</i> method), 134
	<code>Signature</code> (class in <i>stellar_sdk.xdr.signature</i>), 239
	<code>signature_base()</code> (method), 137
	<code>signature_base()</code> (method), 137
	<code>signature_base()</code> (method), 134
	<code>signature_hint()</code> (<i>stellar_sdk.keypair.Keypair</i> method), 94
	<code>SignatureExistError</code> (class in <i>stellar_sdk.exceptions</i>), 90
	<code>SignatureHint</code> (class in <i>stellar_sdk.xdr.signature_hint</i>), 239
	<code>SignedSurveyRequestMessage</code> (class in <i>stellar_sdk.xdr.signed_survey_request_message</i>), 240
	<code>SignedSurveyResponseMessage</code> (class in <i>stellar_sdk.xdr.signed_survey_response_message</i>), 240
<code>SetOptions</code> (class in <i>stellar_sdk.operation</i>), 110	<code>Signer</code> (class in <i>stellar_sdk.operation.revoke_sponsorship</i>), 116
<code>SetOptionsOp</code> (class in <i>stellar_sdk.xdr.set_options_op</i>), 237	<code>Signer</code> (class in <i>stellar_sdk.signer</i>), 126
<code>SetOptionsResult</code> (class in <i>stellar_sdk.xdr.set_options_result</i>), 238	<code>Signer</code> (class in <i>stellar_sdk.xdr.signer</i>), 240
<code>SetOptionsresultCode</code> (class in <i>stellar_sdk.xdr.set_options_result_code</i>), 238	<code>SignerKey</code> (class in <i>stellar_sdk.signer_key</i>), 127
<code>SetTrustLineFlags</code> (class in <i>stellar_sdk.operation</i>), 117	<code>SignerKey</code> (class in <i>stellar_sdk.xdr.signer_key</i>), 240
<code>SetTrustLineFlagsOp</code> (class in <i>stellar_sdk.xdr.set_trust_line_flags_op</i>), 238	<code>SignerKeyType</code> (class in <i>stellar_sdk.signer_key</i>), 128
<code>SetTrustLineFlagsResult</code> (class in <i>stellar_sdk.xdr.set_trust_line_flags_result</i>), 239	<code>SignerKeyType</code> (class in <i>stellar_sdk.xdr.signer_key_type</i>), 241
	<code>SimplePaymentResult</code> (class in <i>stellar_sdk.xdr.simple_payment_result</i>), 241
	<code>SimpleRequestsClient</code> (class in <i>stellar_sdk.client.simple_requests_client</i>), 88

SPANISH (*stellar_sdk.sep.mnemonic.Language* attribute), 155

SponsorshipDescriptor (class in *stellar_sdk.xdr.sponsorship_descriptor*), 241

stellar_sdk module, 21

StellarMessage (class in *stellar_sdk.xdr.stellar_message*), 241

StellarMnemonic (class in *stellar_sdk.sep.mnemonic*), 154

StellarTomlNotFoundError (class in *stellar_sdk.sep.exceptions*), 161

StellarValue (class in *stellar_sdk.xdr.stellar_value*), 242

StellarValueExt (class in *stellar_sdk.xdr.stellar_value_ext*), 243

StellarValueType (class in *stellar_sdk.xdr.stellar_value_type*), 243

stream() (*stellar_sdk.call_builder.call_builder_async.AccountsCallBuilder*.method), 55

stream() (*stellar_sdk.call_builder.call_builder_async.AssetsCallBuilder*.method), 57

stream() (*stellar_sdk.call_builder.call_builder_async.ClaimableBalancesCallBuilder*.method), 59

stream() (*stellar_sdk.call_builder.call_builder_async.DataCallBuilder*.method), 60

stream() (*stellar_sdk.call_builder.call_builder_async.OffersCallBuilder*.method), 62

stream() (*stellar_sdk.call_builder.call_builder_async.OrderbookCallBuilder*.method), 63

stream() (*stellar_sdk.call_builder.call_builder_async.LedgersCallBuilder*.method), 64

stream() (*stellar_sdk.call_builder.call_builder_async.TradesCallBuilder*.method), 66

stream() (*stellar_sdk.call_builder.call_builder_async.OffersCallBuilder*.method), 68

stream() (*stellar_sdk.call_builder.call_builder_async.OperationsCallBuilder*.method), 70

stream() (*stellar_sdk.call_builder.call_builder_async.OrdersCallBuilder*.method), 71

stream() (*stellar_sdk.call_builder.call_builder_async.PaymentsCallBuilder*.method), 73

stream() (*stellar_sdk.call_builder.call_builder_async.RootCallBuilder*.method), 74

stream() (*stellar_sdk.call_builder.call_builder_async.StrictReceivePathsCallBuilder*.method), 76

stream() (*stellar_sdk.call_builder.call_builder_async.StrictSendPathsCallBuilder*.method), 78

stream() (*stellar_sdk.call_builder.call_builder_async.TradesCallBuilder*.method), 79

stream() (*stellar_sdk.call_builder.call_builder_async.TradesCallBuilder*.strict_send_paths()), (stellar_sdk.server.Server method), 121

stream() (*stellar_sdk.call_builder.call_builder_async.TransactionsCallBuilder*.method), 81

stream() (*stellar_sdk.call_builder.call_builder_async.TransactionsCallBuilder*.strict_send_paths()), (stellar_sdk.server.Server method), 83

stream() (*stellar_sdk.call_builder.sync.AccountsCallBuilder*.method), 26

stream() (*stellar_sdk.call_builder.sync.AssetsCallBuilder*.method), 27

stream() (*stellar_sdk.call_builder.sync.ClaimableBalancesCallBuilder*.method), 29

stream() (*stellar_sdk.call_builder.sync.DataCallBuilder*.method), 30

stream() (*stellar_sdk.call_builder.sync.EffectsCallBuilder*.method), 32

stream() (*stellar_sdk.call_builder.sync.FeeStatsCallBuilder*.method), 33

stream() (*stellar_sdk.call_builder.sync.LedgersCallBuilder*.method), 34

stream() (*stellar_sdk.call_builder.sync.LiquidityPoolsBuilder*.method), 36

stream() (*stellar_sdk.call_builder.sync.OffersCallBuilder*.method), 38

stream() (*stellar_sdk.call_builder.sync.OrderbookCallBuilder*.method), 40

stream() (*stellar_sdk.call_builder.sync.OrderbookCallBuilder*.method), 42

stream() (*stellar_sdk.call_builder.sync.PaymentsCallBuilder*.method), 43

stream() (*stellar_sdk.call_builder.sync.RootCallBuilder*.method), 44

stream() (*stellar_sdk.call_builder.sync.StrictReceivePathsCallBuilder*.method), 46

stream() (*stellar_sdk.call_builder.sync.StrictSendPathsCallBuilder*.method), 48

stream() (*stellar_sdk.call_builder.sync.TradeAggregationsCallBuilder*.method), 49

stream() (*stellar_sdk.call_builder.sync.TradesCallBuilder*.method), 51

stream() (*stellar_sdk.client.aiohttp_client.AiohttpClient*.method), 86

stream() (*stellar_sdk.client.base.async_client.BaseAsyncClient*.method), 84

stream() (*stellar_sdk.client.base_sync_client.BaseSyncClient*.method), 85

stream() (*stellar_sdk.client.requests_client.RequestsClient*.method), 88

stream() (*stellar_sdk.simple_requests_client.SimpleRequestsClient*.method), 88

lar_sdk.server_async.ServerAsync *method), 125*

StrictReceivePathsCallBuilder (*class in stellar_sdk.call_builder.call_builder_async*), **75**

StrictReceivePathsCallBuilder (*class in stellar_sdk.call_builder.call_builder_sync*), **45**

StrictSendPathsCallBuilder (*class in stellar_sdk.call_builder.call_builder_async*), **76**

StrictSendPathsCallBuilder (*class in stellar_sdk.call_builder.call_builder_sync*), **47**

String (*class in stellar_sdk.xdr.base*), **244**

String32 (*class in stellar_sdk.xdr.string32*), **244**

String64 (*class in stellar_sdk.xdr.string64*), **244**

StrKey (*class in stellar_sdk.strkey*), **128**

submit_transaction() (*stellar_sdk.server.Server method*), **121**

submit_transaction() (*stellar_sdk.server_async.ServerAsync method*), **125**

SurveyMessageCommandType (*class in stellar_sdk.xdr.survey_message_command_type*), **244**

SurveyRequestMessage (*class in stellar_sdk.xdr.survey_request_message*), **244**

SurveyResponseBody (*class in stellar_sdk.xdr.survey_response_body*), **245**

SurveyResponseMessage (*class in stellar_sdk.xdr.survey_response_message*), **245**

T

testnet_network() (*stellar_sdk.network.Network class method*), **100**

TESTNET_NETWORK_PASSPHRASE (*stellar_sdk.network.Network attribute*), **99**

TextMemo (*class in stellar_sdk.memo*), **97**

ThresholdIndexes (*class in stellar_sdk.xdr.threshold_indexes*), **245**

Thresholds (*class in stellar_sdk.xdr.thresholds*), **246**

TimeBounds (*class in stellar_sdk.time_bounds*), **131**

TimeBounds (*class in stellar_sdk.xdr.time_bounds*), **246**

TimePoint (*class in stellar_sdk.xdr.time_point*), **246**

to_change_trust_asset_xdr_object() (*stellar_sdk.asset.Asset method*), **23**

to_change_trust_asset_xdr_object() (*stellar_sdk.liquidity_pool_asset.LiquidityPoolAsset method*), **95**

to_dict() (*stellar_sdk.asset.Asset method*), **23**

to_transaction_envelope_v1() (*stellar_sdk.transaction_envelope.TransactionEnvelope method*), **135**

to_trust_line_asset_xdr_object() (*stellar_sdk.asset.Asset method*), **23**

to_trust_line_asset_xdr_object() (*stellar_sdk.liquidity_pool_id.LiquidityPoolId method*), **95**

to_txrep() (*in module stellar_sdk.sep.txrep*), **161**

to_uri() (*stellar_sdk.sep.stellar_uri.PayStellarUri method*), **155**

to_uri() (*stellar_sdk.sep.stellar_uri.TransactionStellarUri method*), **156**

to_xdr() (*stellar_sdk.fee_bump_transaction_envelope.FeeBumpTransaction method*), **137**

to_xdr() (*stellar_sdk.transaction_envelope.TransactionEnvelope method*), **135**

to_xdr_amount() (*in module stellar_sdk.xdr.utils*), **152**

to_xdr_amount() (*stellar_sdk.operation.Operation static method*), **100**

to_xdr_object() (*stellar_sdk.asset.Asset method*), **23**

to_xdr_object() (*stellar_sdk.decorated_signature.DecoratedSignature method*), **131**

to_xdr_object() (*stellar_sdk.fee_bump_transaction.FeeBumpTransaction method*), **136**

to_xdr_object() (*stellar_sdk.fee_bump_transaction_envelope.FeeBumpTransactionEnvelope method*), **137**

to_xdr_object() (*stellar_sdk.memo.HashMemo method*), **97**

to_xdr_object() (*stellar_sdk.memo.IdMemo method*), **97**

to_xdr_object() (*stellar_sdk.memo.Memo method*), **96**

to_xdr_object() (*stellar_sdk.memo.NoneMemo method*), **96**

to_xdr_object() (*stellar_sdk.memo.ReturnHashMemo method*), **98**

to_xdr_object() (*stellar_sdk.memo.TextMemo method*), **97**

to_xdr_object() (*stellar_sdk.muxed_account.MuxedAccount method*), **99**

to_xdr_object() (*stellar_sdk.operation.AccountMerge method*), **101**

to_xdr_object() (*stellar_sdk.operation.AllowTrust method*), **102**

to_xdr_object() (*stellar_sdk.operation.BeginSponsoringFutureReserves method*), **114**

to_xdr_object() (*stellar_sdk.operation.BumpSequence method*), **103**

to_xdr_object() (*stellar_sdk.operation.ChangeTrust method*), **103**

to_xdr_object()	(stellar_sdk.operation.ClaimClaimableBalance method), 114	to_xdr_object()	(stellar_sdk.price.Price method), 118
to_xdr_object()	(stellar_sdk.operation.Clawback method), 116	to_xdr_object()	(stellar_sdk.signer.Signer method), 127
to_xdr_object()	(stellar_sdk.operation.ClawbackClaimableBalance method), 116	to_xdr_object()	(stellar_sdk.signer_key.SignerKey method), 128
to_xdr_object()	(stellar_sdk.operation.CreateAccount method), 104	to_xdr_object()	(stellar_sdk.time_bounds.TimeBounds method), 131
to_xdr_object()	(stellar_sdk.operation.CreateClaimableBalance method), 111	to_xdr_object()	(stellar_sdk.transaction.Transaction method), 133
to_xdr_object()	(stellar_sdk.operation.CreatePassiveSellOffer method), 104	to_xdr_object()	(stellar_sdk.transaction_envelope.TransactionEnvelope method), 135
to_xdr_object()	(stellar_sdk.operation.EndSponsoringFutureReserves method), 115	TopologyResponseBody	(class in stellar_sdk.xdr.topology_response_body), 246
to_xdr_object()	(stellar_sdk.operation.Inflation method), 105	trade_aggregations()	(stellar_sdk.server.Server method), 121
to_xdr_object()	(stellar_sdk.operation.LiquidityPoolDeposit method), 105	trade_aggregations()	(stellar_sdk.server_async.ServerAsync method), 125
to_xdr_object()	(stellar_sdk.operation.LiquidityPoolWithdraw method), 106	TradeAggregationsCallBuilder	(class in stellar_sdk.call_builder.call_builder_async), 78
to_xdr_object()	(stellar_sdk.operation.ManageBuyOffer method), 107	TradeAggregationsCallBuilder	(class in stellar_sdk.call_builder.call_builder_sync), 48
to_xdr_object()	(stellar_sdk.operation.ManageData method), 107	trades()	(stellar_sdk.server.Server method), 122
to_xdr_object()	(stellar_sdk.operation.ManageSellOffer method), 108	trades()	(stellar_sdk.server_async.ServerAsync method), 126
to_xdr_object()	(stellar_sdk.operation.Operation method), 101	TradesCallBuilder	(class in stellar_sdk.call_builder.call_builder_async), 80
to_xdr_object()	(stellar_sdk.operation.PathPaymentStrictReceive method), 108	TradesCallBuilder	(class in stellar_sdk.call_builder.call_builder_sync), 50
to_xdr_object()	(stellar_sdk.operation.PathPaymentStrictSend method), 109	Transaction	(class in stellar_sdk.transaction), 132
to_xdr_object()	(stellar_sdk.operation.Payment method), 110	Transaction	(class in stellar_sdk.xdr.transaction), 247
to_xdr_object()	(stellar_sdk.operation.RevokeSponsorship method), 115	transaction()	(stellar_sdk.call_builder.call_builder_async.Transactions method), 83
to_xdr_object()	(stellar_sdk.operation.SetOptions method), 111	transaction()	(stellar_sdk.call_builder.call_builder_sync.Transactions method), 53
to_xdr_object()	(stellar_sdk.operation.SetTrustLineFlags method), 117	TransactionBuilder	(class in stellar_sdk.transaction_builder), 138
		TransactionEnvelope	(class in stellar_sdk.transaction_envelope), 133
		TransactionEnvelope	(class in stellar_sdk.xdr.transaction_envelope), 247
		TransactionExt	(class in stellar_sdk.xdr.transaction_ext), 248
		TransactionHistoryEntry	(class in stellar_sdk.xdr.transaction_history_entry), 248
		TransactionHistoryEntryExt	(class in stellar_sdk.xdr.transaction_history_entry_ext), 248
		TransactionHistoryResultEntry	(class in stellar_sdk.xdr.transaction_history_result_entry), 248

<i>lar_sdk.xdr.transaction_history_result_entry),</i>	<i>lar_sdk.xdr.transaction_v1_envelope),</i>	255
249	TrustLine (class in stel-	
TransactionHistoryResultEntryExt (class in stel-	lar_sdk.operation.revoke_sponsorship),	115
lar_sdk.xdr.transaction_history_result_entry_ext)	TrustLineAsset (class in stel-	
249	lar_sdk.xdr.trust_line_asset),	255
TransactionMeta (class in stel-	TrustLineEntry (class in stel-	
lar_sdk.xdr.transaction_meta),	lar_sdk.xdr.trust_line_entry),	256
249	TrustLineEntryExt (class in stel-	
TransactionMetaV1 (class in stel-	lar_sdk.xdr.trust_line_entry_ext),	256
lar_sdk.xdr.transaction_meta_v1),	TrustLineEntryExtensionV2 (class in stel-	
250	lar_sdk.xdr.trust_line_entry_extension_v2),	257
TransactionMetaV2 (class in stel-	TrustLineEntryExtensionV2Ext (class in stel-	
lar_sdk.xdr.transaction_meta_v2),	lar_sdk.xdr.trust_line_entry_extension_v2_ext),	257
250	TrustLineEntryFlag (class in stel-	
TransactionResult (class in stel-	lar_sdk.operation.allow_trust),	102
lar_sdk.xdr.transaction_result),	TrustLineEntryV1 (class in stel-	
250	lar_sdk.xdr.trust_line_entry_v1),	258
TransactionResultExt (class in stel-	TrustLineEntryV1Ext (class in stel-	
lar_sdk.xdr.transaction_result_ext),	lar_sdk.xdr.trust_line_entry_v1_ext),	258
251	TrustLineFlags (class in stel-	
TransactionResultMeta (class in stel-	lar_sdk.operation.set_trust_line_flags),	117
lar_sdk.xdr.transaction_result_meta),	TrustLineFlags (class in stel-	
252	lar_sdk.xdr.trust_line_flags),	258
TransactionResultPair (class in stel-	type (stellar_sdk.asset.Asset property),	24
lar_sdk.xdr.transaction_result_pair),		
252	U	
TransactionResultResult (class in stel-	Uint256 (class in stellar_sdk.xdr.uint256),	259
lar_sdk.xdr.transaction_result_result),	Uint32 (class in stellar_sdk.xdr.uint32),	259
252	Uint64 (class in stellar_sdk.xdr.uint64),	259
TransactionResultSet (class in stel-	universal_account_id (stellar_sdk.account.Account	
lar_sdk.xdr.transaction_result_set),	property),	22
253	universal_account_id (stellar_sdk.account.MuxedAccount	
transactions() (stellar_sdk.server.Server method),	property),	99
122	UnsignedHyper (class in stellar_sdk.xdr.base),	259
transactions() (stellar-	UnsignedInteger (class in stellar_sdk.xdr.base),	259
lar_sdk.server_async.ServerAsync method),	UpgradeEntryMeta (class in stel-	
126	lar_sdk.upgrade_entry_meta),	259
TransactionsCallBuilder (class in stel-	UpgradeType (class in stellar_sdk.xdr.upgrade_type),	
lar_sdk.call_builder.call_builder_async),	260	
82	V	
TransactionsCallBuilder (class in stel-	Value (class in stellar_sdk.xdr.value),	260
lar_sdk.call_builder.call_builder_sync),	verify() (stellar_sdk.keypair.Keypair method),	94
52	verify_challenge_transaction() (in module stel-	
TransactionSet (class in stel-	lar_sdk.sep.stellar_web_authentication),	160
lar_sdk.xdr.transaction_set),	verify_challenge_transaction_signed_by_client_master_key()	
253	(in module lar_sdk.sep.stellar_web_authentication),	
TransactionSignaturePayload (class in stel-	159	
lar_sdk.xdr.transaction_signature_payload),	verify_challenge_transaction_signers()	
253	(in module stel-	
TransactionSignaturePayloadTaggedTransaction		
(class in stel-		
lar_sdk.xdr.transaction_signature_payload_tagged		
254		
TransactionStellarUri (class in stel-		
lar_sdk.sep.stellar_uri),		
155		
TransactionV0 (class in stel-		
lar_sdk.xdr.transaction_v0),		
254		
TransactionV0Envelope (class in stel-		
lar_sdk.xdr.transaction_v0_envelope),		
254		
TransactionV0Ext (class in stel-		
lar_sdk.xdr.transaction_v0_ext),		
255		
TransactionV1Envelope (class in stel-		
lar_sdk.xdr.transaction_v1_envelope),		
255		

```
    lar_sdk.sep.stellar_web_authentication),  
    159  
verify_challenge_transaction_threshold()  
    (in           module           stel-  
     lar_sdk.sep.stellar_web_authentication),  
    158  
X  
xdr_public_key()      (stellar_sdk.keypair.Keypair  
method), 94
```